

## 【履歴】

氏名：平山篤志

生年月日：昭和 27 年 9 月 26 日

学歴：昭和 46 年 大阪府立大手前高等学校卒業

昭和 52 年 大阪大学医学部卒業

昭和 56 年 大阪大学医学部大学院卒業

職歴：昭和 56 年 4 月～昭和 57 年 8 月 大阪大学非常勤医師  
昭和 57 年 9 月～昭和 59 年 8 月 米国ペンシルバニア大学研究員  
昭和 59 年 9 月～昭和 60 年 3 月 大阪大学第一内科研究生  
昭和 60 年 4 月～昭和 62 年 3 月 大阪警察病院循環器科（副医長）  
昭和 63 年 4 月～平成 4 年 3 月 大阪警察病院循環器科（医長）  
平成 4 年 4 月～平成 10 年 3 月 大阪警察病院循環器科（副部長）  
平成 10 年 4 月～平成 19 年 1 月 大阪警察病院循環器科（部長）  
平成 16 年 7 月～平成 19 年 1 月 大阪警察病院心臓センター長（兼務）  
平成 19 年 1 月～平成 19 年 1 月 大阪警察病院医務局長（兼務）  
平成 19 年 2 月～平成 30 年 3 月 日本大学医学部  
内科学系循環器内科学分野教授  
平成 22 年 4 月～平成 30 年 3 月 日本大学医学部内科学系  
先端心血管画像解析学分野（寄付）教授（兼務）  
平成 25 年 4 月～平成 26 年 10 月 日本大学医学部附属板橋病院  
副病院長（兼務）  
平成 26 年 11 月～平成 29 年 10 月 日本大学医学部附属板橋病院病院長  
(兼務)  
平成 30 年 4 月～令和 2 年 3 月 日本大学医学部研究所 教授  
平成 30 年 4 月～現在 大阪警察病院循環器内科 特別顧問

認定医：日本内科学会認定医  
日本循環器学会専門医  
日本心臓血管内視鏡学会専門医

所属学会：日本内科学会、日本循環器学会、日本集中治療医学会、  
日本心臓病学会、日本冠疾患学会、日本心臓血管内視鏡学会、  
日本心不全学会、日本不整脈心電学会、  
日本心血管インターベンション治療学会

専門分野  
循環器学  
虚血性心疾患

## 【英文原著】

1. Takagaki Y, Hirayama A, Fujio H, Amano T. Antibodies to a continuous region at residues 38-54 of hen egg white lysozyme found in a small fraction of anti-hen egg white lysozyme antibodies. *Biochemistry*. 1980;19(11):2498-505.
2. Hirayama A, Dohi Y, Fujio H, Takagaki Y, Amano T, Shimonishi Y. An immunological determinant for helper T cells at the N- and C-region of hen egg-white lysozyme. *Biken J*. 1981;24(1-2):69-74.
3. Hirayama A, Fujio H, Dohi Y, Takagaki Y, Kondo K, Amano T. Preparations and immunological characterizations of two lysozyme derivatives dinitrophenylated at lysine-33 and lysine-96, respectively. *J Biochem*. 1981;89(3):963-74.
4. Hirayama A, Dohi Y, Takagaki Y, Fujio H, Amano T. Structural relationships between carrier epitopes and antigenic epitopes on hen egg-white lysozyme. *Immunology*. 1982;46(1):145-54.
5. Kobayashi T, Fujio H, Kondo K, Dohi Y, Hirayama A, Takagaki Y, et al. A monoclonal antibody specific for a distinct region of hen egg-white lysozyme. *Mol Immunol*. 1982;19(4):619-30.
6. Takagaki Y, Hirayama A, Fujio H, Amano T. A local antigenic determinant distribution in a continuous antigenic region at residues 38-54 of hen egg white lysozyme. *Arch Biochem Biophys*. 1982;214(2):750-62.
7. Dohi Y, Higasa M, Nishimura M, Hirayama A, Takagaki Y, Yamada K, et al. Successful generation of cytotoxic T lymphocytes specific for self immunoglobulin-determinants on B lymphocytes. *J Immunol*. 1985;135(1):47-52.
8. Hirayama A, Takagaki Y, Karush F. Interaction of monoclonal anti-peptide antibodies with lysozyme. *J Immunol*. 1985;134(5):3241-7.
9. Masuyama T, Uematsu M, Sato H, Nakatani S, Nanto S, Hirayama A, et al. [Pulmonary arterial end-diastolic pressure noninvasively estimated by continuous wave Doppler echocardiography]. *J Cardiogr*. 1986;16(3):669-75.
10. Kodama K, Hirayama A, Komamura K. Human plasma superoxide dismutase (SOD) activity on reperfusion injury with successful thrombolysis in acute myocardial infarction. *Jpn J Med*. 1989;28(2):202-6.
11. Komamura K, Nanto S, Hirayama A, Asada S, Oohara T, Matsumura Y, et al. [Serial myocardial lactate metabolic changes after intracoronary thrombolysis in evolving myocardial infarction]. *J Cardiol*. 1989;19(3):709-15.
12. Hirayama A, Arita M, Takagaki Y, Tsuji A, Kodama K, Inoue M. Clinical assessment of specific enzyme immunoassay for the human cardiac myosin light chain

- II (MLC II) with use of monoclonal antibodies. *Clin Biochem.* 1990;23(6):515-22.
13. Komamura K, Kodama K, Nanto S, Mishima M, Hirayama A. [Is emergency angioplasty following successful thrombolysis more effective than thrombolysis alone in acute myocardial infarction?]. *J Cardiol.* 1990;20(1):63-70.
14. Mishima M, Kodama K, Nanto S, Hirayama A, Asada S. Serial transcardiac lactate metabolism in post-reperfused stunned myocardium in evolving myocardial infarction. *Jpn Circ J.* 1991;55(9):930-5.
15. Nanto S, Ohara T, Mishima M, Hirayama A, Komamura K, Matsumura Y, et al. Coronary angioscopy: a monorail angioscope with movable guide wire. *Am J Card Imaging.* 1991;5(1):1-5.
16. Hirayama A, Nishida K, Kodama K. [Prevention of left ventricular dilation without infarct size limitation by late reperfusion in patients with acute myocardial infarction]. *Jpn Circ J.* 1992;56 Suppl 5:1438-41.
17. Yamamoto K, Kodama K, Masuyama T, Hirayama A, Nanto S, Mishima M, et al. Role of atrial contraction and synchrony of ventricular contraction in the optimisation of ventriculoarterial coupling in humans. *Br Heart J.* 1992;67(5):361-7.
18. Yamamoto K, Kodama K, Masuyama T, Hirayama A, Nanto S, Mishima M, et al. Adverse effects of epinephrine in patients with advanced left ventricular dysfunction: analysis of ventriculo-arterial coupling. *Int J Cardiol.* 1992;34(2):143-55.
19. Hirayama A, Adachi T, Asada S, Mishima M, Nanto S, Kusuoka H, et al. Late reperfusion for acute myocardial infarction limits the dilatation of left ventricle without the reduction of infarct size. *Circulation.* 1993;88(6):2565-74.
20. Hirayama A, Mishima M, Nishida K, Kodama K. [Preangina and plasma radical scavenger activity limit the size of infarct in patients with successful thrombolysis]. *Jpn Circ J.* 1993;57 Suppl 4:1352-5.
21. Yamamoto K, Asada S, Masuyama T, Nanto S, Matsumura Y, Naito J, et al. Myocardial hibernation in the infarcted region cannot be assessed from the presence of stress-induced ischemia: usefulness of delayed image of exercise thallium-201 scintigraphy. *Am Heart J.* 1993;125(1):33-40.
22. Hirayama A, Hasegawa S, Mishima M, Kodama K. [Effects of infarct-related artery patency on left ventricular function during exercise and remodeling]. *Jpn Circ J.* 1994;58 Suppl 4:1356-9.
23. Hirayama A, Nanto S, Asada S, Adachi T, Mishima M, Matsumura Y, et al. Effect of successful angioplasty following thrombolysis on infarct size and left ventricular function. *Int J Cardiol.* 1994;47(1 Suppl):S39-47.
24. Kodama K, Kusuoka H, Sakai A, Adachi T, Hasegawa S, Ueda Y, et al.

Collateral channels that develop after an acute myocardial infarction prevent subsequent left ventricular dilation. *J Am Coll Cardiol.* 1996;27(5):1133-9.

25. Matsuwaka R, Sakakibara T, Shintani H, Yagura A, Masai T, Hirayama A, et al. Emergency cardiopulmonary bypass support in patients with severe cardiogenic shock after acute myocardial infarction. *Heart Vessels.* 1996;11(1):27-9.
26. Sakai A, Hirayama A, Adachi T, Nanto S, Hori M, Inoue M, et al. Is the presence of hyperlipidemia associated with impairment of endothelium-dependent neointimal relaxation after percutaneous transluminal coronary angioplasty? *Heart Vessels.* 1996;11(5):255-61.
27. Sakakibara T, Matsuwaka R, Shintani H, Yagura A, Yamaguchi T, Hirayama A, et al. Successful repair of postinfarction left ventricular free wall rupture: new strategy with hypothermic percutaneous cardiopulmonary bypass. *J Thorac Cardiovasc Surg.* 1996;111(1):276.
28. Sakata Y, Komamura K, Hirayama A, Nanto S, Kitakaze M, Hori M, et al. Elevation of the plasma histamine concentration in the coronary circulation in patients with variant angina. *Am J Cardiol.* 1996;77(12):1121-6.
29. Ueda Y, Asakura M, Hirayama A, Komamura K, Hori M, Komada K. Intracoronary morphology of culprit lesions after reperfusion in acute myocardial infarction: serial angioscopic observations. *J Am Coll Cardiol.* 1996;27(3):606-10.
30. Sakata Y, Kodama K, Adachi T, Lim YJ, Ishikura F, Fuji H, et al. Comparison of myocardial contrast echocardiography and coronary angiography for assessing the acute protective effects of collateral recruitment during occlusion of the left anterior descending coronary artery at the time of elective angioplasty. *Am J Cardiol.* 1997;79(10):1329-33.
31. Sakata Y, Kodama K, Ishikura F, Komamura K, Hasegawa S, Sakata Y, et al. Disappearance of the 'no-reflow' phenomenon after adjunctive intracoronary administration of nicorandil in a patient with acute myocardial infarction. *Jpn Circ J.* 1997;61(5):455-8.
32. Sakata Y, Kodama K, Kitakaze M, Masuyama T, Hirayama A, Lim YJ, et al. Different mechanisms of ischemic adaptation to repeated coronary occlusion in patients with and without recruitable collateral circulation. *J Am Coll Cardiol.* 1997;30(7):1679-86.
33. Sakata Y, Kodama K, Komamura K, Lim YJ, Ishikura F, Hirayama A, et al. Salutary effect of adjunctive intracoronary nicorandil administration on restoration of myocardial blood flow and functional improvement in patients with acute myocardial infarction. *Am Heart J.* 1997;133(6):616-21.

34. Asakura M, Ueda Y, Nanto S, Hirayama A, Adachi T, Kitakaze M, et al. Remodeling of in-stent neointima, which became thinner and transparent over 3 years: serial angiographic and angioscopic follow-up. *Circulation*. 1998;97(20):2003-6.
35. Ishikura F, Matsuwaka R, Sakakibara T, Sakata Y, Hirayama A, Kodama K. Clinical application of power Doppler imaging to visualize coronary arteries in human beings. *J Am Soc Echocardiogr*. 1998;11(3):219-27.
36. Komatsu S, Sakata Y, Ueda Y, Higuchi Y, Ishikura F, Hirayama A, et al. Estimation of shunt flow in coronary-pulmonary fistula by lung perfusion scintigraphy with technetium-99m macroaggregated albumin. *Am J Cardiol*. 1998;82(9):1158-61, A11.
37. Hirayama A, Asakura M, Yamaguchi O, Ueda Y, Kodama K. [Coronary angioscopy in ischemic heart disease]. *J Cardiol*. 2000;35 Suppl 1:57-60.
38. Hirayama A, Kodama K, Adachi T, Nanto S, Ohara T, Tamai H, et al. Angiographic and clinical outcome of a new self-expanding intracoronary stent (RADIUS): results from multicenter experience in Japan. *Catheter Cardiovasc Interv*. 2000;49(4):401-7.
39. Kodama K, Asakura M, Ueda Y, Yamaguchi O, Hirayama A. The role of plaque rupture in the development of acute coronary syndrome evaluated by the coronary angioscope. *Intern Med*. 2000;39(4):333-5.
40. Hirayama A, Yamamoto H, Sakata Y, Asakura M, Sakata Y, Fuji H, et al. Usefulness of plasma brain natriuretic peptide after acute myocardial infarction in predicting left ventricular dilatation six months later. *Am J Cardiol*. 2001;88(8):890-3, A8.
41. Sakata Y, Kitakaze M, Ishikura F, Lim Y, Hirayama A, Kodama K, et al. Dynamic change in collateral flow associated with myocardial ischemia in humans. *Int J Cardiol*. 2001;80(2-3):153-60.
42. Ueda Y, Asakura M, Yamaguchi O, Hirayama A, Hori M, Kodama K. The healing process of infarct-related plaques. Insights from 18 months of serial angioscopic follow-up. *J Am Coll Cardiol*. 2001;38(7):1916-22.
43. Higuchi Y, Hirayama A, Shimizu M, Sakakibara T, Kodama K. Postoperative changes in angiographically normal saphenous vein coronary bypass grafts using intravascular ultrasound. *Heart Vessels*. 2002;17(2):57-60.
44. Hirayama A, Kusuoka H, Adachi T, Sakai A, Ueda Y, Okuyama Y, et al. Comparison of time of reperfusion during anterior wall acute myocardial infarction to left ventricular volume one month and 20 months later. *Am J Cardiol*. 2002;89(12):1335-40.

45. Hirayama A, Kodama K, Yui Y, Nonogi H, Sumiyoshi T, Origasa H, et al. Effect of trapidil on cardiovascular events in patients with coronary artery disease (results from the Japan Multicenter Investigation for Cardiovascular Diseases-Mochida [JMIC-M]). *Am J Cardiol.* 2003;92(7):789-93.
46. Ueda Y, Hirayama A, Kodama K. Plaque characterization and atherosclerosis evaluation by coronary angioscopy. *Herz.* 2003;28(6):501-4.
47. Ueda Y, Ohtani T, Shimizu M, Hirayama A, Kodama K. Assessment of plaque vulnerability by angioscopic classification of plaque color. *Am Heart J.* 2004;148(2):333-5.
48. Ueda Y, Ohtani T, Shimizu M, Mizote I, Ohyabu J, Hirayama A, et al. Color of culprit lesion at 6 months after plain old balloon angioplasty versus stenting in patients with acute myocardial infarction. *Am Heart J.* 2004;148(5):842-6.
49. Hirayama A, Kusuoka H, Yamamoto H, Sakata Y, Asakura M, Higuchi Y, et al. Serial changes in plasma brain natriuretic peptide concentration at the infarct and non-infarct sites in patients with left ventricular remodelling after myocardial infarction. *Heart.* 2005;91(12):1573-7.
50. Komatsu S, Hirayama A, Omori Y, Ueda Y, Mizote I, Fujisawa Y, et al. Detection of coronary plaque by computed tomography with a novel plaque analysis system, 'Plaque Map', and comparison with intravascular ultrasound and angioscopy. *Circ J.* 2005;69(1):72-7.
51. Komatsu S, Okuyama Y, Omori Y, Oka T, Mizuno H, Honda T, et al. Evaluation of the cavotricuspid isthmus and right atrium by multidetector-row computed tomography in patients with common atrial flutter. *Heart Vessels.* 2005;20(6):264-70.
52. Mizote I, Ueda Y, Ohtani T, Shimizu M, Takeda Y, Oka T, et al. Distal protection improved reperfusion and reduced left ventricular dysfunction in patients with acute myocardial infarction who had angioscopically defined ruptured plaque. *Circulation.* 2005;112(7):1001-7.
53. Ohtani T, Ueda Y, Shimizu M, Mizote I, Hirayama A, Hori M, et al. Association between cardiac troponin T elevation and angioscopic morphology of culprit lesion in patients with non-ST-segment elevation acute coronary syndrome. *Am Heart J.* 2005;150(2):227-33.
54. Okuyama Y, Oka T, Mizuno H, Sakai T, Hirayama A, Kodama K. A case of atrioventricular nodal reentrant tachycardia with atresia of the coronary sinus ostium. *Int Heart J.* 2005;46(5):899-902.
55. Hirayama A, Kusuoka H, Yamamoto H, Sakata Y, Asakura M, Higuchi Y, et al. Usefulness of plasma brain natriuretic peptide concentration for predicting subsequent

- left ventricular remodeling after coronary angioplasty in patients with acute myocardial infarction. *Am J Cardiol.* 2006;98(4):453-7.
56. Ohtani T, Ueda Y, Mizote I, Oyabu J, Okada K, Hirayama A, et al. Number of yellow plaques detected in a coronary artery is associated with future risk of acute coronary syndrome: detection of vulnerable patients by angioscopy. *J Am Coll Cardiol.* 2006;47(11):2194-200.
57. Okuyama Y, Kashiwase K, Mizuno H, Oka T, Takeda Y, Komatsu S, et al. Development of thrombus on a transseptal sheath in the left atrium during attempted electrical pulmonary vein isolation for the treatment of paroxysmal atrial fibrillation. *Europace.* 2006;8(3):191-2.
58. Oyabu J, Ueda Y, Ogasawara N, Okada K, Hirayama A, Kodama K. Angioscopic evaluation of neointima coverage: sirolimus drug-eluting stent versus bare metal stent. *Am Heart J.* 2006;152(6):1168-74.
59. Ueda Y, Oyabu J, Okada K, Murakawa T, Hirayama A, Kodama K. Angioscopically-determined extent of coronary atherosclerosis is associated with severity of acute coronary syndrome. *J Invasive Cardiol.* 2006;18(5):220-4.
60. Ichikawa M, Sato Y, Komatsu S, Hirayama A, Kodama K, Saito S. Multislice computed tomographic findings of the anomalous origins of the right coronary artery: evaluation of possible causes of myocardial ischemia. *Int J Cardiovasc Imaging.* 2007;23(3):353-60.
61. Matsumoto N, Sato Y, Suzuki Y, Kunimasa T, Yoda S, Iida J, et al. Prognostic value of myocardial perfusion single-photon emission computed tomography for the prediction of future cardiac events in a Japanese population: a middle-term follow-up study. *Circ J.* 2007;71(10):1580-5.
62. Matsumoto N, Sato Y, Yoda S, Nakano Y, Kunimasa T, Matsuo S, et al. Prognostic value of non-obstructive CT low-dense coronary artery plaques detected by multislice computed tomography. *Circ J.* 2007;71(12):1898-903.
63. Ohkubo K, Watanabe I, Takagi Y, Okumura Y, Ashino S, Kofune M, et al. Electrocardiographic and electrophysiologic characteristics in patients with Brugada type electrocardiogram and inducible ventricular fibrillation: single center experience. *Circ J.* 2007;71(9):1437-41.
64. Ohkubo K, Watanabe I, Takagi Y, Okumura Y, Ashino S, Kofune M, et al. Endocardial electrograms from the right ventricular outflow tract after induced ventricular fibrillation in patients with Brugada syndrome. *Circ J.* 2007;71(8):1258-62.
65. Okada K, Ueda Y, Oyabu J, Ogasawara N, Hirayama A, Kodama K. Plaque color analysis by the conventional yellow-color grading system and quantitative

- measurement using LCH color space. *J Interv Cardiol.* 2007;20(5):324-34.
66. Okuyama Y, Mizuno H, Oka T, Komatsu S, Hirayama A, Kodama K. Atrial tachycardia originating at the tricuspid annulus. *Heart Vessels.* 2007;22(1):55-8.
67. Sezai A, Hata M, Wakui S, Niino T, Takayama T, Hirayama A, et al. Efficacy of continuous low-dose hANP administration in patients undergoing emergent coronary artery bypass grafting for acute coronary syndrome. *Circ J.* 2007;71(9):1401-7.
68. Ueda Y, Okada K, Ogasawara N, Oyabu J, Hirayama A, Kodama K. Acute myocardial infarction without disrupted yellow plaque in young patients below 50 years old. *J Interv Cardiol.* 2007;20(3):177-81.
69. Ashino S, Watanabe I, Kofune M, Ohkubo K, Okumura Y, Nakai T, et al. Idiopathic ventricular fibrillation characterized by spatial heterogeneity of action potential duration and its restitution kinetics. *Int Heart J.* 2008;49(6):733-40.
70. Ashino S, Watanabe I, Kofune M, Okumura Y, Kawauchi K, Yamada T, et al. Radiofrequency catheter ablation of ventricular tachycardia originating in the left posterior and left anterior fascicles in a patient with prior myocardial infarction. *Int Heart J.* 2008;49(1):119-27.
71. Imai S, Saito F, Takase H, Enomoto M, Aoyama H, Yamaji S, et al. Use of bepridil in combination with Ic antiarrhythmic agent in converting persistent atrial fibrillation to sinus rhythm. *Circ J.* 2008;72(5):709-15.
72. Kashiwase K, Ueda Y, Ogasawara N, Oyabu J, Okada K, Murakawa T, et al. A large dissecting sub-epicardial hematoma and cardiac tamponade following elective percutaneous coronary intervention. *J Cardiol.* 2008;52(2):163-6.
73. Kofune M, Watanabe I, Ashino S, Okumura Y, Kawauchi K, Kofune T, et al. Three-dimensional reconstruction of the coronary sinus with rotational angiography. *Circ J.* 2008;72(6):1020-1.
74. Komatsu S, Sato Y, Ichikawa M, Kunimasa T, Ito S, Takagi T, et al. Anomalous coronary arteries in adults detected by multislice computed tomography: presentation of cases from multicenter registry and review of the literature. *Heart Vessels.* 2008;23(1):26-34.
75. Kunimoto S, Sato Y, Matsumoto N, Kunimasa T, Takayama T, Kasama S, et al. Whole-heart coronary magnetic resonance angiography of double left anterior descending artery. *Heart Vessels.* 2008;23(5):363-5.
76. Matsumoto N, Sato Y, Suzuki Y, Kasama S, Nakano Y, Kato M, et al. Incremental prognostic value of cardiac function assessed by ECG-gated myocardial perfusion SPECT for the prediction of future acute coronary syndrome. *Circ J.* 2008;72(12):2035-9.

77. Ohkubo K, Watanabe I, Okumura Y, Ashino S, Kofune M, Kawauchi K, et al. Anatomic and electrophysiologic differences between chronic and paroxysmal atrial flutter: intracardiac echocardiographic analysis. *Pacing Clin Electrophysiol*. 2008;31(4):432-7.
78. Ohkubo K, Watanabe I, Okumura Y, Ashino S, Kofune M, Takagi Y, et al. Combined effect of pulmonary vein isolation and ablation of cardiac autonomic nerves for atrial fibrillation. *Int Heart J*. 2008;49(6):661-70.
79. Ohkubo K, Watanabe I, Yamada T, Okumura Y, Hashimoto K, Ashino S, et al. P wave morphology of an arrhythmogenic focus in patients with atrial fibrillation originating from a pulmonary vein or the superior vena cava. *Circ J*. 2008;72(10):1650-7.
80. Okumura Y, Watanabe I, Ohkubo K, Yamada T, Kawauchi K, Takagi Y, et al. Full-motion two- and three-dimensional pulmonary vein imaging by intracardiac echocardiography after pulmonary vein isolation. *Pacing Clin Electrophysiol*. 2008;31(4):409-17.
81. Yajima Y, Ito S, Komatsu K, Tsukamoto K, Matsumoto K, Hirayama A. Enhanced response from the caudal pressor area in spontaneously hypertensive rats. *Brain Res*. 2008;1227:89-95.
82. Yoda M, Nakai T, Okubo K, Hata M, Sezai A, Hirayama A, et al. First case report in Japan of left ventricular pacing via a coronary vein in a patient with a mechanical tricuspid valve. *Circ J*. 2008;72(2):335-6.
83. Ashino S, Watanabe I, Okumura Y, Kofune M, Ohkubo K, Nakai T, et al. Implantation of a pacemaker in a patient with severe Parkinson's disease and a pre-existing bilateral deep brain stimulator. *Europace*. 2009;11(6):834-5.
84. Hashimoto K, Watanabe I, Okumura Y, Ohkubo K, Ashino S, Kofune M, et al. Comparison of endocardial and epicardial lesion size following large-tip and extra-large-tip transcatheter cryoablation. *Circ J*. 2009;73(9):1619-26.
85. Hata M, Takayama T, Sezai A, Yoshitake I, Hirayama A, Minami K. Efficacy of aggressive lipid controlling therapy for preventing saphenous vein graft disease. *Ann Thorac Surg*. 2009;88(5):1440-4.
86. Hirayama A, Saito S, Ueda Y, Takayama T, Honye J, Komatsu S, et al. Qualitative and quantitative changes in coronary plaque associated with atorvastatin therapy. *Circ J*. 2009;73(4):718-25.
87. Jumabay M, Matsumoto T, Yokoyama S, Kano K, Kusumi Y, Masuko T, et al. Dedifferentiated fat cells convert to cardiomyocyte phenotype and repair infarcted cardiac tissue in rats. *J Mol Cell Cardiol*. 2009;47(5):565-75.

88. Kofune M, Watanabe I, Ashino S, Ohkubo K, Okumura Y, Kofune T, et al. Action potential alternans in the right ventricular outflow tract in a patient with asymptomatic Brugada syndrome. *Circ J.* 2009;73(3):580-3.
89. Ohkubo K, Watanabe I, Okumura Y, Ashino S, Kofune M, Ohta M, et al. Surface ECG characteristics of ventricular tachyarrhythmias before degeneration into ventricular fibrillation in patients with Brugada-type ECG. *Int Heart J.* 2009;50(4):477-87.
90. Okubo K, Sato Y, Matsumoto N, Kunimasa T, Kasama S, Sano Y, et al. Cardiac resynchronization and cardioverter defibrillation therapy in a patient with isolated noncompaction of the ventricular myocardium. *Int J Cardiol.* 2009;136(3):e66-8.
91. Okumura Y, Watanabe I, Nakai T, Ohkubo K, Kofune T, Ashino S, et al. Left bundle branch block-type ventricular tachycardia originating from the left ventricular septum in a patient with cardiac sarcoidosis. *J Interv Card Electrophysiol.* 2009;26(3):181-4.
92. Sezai A, Hata M, Niino T, Kasamaki Y, Nakai T, Hirayama A, et al. Study of the factors related to atrial fibrillation after coronary artery bypass grafting: a search for a marker to predict the occurrence of atrial fibrillation before surgical intervention. *J Thorac Cardiovasc Surg.* 2009;137(4):895-900.
93. Sezai A, Hata M, Niino T, Yoshitake I, Unosawa S, Wakui S, et al. Influence of continuous infusion of low-dose human atrial natriuretic peptide on renal function during cardiac surgery: a randomized controlled study. *J Am Coll Cardiol.* 2009;54(12):1058-64.
94. Takayama T, Hiro T, Yamagishi M, Daida H, Hirayama A, Saito S, et al. Effect of rosuvastatin on coronary atheroma in stable coronary artery disease: multicenter coronary atherosclerosis study measuring effects of rosuvastatin using intravascular ultrasound in Japanese subjects (COSMOS). *Circ J.* 2009;73(11):2110-7.
95. Ueno T, Watanabe H, Fukuda N, Tsunemi A, Tahira K, Matsumoto T, et al. Influence of genetic polymorphisms in oxidative stress related genes and smoking on plasma MDA-LDL, soluble CD40 ligand, E-selectin and soluble ICAM1 levels in patients with coronary artery disease. *Med Sci Monit.* 2009;15(7):CR341-8.
96. Watanabe I, Min N, Okumura Y, Kofune M, Ashino S, Ohkubo K, et al. Use of a novel irrigated balloon catheter to generate continuous right atrial lesions by radiofrequency ablation. *Int Heart J.* 2009;50(3):365-76.
97. Ashino S, Watanabe I, Kofune M, Nagashima K, Ohkubo K, Okumura Y, et al. Abnormal action potential duration restitution property in the right ventricular outflow

- tract in Brugada syndrome. *Circ J.* 2010;74(4):664-70.
98. Hagikura K, Fukuda N, Yokoyama S, Yuxin L, Kusumi Y, Matsumoto T, et al. Low invasive angiogenic therapy for myocardial infarction by retrograde transplantation of mononuclear cells expressing the VEGF gene. *Int J Cardiol.* 2010;142(1):56-64.
99. Harasawa S, Otsuka Y, Okubo K, Koike M, Fujita H, Kushiro T, et al. Amlodipine suppressed cardiac gene expression of brain natriuretic peptide, transforming growth factor-beta(1) and fibronectin mediated by aldosterone in male stroke-prone spontaneously hypertensive rats. *J Pharm Pharmacol.* 2010;62(12):1740-5.
100. Kofune M, Watanabe I, Ohkubo K, Ashino S, Okumura Y, Nagashima K, et al. Abnormal atrial repolarization and depolarization contribute to the inducibility of atrial fibrillation in Brugada syndrome. *Int Heart J.* 2010;51(3):159-65.
101. Matsumoto N, Nagao K, Hirayama A, Sato Y. Non-invasive assessment and clinical strategy of stable coronary artery disease by magnetic resonance imaging, multislice computed tomography and myocardial perfusion SPECT. *Circ J.* 2010;74(1):34-40.
102. Nakano Y, Matsumoto N, Suzuki Y, Kato M, Miki T, Iida J, et al. Diagnostic value of adenosine-induced left ventricular diastolic dysfunction for detecting coronary artery restenosis in patients undergoing stent implantation by Stress ECG-gated myocardial perfusion SPECT. A pilot study. *Circ J.* 2010;74(12):2658-65.
103. Ohkubo K, Watanabe I, Okumura Y, Takagi Y, Ashino S, Kofune M, et al. Right ventricular histological substrate and conduction delay in patients with Brugada syndrome. *Int Heart J.* 2010;51(1):17-23.
104. Okumura Y, Watanabe I, Nakai T, Ohkubo K, Kofune T, Ashino S, et al. Upper turnaround point of the reentry circuit of common atrial flutter--three-dimensional mapping and entrainment study. *J Interv Card Electrophysiol.* 2010;29(3):147-56.
105. Sezai A, Hata M, Niino T, Yoshitake I, Kasamaki Y, Hirayama A, et al. Fifteen years of experience with ATS mechanical heart valve prostheses. *J Thorac Cardiovasc Surg.* 2010;139(6):1494-500.
106. Sezai A, Hata M, Niino T, Yoshitake I, Unosawa S, Wakui S, et al. Continuous low-dose infusion of human atrial natriuretic peptide in patients with left ventricular dysfunction undergoing coronary artery bypass grafting: the NU-HIT (Nihon University working group study of low-dose Human ANP Infusion Therapy during cardiac surgery) for left ventricular dysfunction. *J Am Coll Cardiol.* 2010;55(17):1844-51.
107. Sezai A, Minami K, Hata M, Yoshitake I, Wakui S, Takasaka A, et al. Long-term results (three-year) of emergency coronary artery bypass grafting for patients with

- unstable angina pectoris. *Am J Cardiol.* 2010;106(4):511-6.
108. Takayama T, Hiro T, Hirayama A. Is angioplasty able to become the gold standard of treatment beyond bypass surgery for patients with multivessel coronary artery disease? Therapeutic strategies for 3-vessel coronary artery disease: OPCAB vs PCI(PCI-Side). *Circ J.* 2010;74(12):2744-9.
109. Watanabe I, Nuo M, Okumura Y, Ohkubo K, Ashino S, Kofune M, et al. Temperature-controlled cooled-tip radiofrequency ablation in left ventricular myocardium. *Int Heart J.* 2010;51(3):193-8.
110. Watanabe I, Okumura Y, Kofune M, Ashino S, Ohkubo K, Nakai T, et al. Local conduction block of the atria by premature stimulus in a patient with Brugada syndrome. *J Electrocardiol.* 2010;43(1):74-5.
111. Watanabe I, Okumura Y, Nagashima K, Ohkubo K, Ashino S, Kofune M, et al. Electrical remodeling in fibrillating canine atrium: action potential alternans during rapid atrial pacing and late phase 3 early afterdepolarization after cessation of rapid atrial pacing. *Int Heart J.* 2010;51(5):354-8.
112. Ashino S, Watanabe I, Kofune M, Nagashima K, Ohkubo K, Okumura Y, et al. Effects of quinidine on the action potential duration restitution property in the right ventricular outflow tract in patients with brugada syndrome. *Circ J.* 2011;75(9):2080-6.
113. Hirayama A, Saito S, Ueda Y, Takayama T, Honye J, Komatsu S, et al. Plaque-stabilizing effect of atorvastatin is stronger for plaques evaluated as more unstable by angioscopy and intravenous ultrasound. *Circ J.* 2011;75(6):1448-54.
114. Kasamaki Y, Ozawa Y, Ohta M, Sezai A, Yamaki T, Kaneko M, et al. Automated versus manual measurement of the QT interval and corrected QT interval. *Ann Noninvasive Electrocardiol.* 2011;16(2):156-64.
115. Kato M, Matsumoto N, Nakano Y, Suzuki Y, Yoda S, Sato Y, et al. Combined assessment of myocardial perfusion and function by ECG-gated myocardial perfusion single-photon emission computed tomography for the prediction of future cardiac events in patients with type 2 diabetes mellitus. *Circ J.* 2011;75(2):376-82.
116. Kofune M, Watanabe I, Ohkubo K, Ashino S, Okumura Y, Nagashima K, et al. Clarifying the arrhythmogenic substrate for Brugada syndrome. *Int Heart J.* 2011;52(5):290-4.
117. Kofune M, Watanabe I, Okumura Y, Ashino S, Ohkubo K, Nakai T, et al. Ventricular fibrillation induced by radiofrequency ablation for slow ventricular tachycardia associated with left ventricular dysfunction. *J Electrocardiol.* 2011;44(1):87-91.
118. Komatsu S, Kamata T, Imai A, Miyaji K, Ohara T, Takewa M, et al. Idiopathic

- pulmonary vein thrombosis complicated with old myocardial infarction detected by multidetector row computed tomography. *J Cardiol Cases*. 2011;3(2):e94-e7.
119. Nagashima K, Okumura Y, Watanabe I, Nakai T, Ohkubo K, Kofune T, et al. Association between epicardial adipose tissue volumes on 3-dimensional reconstructed CT images and recurrence of atrial fibrillation after catheter ablation. *Circ J*. 2011;75(11):2559-65.
120. Nagashima K, Watanabe I, Okumura Y, Ohkubo K, Kofune M, Ohya T, et al. Efficacy and feasibility of pericardial endoscopy by a subcutaneous approach. *Europace*. 2011;13(10):1501-3.
121. Nagashima K, Watanabe I, Okumura Y, Ohkubo K, Kofune M, Ohya T, et al. Lesion formation by ventricular septal ablation with irrigated electrodes: comparison of bipolar and sequential unipolar ablation. *Circ J*. 2011;75(3):565-70.
122. Ohkubo K, Watanabe I, Okumura Y, Ashino S, Kofune M, Nagashima K, et al. Prolonged QRS duration in lead V2 and risk of life-threatening ventricular Arrhythmia in patients with Brugada syndrome. *Int Heart J*. 2011;52(2):98-102.
123. Ohkubo K, Watanabe I, Okumura Y, Ashino S, Kofune M, Nagashima K, et al. Functional atrioventricular conduction block in an elderly patient with acquired long QT syndrome: elucidation of the mechanism of block. *J Electrocardiol*. 2011;44(3):353-6.
124. Ohkubo K, Watanabe I, Okumura Y, Ashino S, Kofune M, Nagashima K, et al. A new criteria differentiating type 2 and 3 Brugada patterns from ordinary incomplete right bundle branch block. *Int Heart J*. 2011;52(3):159-63.
125. Okumura Y, Watanabe I, Nakai T, Ohkubo K, Kofune T, Ashino S, et al. A quantitative and qualitative analysis of the virtual unipolar electrograms from non-contact mapping of right or left-sided outflow tract premature ventricular contractions/ventricular tachycardia origins. *J Interv Card Electrophysiol*. 2011;30(1):17-25.
126. Okumura Y, Watanabe I, Nakai T, Ohkubo K, Kofune T, Kofune M, et al. Impact of biomarkers of inflammation and extracellular matrix turnover on the outcome of atrial fibrillation ablation: importance of matrix metalloproteinase-2 as a predictor of atrial fibrillation recurrence. *J Cardiovasc Electrophysiol*. 2011;22(9):987-93.
127. Sezai A, Hata M, Niino T, Yoshitake I, Unosawa S, Wakui S, et al. Results of low-dose human atrial natriuretic peptide infusion in nondialysis patients with chronic kidney disease undergoing coronary artery bypass grafting: the NU-HIT (Nihon University working group study of low-dose HANP Infusion Therapy during cardiac surgery) trial for CKD. *J Am Coll Cardiol*. 2011;58(9):897-903.
128. Sezai A, Minami K, Nakai T, Hata M, Yoshitake I, Wakui S, et al. Landiolol

- hydrochloride for prevention of atrial fibrillation after coronary artery bypass grafting: new evidence from the PASCAL trial. *J Thorac Cardiovasc Surg.* 2011;141(6):1478-87.
129. Sezai A, Wakui S, Akiyama K, Hata M, Yoshitake I, Unosawa S, et al. Myocardial protective effect of human atrial natriuretic Peptide in cardiac surgery. - hANP Shot" in clinical safety trial. *Circ J.* 2011;75(9):2144-50.
130. Takayama T, Hiro T, Hirayama A. Stent thrombosis and drug-eluting stents. *J Cardiol.* 2011;58(2):92-8.
131. Watanabe I, Min N, Okumura Y, Ohkubo K, Kofune M, Ashino S, et al. Temperature-controlled cooled-tip radiofrequency linear ablation of the atria guided by a realtime position management system. *Int Heart J.* 2011;52(1):50-5.
132. Watanabe I, Okumura Y, Nagashima K, Kofune M, Ohkubo K, Mano H, et al. Combined effect of disopyramide and erythromycin on ventricular repolarization in dogs with complete atrioventricular block. *Int Heart J.* 2011;52(6):393-7.
133. Watanabe I, Okumura Y, Ohkubo K, Nagashima K, Mano H, Sonoda K, et al. Effect of the ATP-sensitive K(+) channel opener nicorandil in a canine model of proarrhythmia. *Int Heart J.* 2011;52(5):318-22.
134. Kanai T, Hiro T, Takayama T, Fukamachi D, Watanabe Y, Ichikawa M, et al. Three-dimensional visualization of scoring mechanism of 'AngioSculpt' balloon for calcified coronary lesions using optical coherence tomography. *J Cardiol Cases.* 2012;5(1):e16-e9.
135. Kanai T, Hiro T, Takayama T, Watanabe Y, Fukamachi D, Kitano D, et al. Serial change and its determinants of residual plaque characteristics under sirolimus-eluting stent: a coronary angioscopic study. *J Cardiol.* 2012;60(4):270-6.
136. Nagashima K, Okumura Y, Watanabe I, Nakai T, Ohkubo K, Kofune M, et al. Does location of epicardial adipose tissue correspond to endocardial high dominant frequency or complex fractionated atrial electrogram sites during atrial fibrillation? *Circ Arrhythm Electrophysiol.* 2012;5(4):676-83.
137. Nagashima K, Okumura Y, Watanabe I, Nakai T, Ohkubo K, Kofune T, et al. Effects of inter-electrode spacing on complex fractionated atrial electrograms and dominant frequency detection. *J Interv Card Electrophysiol.* 2012;34(1):51-7.
138. Nagashima K, Watanabe I, Okumura Y, Sonoda K, Kofune M, Mano H, et al. Epicardial ablation with irrigated electrodes: - effect of bipolar vs. unipolar ablation on lesion formation. *Circ J.* 2012;76(2):322-7.
139. Ohkubo K, Watanabe I, Okumura Y, Kofune M, Nagashima K, Mano H, et al. Prevalence of prominent J waves in patients presenting with ventricular fibrillation without structural heart disease: a single-center study. *J Cardiol.* 2012;59(3):313-20.

140. Ohkubo K, Watanabe I, Okumura Y, Kofune M, Nagashima K, Sonoda K, et al. A novel technique for improved lesions in the coronary sinus. comparison of bipolar and unipolar ablation. *Int Heart J.* 2012;53(2):129-32.
141. Okada K, Ueda Y, Takayama T, Honye J, Komatsu S, Yamaguchi O, et al. Influence of achieved low-density lipoprotein cholesterol level with atorvastatin therapy on stabilization of coronary plaques: sub-analysis of the TWINS study. *Circ J.* 2012;76(5):1197-202.
142. Okumura Y, Watanabe I, Kofune M, Nagashima K, Sonoda K, Mano H, et al. Characteristics and distribution of complex fractionated atrial electrograms and the dominant frequency during atrial fibrillation: relationship to the response and outcome of circumferential pulmonary vein isolation. *J Interv Card Electrophysiol.* 2012;34(3):267-75.
143. Sezai A, Nakai T, Hata M, Yoshitake I, Shiono M, Kunimoto S, et al. Feasibility of landiolol and bisoprolol for prevention of atrial fibrillation after coronary artery bypass grafting: a pilot study. *J Thorac Cardiovasc Surg.* 2012;144(5):1241-8.
144. Watanabe I, Okumura Y, Kogawa R, Sasaki N, Ohkubo K, Kofune M, et al. Linear catheter ablation of the right atrium for rapid atrial pacing-induced sustained atrial fibrillation in dogs. *Int Heart J.* 2012;53(6):375-82.
145. Watanabe I, Okumura Y, Nagashima K, Kofune M, Ohkubo K, Mano H, et al. Effects of the antianginal drug trapidil on atrioventricular conduction disturbances during acute myocardial ischemia. *Int Heart J.* 2012;53(3):187-92.
146. Watanabe I, Okumura Y, Ohkubo K, Nagashima K, Sonoda K, Mano H, et al. Pharmacologic atrial defibrillation by drug delivery into the temporarily occluded coronary sinus. A canine study. *Int Heart J.* 2012;53(2):125-8.
147. Yoda S, Nakanishi K, Tano A, Kasamaki Y, Kunimoto S, Matsumoto N, et al. Risk stratification of cardiovascular events in patients at all stages of chronic kidney disease using myocardial perfusion SPECT. *J Cardiol.* 2012;60(5):377-82.
148. Kasamaki Y, Izumi Y, Ozawa Y, Ohta M, Tano A, Watanabe I, et al. Relationship between status of plasma atrial natriuretic peptide and heart rate variability in human subjects. *Heart Vessels.* 2013;28(2):208-14.
149. Kitamura M, Hata N, Takayama T, Hirayama A, Ogawa M, Yamashina A, et al. High-sensitivity cardiac troponin T for earlier diagnosis of acute myocardial infarction in patients with initially negative troponin T test--comparison between cardiac markers. *J Cardiol.* 2013;62(6):336-42.
150. Kitano D, Chiku M, Li Y, Okumura Y, Fukamachi D, Takayama T, et al. Miglitol improves postprandial endothelial dysfunction in patients with acute coronary

- syndrome and new-onset postprandial hyperglycemia. *Cardiovasc Diabetol.* 2013;12:92.
151. Kofune M, Okumura Y, Watanabe I, Nagashima K, Sonoda K, Mano H, et al. Comparative distribution of complex fractionated atrial electrograms, high dominant frequency (HDF) sites during atrial fibrillation and HDF sites during sinus rhythm. *J Interv Card Electrophysiol.* 2013;36(3):297-306.
152. Mano H, Okumura Y, Watanabe I, Sasaki N, Kogawa R, Sonoda K, et al. Potential anatomic substrate of peri-atrioventricular nodal atrial tachycardia ablated from the noncoronary sinus of Valsalva. *J Interv Card Electrophysiol.* 2013;38(1):27-34.
153. Okumura Y, Watanabe I, Kofune M, Nagashima K, Sonoda K, Mano H, et al. Effect of catheter tip-tissue surface contact on three-dimensional left atrial and pulmonary vein geometries: potential anatomic distortion of 3D ultrasound, fast anatomical mapping, and merged 3D CT-derived images. *J Cardiovasc Electrophysiol.* 2013;24(3):259-66.
154. Sasaki N, Okumura Y, Watanabe I, Hirayama A. Pulmonary vein remnant as a trigger site for atrial fibrillation. *Circ J.* 2013;77(2):494-6.
155. Sonoda K, Okumura Y, Watanabe I, Nagashima K, Kofune M, Mano H, et al. Three-dimensional high-density bipolar contact mapping of left atrial endocardial activation during sinus rhythm in patients with atrial fibrillation. *Int Heart J.* 2013;54(5):285-8.
156. Sonoda K, Watanabe I, Ohkubo K, Okumura Y, Kofune M, Sasaki N, et al. Rate-dependent electrophysiologic effects of the class III antiarrhythmic drugs nifekalant, amiodarone, and ibutilide on the atrium in patients with persistent atrial fibrillation. *Int Heart J.* 2013;54(5):279-84.
157. Takayama T, Hiro T, Ueda Y, Honye J, Komatsu S, Yamaguchi O, et al. Plaque stabilization by intensive LDL-cholesterol lowering therapy with atorvastatin is delayed in type 2 diabetic patients with coronary artery disease-Serial angiographic and intravascular ultrasound analysis. *J Cardiol.* 2013;61(6):381-6.
158. Tano A, Kasamaki Y, Okumura Y, Ohta M, Kofune T, Fujii N, et al. Major determinants and possible mechanism of dobutamine-induced left ventricular outflow tract obstruction in patients with a sigmoid ventricular septum. *J Cardiol.* 2013;61(6):428-35.
159. Yagi T, Nagao K, Sakatani K, Kawamorita T, Soga T, Kikushima K, et al. Changes of cerebral oxygen metabolism and hemodynamics during ECPR with hypothermia measured by near-infrared spectroscopy: a pilot study. *Adv Exp Med Biol.*

2013;789:121-8.

160. Yoda S, Nakanishi K, Tano A, Hori Y, Suzuki Y, Matsumoto N, et al. Diagnostic value of automated quantification of nuclear cardiology in Japanese patients with single vessel coronary artery disease: comparison between Japanese and American normal databases. *J Cardiol*. 2013;62(4):224-9.
161. Fujii K, Hao H, Imanaka T, Kawano T, Takayama T, Hirayama A, et al. In-stent thin-cap fibroatheroma after drug-eluting stent implantation: ex-vivo evaluation of optical coherence tomography and intracoronary angioscopy. *JACC Cardiovasc Interv*. 2014;7(4):446-7.
162. Hao H, Fujii K, Imanaka T, Kawakami R, Kawano T, Takayama T, et al. Neointimal hemorrhage after drug-eluting stent implantation: possible role for development of neoatherosclerosis. *JACC Cardiovasc Interv*. 2014;7(10):1196-7.
163. Higuchi Y, Hiro T, Takayama T, Kanai T, Kawano T, Fukamachi D, et al. Impact of coronary plaque burden and composition on periprocedural myocardial infarction and coronary flow reserve after percutaneous coronary intervention. *Int Heart J*. 2014;55(5):391-6.
164. Hirayama A, Honarpour N, Yoshida M, Yamashita S, Huang F, Wasserman SM, et al. Effects of evolocumab (AMG 145), a monoclonal antibody to PCSK9, in hypercholesterolemic, statin-treated Japanese patients at high cardiovascular risk--primary results from the phase 2 YUKAWA study. *Circ J*. 2014;78(5):1073-82.
165. Hirayama A, Tanahashi N, Daida H, Ishiguro N, Chachin M, Sugioka T, et al. Assessing the cardiovascular risk between celecoxib and nonselective nonsteroidal antiinflammatory drugs in patients with rheumatoid arthritis and osteoarthritis. *Circ J*. 2014;78(1):194-205.
166. Hiro T, Hirayama A, Ueda Y, Komatsu S, Matsuoka H, Takayama T, et al. Rationale and design of a randomized clinical study to investigate the effect of ezetimibe, a cholesterol absorption inhibitor, on the regression of intracoronary plaque evaluated by non-obstructive angioscopy and ultrasound: The ZIPANGU study. *J Cardiol*. 2014;64(6):501-7.
167. Ishihara M, Asakura M, Kimura K, Nakao K, Hamada C, Hirayama A. Trial design and rationale of TY-51924 as a novel Na<sup>+</sup>/H<sup>+</sup> exchanger inhibitor in patients with ST-elevation acute myocardial infarction undergoing percutaneous coronary intervention. *J Cardiol*. 2014;63(1):82-7.
168. Kawauchi K, Tani S, Nagao K, Hirayama A. Association of n-3 polyunsaturated fatty acids with soluble thrombomodulin as a marker of endothelial damage: a cross-sectional pilot study. *J Cardiol*. 2014;64(4):312-7.

169. Nanasato M, Nakajima K, Fujita H, Zen K, Kohsaka S, Hashimoto A, et al. Rationale and design of J-ACCESS 4: prognostic impact of reducing myocardial ischemia identified using ECG-gated myocardial perfusion SPECT in Japanese patients with coronary artery disease. *J Cardiol.* 2014;63(2):159-64.
170. Nishizaki Y, Shimada K, Tani S, Ogawa T, Ando J, Takahashi M, et al. Significance of imbalance in the ratio of serum n-3 to n-6 polyunsaturated fatty acids in patients with acute coronary syndrome. *Am J Cardiol.* 2014;113(3):441-5.
171. Okumura Y, Watanabe I, Nagashima K, Sonoda K, Mano H, Sasaki N, et al. The effects of standard electrical PV isolation vs. "pace and ablate" on ATP-provoked PV reconnections. *J Interv Card Electrophysiol.* 2014;40(1):39-45.
172. Sasaki N, Okumura Y, Watanabe I, Mano H, Nagashima K, Sonoda K, et al. Increased levels of inflammatory and extracellular matrix turnover biomarkers persist despite reverse atrial structural remodeling during the first year after atrial fibrillation ablation. *J Interv Card Electrophysiol.* 2014;39(3):241-9.
173. Sasaki N, Okumura Y, Watanabe I, Nagashima K, Sonoda K, Kogawa R, et al. Transthoracic echocardiographic backscatter-based assessment of left atrial remodeling involving left atrial and ventricular fibrosis in patients with atrial fibrillation. *Int J Cardiol.* 2014;176(3):1064-6.
174. Sasaki N, Watanabe I, Kogawa R, Sonoda K, Takahashi K, Okumura Y, et al. Effects of intravenous amiodarone and ibutilide on action potential duration and atrial conduction kinetics in patients with persistent atrial fibrillation. *Int Heart J.* 2014;55(3):244-8.
175. Sonoda K, Okumura Y, Watanabe I, Nagashima K, Kofune M, Mano H, et al. Tissue velocity imaging-based atrial fibrillatory cycle length and wall motion for predicting atrial structural remodeling in patients undergoing catheter ablation. *Circ J.* 2014;78(7):1619-27.
176. Sudo M, Hiro T, Takayama T, Iida K, Nishida T, Kawano T, et al. Multimodality visualization with 3-dimensional reconstruction of neointimal plaque rupture after bare-metal stent implantation. *JACC Cardiovasc Interv.* 2014;7(10):e163-5.
177. Tani S, Matsumoto M, Nagao K, Hirayama A. Association of triglyceride-rich lipoproteins-related markers and low-density lipoprotein heterogeneity with cardiovascular risk: effectiveness of polyacrylamide-gel electrophoresis as a method of determining low-density lipoprotein particle size. *J Cardiol.* 2014;63(1):60-8.
178. Yoda S, Nakanishi K, Tano A, Hori Y, Suzuki Y, Matsumoto N, et al. Usefulness of automated assessment of nuclear cardiology for prediction of major cardiac events in Japanese patients with known or suspected coronary artery disease: comparison

- with conventional visual assessment in a large-scale prognostic study. *J Cardiol.* 2014;64(5):395-400.
179. Yoda S, Nakanishi K, Tano A, Hori Y, Suzuki Y, Matsumoto N, et al. Validation of automated quantification of nuclear cardiology in Japanese patients using total perfusion deficits: Comparison with visual assessment. *J Cardiol.* 2014;63(5):350-7.
180. Aizawa Y, Nakai T, Kurosawa T, Saito Y, Monno K, Hatta T, et al. Giant Thrombus Formation Immediately After Mitral Valvuloplasty. *Int Heart J.* 2015;56(6):668-70.
181. Ashino S, Nakai T, Sonoda K, Sasaki N, Kurokawa S, Ikeya Y, et al. Assessment of Efficacy and Necessity of Routine Defibrillation Threshold Testing in Patients Undergoing Implantable Cardioverter-Defibrillator (ICD) Implantation. *Int Heart J.* 2015;56(6):618-21.
182. Fukamachi D, Higuchi Y, Hiro T, Takayama T, Kanai T, Sudo M, et al. Association between the epicardial adipose tissue thickness and the presence of multivessel disease in patients with acute myocardial infarction. *J Atheroscler Thromb.* 2015;22(2):144-51.
183. Hayase M, Nagashima K, Kato M, Fukamachi D, Iso K, Arai M, et al. Spontaneous Remission in a Case of Giant Cell Myocarditis with Preserved Left Ventricular Ejection Fraction. *Am J Case Rep.* 2015;16:823-6.
184. Hori Y, Yoda S, Nakanishi K, Tano A, Suzuki Y, Matsumoto N, et al. Myocardial ischemic reduction evidenced by gated myocardial perfusion imaging after treatment results in good prognosis in patients with coronary artery disease. *J Cardiol.* 2015;65(4):278-84.
185. Kogawa R, Nakai T, Ikeya Y, Mano H, Sonoda K, Sasaki N, et al. Dramatic Response to Cardiac Resynchronization Therapy With AV Delay Optimization in Narrow QRS Heart Failure. *Int Heart J.* 2015;56(6):671-5.
186. Kogawa R, Okumura Y, Watanabe I, Kofune M, Nagashima K, Mano H, et al. Effect of adenosine triphosphate on left atrial electrogram interval and dominant frequency in human atrial fibrillation. *J Arrhythm.* 2015;31(6):381-7.
187. Kogawa R, Okumura Y, Watanabe I, Kofune M, Nagashima K, Mano H, et al. Spatial and temporal variability of the complex fractionated atrial electrogram activity and dominant frequency in human atrial fibrillation. *J Arrhythm.* 2015;31(2):101-7.
188. Okumura Y, Watanabe I, Nagashima K, Sonoda K, Sasaki N, Kogawa R, et al. Effects of a high-fat diet on the electrical properties of porcine atria. *J Arrhythm.* 2015;31(6):352-8.
189. Sasaki N, Okumura Y, Watanabe I, Madry A, Hamano Y, Nikaido M, et al.

- Frequency analysis of atrial fibrillation from the specific ECG leads V7-V9: A lower DF in lead V9 is a marker of potential atrial remodeling. *J Cardiol.* 2015;66(5):388-94.
190. Sasaki N, Okumura Y, Watanabe I, Sonoda K, Kogawa R, Takahashi K, et al. Relations between contact force, bipolar voltage amplitude, and mapping point distance from the left atrial surfaces of 3D ultrasound- and merged 3D CT-derived images: Implication for atrial fibrillation mapping and ablation. *Heart Rhythm.* 2015;12(1):36-43.
191. Takahashi H, Tani S, Kikushima K, Furuya S, Iida K, Matsumoto N, et al. Takotsubo cardiomyopathy in two patients with microvascular angina. *J Cardiol Cases.* 2015;12(1):26-9.
192. Takahashi K, Okumura Y, Watanabe I, Hirayama A. A rare variant of pulmonary vein drainage. *HeartRhythm Case Rep.* 2015;1(2):87-8.
193. Takahashi K, Okumura Y, Watanabe I, Nagashima K, Mano H, Sonoda K, et al. A case of cardiac sarcoidosis presenting with double tachycardia. *J Arrhythm.* 2015;31(1):58-9.
194. Takahashi K, Okumura Y, Watanabe I, Nagashima K, Sonoda K, Sasaki N, et al. Relation Between Left Atrial Wall Thickness in Patients with Atrial Fibrillation and Intracardiac Electrogram Characteristics and ATP-Provoked Dormant Pulmonary Vein Conduction. *J Cardiovasc Electrophysiol.* 2015;26(6):597-605.
195. Takayama T, Hiro T, Ueda Y, Saito S, Kodama K, Komatsu S, et al. Erratum to: remodeling pattern is related to the degree of coronary plaque regression induced by pitavastatin: a sub-analysis of the TOGETHAR trial with intravascular ultrasound and coronary angiography. *Heart Vessels.* 2015;30(2):177.
196. Takayama T, Hiro T, Ueda Y, Saito S, Kodama K, Komatsu S, et al. Remodeling pattern is related to the degree of coronary plaque regression induced by pitavastatin: a sub-analysis of the TOGETHAR trial with intravascular ultrasound and coronary angiography. *Heart Vessels.* 2015;30(2):169-76.
197. Tani S, Nagao K, Hirayama A. Effect of Febuxostat, a Xanthine Oxidase Inhibitor, on Cardiovascular Risk in Hyperuricemic Patients with Hypertension: A Prospective, Open-label, Pilot Study. *Clin Drug Investig.* 2015;35(12):823-31.
198. Tani S, Takahashi A, Nagao K, Hirayama A. Association of Fish Consumption-Derived Ratio of Serum n-3 to n-6 Polyunsaturated Fatty Acids and Cardiovascular Risk With the Prevalence of Coronary Artery Disease. *Int Heart J.* 2015;56(3):260-8.
199. Tani S, Takahashi A, Nagao K, Hirayama A. Effect of dipeptidyl peptidase-4 inhibitor, vildagliptin on plasminogen activator inhibitor-1 in patients with diabetes mellitus. *Am J Cardiol.* 2015;115(4):454-60.

200. Tani S, Takahashi A, Nagao K, Hirayama A. Contribution of apolipoprotein A-I to the reduction in high-sensitivity C-reactive protein levels by different statins: comparative study of pitavastatin and atorvastatin. *Heart Vessels*. 2015;30(6):762-70.
201. Yamada N, Hirayama A, Maeda H, Sakagami S, Shikata H, Prins MH, et al. Oral rivaroxaban for Japanese patients with symptomatic venous thromboembolism - the J-EINSTEIN DVT and PE program. *Thromb J*. 2015;13:2.
202. Yoda S, Nakanishi K, Tano A, Hori Y, Suzuki Y, Matsumoto N, et al. Significance of worsening renal function and nuclear cardiology for predicting cardiac death in patients with known or suspected coronary artery disease. *J Cardiol*. 2015;66(5):423-9.
203. Zheng G, Li Y, Huang H, Wang J, Hirayama A, Lin J. The Effect of Statin Therapy on Coronary Plaque Composition Using Virtual Histology Intravascular Ultrasound: A Meta-Analysis. *PLoS One*. 2015;10(7):e0133433.
204. Arai M, Nagashima K, Kato M, Akutsu N, Hayase M, Ogura K, et al. Complete Atrioventricular Block Complicating Mitral Infective Endocarditis Caused by Streptococcus Agalactiae. *Am J Case Rep*. 2016;17:650-4.
205. Haruta H, Hiro T, Mitsumata M, Takayama T, Sudo M, Li Y, et al. Stabilization of atherosclerotic plaque by pitavastatin in Watanabe heritable hyperlipidemic rabbits: A serial tissue-characterizing intravascular ultrasound study. *J Cardiol*. 2016;67(2):205-11.
206. Iida K, Matsumoto N, Makita A, Suzuki Y, Yoda S, Hirayama A. Depiction of the discrepancy between fatty-acid metabolism and myocardial perfusion in takotsubo cardiomyopathy using dedicated cardiac semiconductor gamma camera. *Int J Cardiol*. 2016;223:161-2.
207. Iso K, Nagashima K, Okumura Y, Watanabe I, Nakai T, Ohkubo K, et al. Effect of cryoballoon inflation at the right superior pulmonary vein orifice on phrenic nerve location. *Heart Rhythm*. 2016;13(1):28-36.
208. Iso K, Okumura Y, Watanabe I, Nagashima K, Sonoda K, Kogawa R, et al. Wall thickness of the pulmonary vein-left atrial junction rather than electrical information as the major determinant of dormant conduction after contact force-guided pulmonary vein isolation. *J Interv Card Electrophysiol*. 2016;46(3):325-33.
209. Kato M, Tohyama K, Ohya T, Hiro T, Hirayama A. Association between plasma concentration of tolvaptan and urine volume in acute decompensated heart failure patients with fluid overload. *Cardiol J*. 2016;23(5):497-504.
210. Kimura K, Nakao K, Shibata Y, Sone T, Takayama T, Fukuzawa S, et al. Randomized controlled trial of TY-51924, a novel hydrophilic NHE inhibitor, in acute

- myocardial infarction. *J Cardiol.* 2016;67(4):307-13.
211. Kimura Y, Tanaka N, Okura H, Yoshida K, Akabane M, Takayama T, et al. Characterization of real-world patients with low fractional flow reserve immediately after drug-eluting stents implantation. *Cardiovasc Interv Ther.* 2016;31(1):29-37.
212. Kitamura M, Hata N, Takayama T, Hirayama A, Ogawa M, Yamashina A, et al. Different characteristics of cardiac biomarkers to decide and predict the culprit lesions in patients with suspicious acute coronary syndrome. *Heart Vessels.* 2016;31(6):907-17.
213. Kitano D, Takayama T, Nagashima K, Akabane M, Okubo K, Hiro T, et al. A comparative study of time-specific oxidative stress after acute myocardial infarction in patients with and without diabetes mellitus. *BMC Cardiovasc Disord.* 2016;16:102.
214. Kiyosue A, Honarpour N, Kurtz C, Xue A, Wasserman SM, Hirayama A. A Phase 3 Study of Evolocumab (AMG 145) in Statin-Treated Japanese Patients at High Cardiovascular Risk. *Am J Cardiol.* 2016;117(1):40-7.
215. Kogawa R, Okumura Y, Watanabe I, Sonoda K, Sasaki N, Takahashi K, et al. Difference Between Dormant Conduction Sites Revealed by Adenosine Triphosphate Provocation and Unipolar Pace-Capture Sites Along the Ablation Line After Pulmonary Vein Isolation. *Int Heart J.* 2016;57(1):25-9.
216. Kogawa R, Watanabe I, Okumura Y, Mano H, Sonoda K, Nagashima K, et al. Usefulness of filtered unipolar electrogram morphology for evaluating transmurality of ablated lesions during pulmonary vein isolation. *J Arrhythm.* 2016;32(2):108-11.
217. Li Y, Fuchimoto D, Sudo M, Haruta H, Lin QF, Takayama T, et al. Development of Human-Like Advanced Coronary Plaques in Low-Density Lipoprotein Receptor Knockout Pigs and Justification for Statin Treatment Before Formation of Atherosclerotic Plaques. *J Am Heart Assoc.* 2016;5(4):e002779.
218. Matsumoto N, Hirayama A. Clinical value of high duke treadmill score with myocardial perfusion SPECT. *J Nucl Cardiol.* 2016;23(6):1301-3.
219. Nagashima K, Watanabe I, Okumura Y, Kaneko Y, Sonoda K, Kogawa R, et al. Ventriculoatrial Intervals </=70 ms in Orthodromic Atrioventricular Reciprocating Tachycardia. *Pacing Clin Electrophysiol.* 2016;39(10):1108-15.
220. Nakai T, Kurokawa S, Ikeya Y, Iso K, Takahashi K, Sasaki N, et al. MRI Mode Programming for Safe Magnetic Resonance Imaging in Patients With a Magnetic Resonance Conditional Cardiac Device. *Int Heart J.* 2016;57(2):173-6.
221. Nishizaki Y, Shimada K, Tani S, Ogawa T, Ando J, Takahashi M, et al. Association between the docosahexaenoic acid to arachidonic acid ratio and acute coronary syndrome: a multicenter observational study. *BMC Cardiovasc Disord.*

2016;16(1):143.

222. Ogawa K, Ueno T, Iwasaki T, Kujiraoka T, Ishihara M, Kunimoto S, et al. Soluble sortilin is released by activated platelets and its circulating levels are associated with cardiovascular risk factors. *Atherosclerosis*. 2016;249:110-5.
223. Okumura Y, Watanabe I, Iso K, Nagashima K, Sonoda K, Sasaki N, et al. Clinical utility of automated ablation lesion tagging based on catheter stability information (VisiTag Module of the CARTO 3 System) with contact force-time integral during pulmonary vein isolation for atrial fibrillation. *J Interv Card Electrophysiol*. 2016;47(2):245-52.
224. Sasaki N, Okumura Y, Watanabe I, Madry A, Hamano Y, Nikaido M, et al. Localized rotors and focal impulse sources within the left atrium in human atrial fibrillation: A phase analysis of contact basket catheter electrograms. *J Arrhythm*. 2016;32(2):141-4.
225. Sudo M, Hiro T, Takayama T, Iida K, Nishida T, Fukamachi D, et al. Tissue characteristics of non-culprit plaque in patients with acute coronary syndrome vs. stable angina: a color-coded intravascular ultrasound study. *Cardiovasc Interv Ther*. 2016;31(1):42-50.
226. Takahashi K, Okumura Y, Watanabe I, Nagashima K, Sonoda K, Sasaki N, et al. Anatomical proximity between ganglionated plexi and epicardial adipose tissue in the left atrium: implication for 3D reconstructed epicardial adipose tissue-based ablation. *J Interv Card Electrophysiol*. 2016;47(2):203-12.
227. Takayama T, Akutsu N, Hiro T, Oya T, Fukamachi D, Haruta H, et al. A case of giant saphenous vein graft aneurysm followed serially after coronary artery bypass surgery. *Open Med (Wars)*. 2016;11(1):155-7.
228. Takayama T, Kimura K, Fukuzawa S, Hirayama H, Sone T, Ueda Y, et al. Evaluation of the safety and efficacy of TY-51924 in patients with ST elevated acute myocardial infarction - Early phase II first in patient pilot study. *J Cardiol*. 2016;67(2):162-9.
229. Takayama T, Komatsu S, Ueda Y, Fukushima S, Hiro T, Hirayama A, et al. Comparison of the Effect of Rosuvastatin 2.5 mg vs 20 mg on Coronary Plaque Determined by Angioscopy and Intravascular Ultrasound in Japanese With Stable Angina Pectoris (from the Aggressive Lipid-Lowering Treatment Approach Using Intensive Rosuvastatin for Vulnerable Coronary Artery Plaque [ALTAIR] Randomized Trial). *Am J Cardiol*. 2016;117(8):1206-12.
230. Takayama T, Yoda S, Yajima Y, Kasamaki Y, Kunimoto S, Kanai T, et al. Improvements in Augmentation Index and Urinary Albumin Excretion With Benidipine

- in Hypertensive Patients With Chronic Kidney Disease. *Int Heart J.* 2016;57(1):53-60.
231. Tani S, Nagao K, Hirayama A. Association of systemic inflammation with the serum apolipoprotein A-1 level: A cross-sectional pilot study. *J Cardiol.* 2016;68(2):168-77.
232. Tani S, Nagao K, Hirayama A. Differences between Metformin/Voglibose Fixed-dose Combination and Glimepiride in Modifying Low-density Lipoprotein Heterogeneity in Japanese Type-2 Diabetic Patients: A Pilot Study. *Drug Res (Stuttg).* 2016;66(2):94-9.
233. Tani S, Takahashi A, Nagao K, Hirayama A. Association of lecithin-cholesterol acyltransferase activity measured as a serum cholesterol esterification rate and low-density lipoprotein heterogeneity with cardiovascular risk: a cross-sectional study. *Heart Vessels.* 2016;31(6):831-40.
234. Watanabe M, Saito Y, Aonuma K, Hirayama A, Tamaki N, Tsutsui H, et al. Prediction of contrast-induced nephropathy by the serum creatinine level on the day following cardiac catheterization. *J Cardiol.* 2016;68(5):412-8.
235. Yagi T, Nagao K, Kawamorita T, Soga T, Ishii M, Chiba N, et al. Detection of ROSC in Patients with Cardiac Arrest During Chest Compression Using NIRS: A Pilot Study. *Adv Exp Med Biol.* 2016;876:151-7.
236. Yamada N, Hirayama A, Maeda H, Sakagami S, Shikata H, Prins MH, et al. Erratum to: 'Oral rivaroxaban for Japanese patients with symptomatic venous thromboembolism - the J-EINSTEIN DVT and PE program'. *Thromb J.* 2016;14:11.
237. Yoda S, Nakanishi K, Tano A, Hori Y, Hayase M, Mineki T, et al. Prognostic Value of Major Cardiac Event Risk Score Estimated With Gated Myocardial Perfusion Imaging in Japanese Patients With Coronary Artery Disease. *Int Heart J.* 2016;57(4):408-16.
238. Yoda S, Nakanishi K, Tano A, Hori Y, Suzuki Y, Matsumoto N, et al. Major cardiac event risk scores estimated with gated myocardial perfusion imaging in Japanese patients with coronary artery disease. *J Cardiol.* 2016;67(1):64-70.
239. Zheng G, Li Y, Takayama T, Nishida T, Sudo M, Haruta H, et al. The Spatial Distribution of Plaque Vulnerabilities in Patients with Acute Myocardial Infarction. *PLoS One.* 2016;11(3):e0152825.
240. Ashida T, Tani S, Nagao K, Yagi T, Matsumoto N, Hirayama A. Usefulness of synthesized 18-lead electrocardiography in the diagnosis of ST-elevation myocardial infarction: A pilot study. *Am J Emerg Med.* 2017;35(3):448-57.
241. Hirayama A, Yamashita S, Inomata H, Kassahun H, Cyrille M, Ruzza A, et al. One-Year Efficacy and Safety of Evolocumab in Japanese Patients - A Pooled

- Analysis From the Open-Label Extension OSLER Studies. *Circ J.* 2017;81(7):1029-35.
242. Iida K, Tani S, Atsumi W, Yagi T, Kawauchi K, Matsumoto N, et al. Association of plasminogen activator inhibitor-1 and low-density lipoprotein heterogeneity as a risk factor of atherosclerotic cardiovascular disease with triglyceride metabolic disorder: a pilot cross-sectional study. *Coron Artery Dis.* 2017;28(7):577-87.
243. Iso K, Watanabe I, Kogawa R, Okumura Y, Nagashima K, Takahashi K, et al. Wavefront direction and cycle length affect left atrial electrogram amplitude. *J Arrhythm.* 2017;33(4):269-74.
244. Kato M, Komamura K, Kitakaze M, Hirayama A. The Impact of Bronchodilator Therapy on Systolic Heart Failure with Concomitant Mild to Moderate COPD. *Diseases.* 2017;6(1).
245. Kogawa R, Okumura Y, Watanabe I, Nagashima K, Takahashi K, Iso K, et al. Left atrial remodeling: Regional differences between paroxysmal and persistent atrial fibrillation. *J Arrhythm.* 2017;33(5):483-7.
246. Nagashima K, Watanabe I, Okumura Y, Iso K, Takahashi K, Watanabe R, et al. High-voltage zones within the pulmonary vein antra: Major determinants of acute pulmonary vein reconnections after atrial fibrillation ablation. *J Interv Card Electrophysiol.* 2017;49(2):137-45.
247. Nakai T, Sato T, Soejima K, Takamine Y, Watanabe M, Kobayashi K, et al. Brain magnetic resonance imaging examination in a patient with non-magnetic resonance conditional pacemaker. *J Arrhythm.* 2017;33(5):518-20.
248. Nakamura M, Uno K, Hirayama A, Ako J, Nohara A, Arai H, et al. Exploration into lipid management and persistent risk in patients hospitalised for acute coronary syndrome in Japan (EXPLORE-J): protocol for a prospective observational study. *BMJ Open.* 2017;7(6):e014427.
249. Nirei K, Nakamura H, Matsuoka S, Yamana Y, Yoda S, Hirayama A, et al. Ventricular Tachycardia as a Complication of Ledipasvir and Sofosbuvir Treatment for HCV Infection. *Intern Med.* 2017;56(7):787-90.
250. Okumura Y, Watanabe I, Iso K, Takahashi K, Nagashima K, Sonoda K, et al. Mechanistic Insights Into Durable Pulmonary Vein Isolation Achieved by Second-Generation Cryoballoon Ablation. *J Atr Fibrillation.* 2017;9(6):1538.
251. Saito Y, Aizawa Y, Monno K, Nagashima K, Kurokawa S, Osaka S, et al. Small, smooth, nonmobile cardiac myxoma detected by transesophageal echocardiography following recurrent cerebral infarction: a case report. *J Med Case Rep.* 2017;11(1):131.
252. Saito Y, Ohtani T, Kioka H, Onishi T, Tsukamoto Y, Nakamoto K, et al. Clinical Significance of Pulmonary Arterial Capacitance Calculated by Echocardiography in

- Patients With Advanced Heart Failure. *Circ J.* 2017;81(12):1871-8.
253. Sasaki N, Watanabe I, Okumura Y, Nagashima K, Kogawa R, Sonoda K, et al. Complex fractionated atrial electrograms, high dominant frequency regions, and left atrial voltages during sinus rhythm and atrial fibrillation. *J Arrhythm.* 2017;33(3):185-91.
254. Sato A, Aonuma K, Watanabe M, Hirayama A, Tamaki N, Tsutsui H, et al. Association of contrast-induced nephropathy with risk of adverse clinical outcomes in patients with cardiac catheterization: From the CINC-J study. *Int J Cardiol.* 2017;227:424-9.
255. Sonoda K, Okumura Y, Watanabe I, Nagashima K, Mano H, Kogawa R, et al. Scar characteristics derived from two- and three-dimensional reconstructions of cardiac contrast-enhanced magnetic resonance images: Relationship to ventricular tachycardia inducibility and ablation success. *J Arrhythm.* 2017;33(5):447-54.
256. Sudo M, Li Y, Hiro T, Takayama T, Mitsumata M, Shiomi M, et al. Inhibition of plaque progression and promotion of plaque stability by glucagon-like peptide-1 receptor agonist: Serial in vivo findings from iMap-IVUS in Watanabe heritable hyperlipidemic rabbits. *Atherosclerosis.* 2017;265:283-91.
257. Takahashi K, Nagashima K, Okumura Y, Watanabe I, Iso K, Hirayama A. Resolution of the functional retrograde right bundle branch block during antidromic atrioventricular reciprocating tachycardia. *HeartRhythm Case Rep.* 2017;3(11):519-22.
258. Takahashi M, Ando J, Shimada K, Nishizaki Y, Tani S, Ogawa T, et al. The ratio of serum n-3 to n-6 polyunsaturated fatty acids is associated with diabetes mellitus in patients with prior myocardial infarction: a multicenter cross-sectional study. *BMC Cardiovasc Disord.* 2017;17(1):41.
259. Tani S, Asayama K, Oiwa K, Harasawa S, Okubo K, Takahashi A, et al. The effects of increasing calcium channel blocker dose vs. adding a diuretic to treatment regimens for patients with uncontrolled hypertension. *Hypertens Res.* 2017;40(10):892-8.
260. Tani S, Nagao K, Kawauchi K, Yagi T, Atsumi W, Matsuo R, et al. The Ratio of Eicosapentaenoic Acid (EPA) to Arachidonic Acid may be a Residual Risk Marker in Stable Coronary Artery Disease Patients Receiving Treatment with Statin Following EPA Therapy. *Am J Cardiovasc Drugs.* 2017;17(5):409-20.
261. Tani S, Nagao K, Yagi T, Atsumi W, Hirayama A. Impact of Adding Eicosapentaenoic Acid to Statin Therapy on Plasma Pentraxin 3 Level in Patients with Stable Coronary Artery Disease: A 6-Month, Randomized Controlled Study. *Am J Cardiovasc Drugs.* 2017;17(1):49-59.

262. Tani S, Yagi T, Atsumi W, Kawauchi K, Matsuo R, Hirayama A. Relation between low-density lipoprotein cholesterol/apolipoprotein B ratio and triglyceride-rich lipoproteins in patients with coronary artery disease and type 2 diabetes mellitus: a cross-sectional study. *Cardiovasc Diabetol*. 2017;16(1):123.
263. Ueda Y, Hiro T, Hirayama A, Komatsu S, Matsuoka H, Takayama T, et al. Effect of Ezetimibe on Stabilization and Regression of Intracoronary Plaque - The ZIPANGU Study. *Circ J*. 2017;81(11):1611-9.
264. Yamaguchi N, Okumura Y, Watanabe I, Nagashima K, Takahashi K, Iso K, et al. Clinical implications of serum adiponectin on progression of atrial fibrillation. *J Arrhythm*. 2017;33(6):608-12.
265. Aizawa Y, Nakai T, Saito Y, Monno K, Morikawa T, Kogawa R, et al. Calcified Amorphous Tumor-Induced Acute Cerebral Infarction. *Int Heart J*. 2018;59(1):240-2.
266. Atsumi W, Tani S, Tachibana E, Hirayama A. Combined Evaluation of the Plasma Arginine Vasopressin and Noradrenaline Levels May be a Useful Predictor of the Prognosis of Patients with Acute Decompensated Heart Failure. *Int Heart J*. 2018;59(4):791-801.
267. Fukamachi D, Hirayama A, Miyauchi K, Yasuda S, Ogawa H, Ito H, et al. Corrigendum to "Antithrombotic therapy trends in non-valvular atrial fibrillation patients undergoing percutaneous coronary stent implantation: Results from a survey among fellows at the Japanese College of Cardiology" [J. Cardiol. 72 (2) (2018) 113-119]. *J Cardiol*. 2018;72(5):444.
268. Fukamachi D, Hirayama A, Miyauchi K, Yasuda S, Ogawa H, Ito H, et al. Antithrombotic therapy trends in non-valvular atrial fibrillation patients undergoing percutaneous coronary stent implantation: Results from a survey among fellows at the Japanese College of Cardiology. *J Cardiol*. 2018;72(2):113-9.
269. Harada-Shiba M, Ako J, Arai H, Hirayama A, Murakami Y, Nohara A, et al. Prevalence of familial hypercholesterolemia in patients with acute coronary syndrome in Japan: Results of the EXPLORE-J study. *Atherosclerosis*. 2018;277:362-8.
270. Iso K, Watanabe I, Okumura Y, Nagashima K, Takahashi K, Kurokawa S, et al. No association between dormant conduction sites and pulmonary vein reconnection sites in late atrial fibrillation recurrence after catheter ablation. *J Cardiol*. 2018;72(6):488-93.
271. Komatsu S, Yutani C, Ohara T, Takahashi S, Takewa M, Hirayama A, et al. Angioscopic Evaluation of Spontaneously Ruptured Aortic Plaques. *J Am Coll Cardiol*. 2018;71(25):2893-902.
272. Monno K, Okumura Y, Saito Y, Aizawa Y, Nagashima K, Arai M, et al. Effect of

- epicardial fat and metabolic syndrome on reverse atrial remodeling after ablation for atrial fibrillation. *J Arrhythm*. 2018;34(6):607-16.
273. Murata N, Takayama T, Hiro T, Hirayama A. Balloon pin-hole rupture during percutaneous coronary intervention for recurrent, calcified in-stent restenosis: A case report. *Catheter Cardiovasc Interv*. 2018;91(7):1287-90.
274. Nagashima K, Okumura Y, Watanabe I, Nakahara S, Hori Y, Iso K, et al. Hot Balloon Versus Cryoballoon Ablation for Atrial Fibrillation: Lesion Characteristics and Middle-Term Outcomes. *Circ Arrhythm Electrophysiol*. 2018;11(5):e005861.
275. Nanasato M, Matsumoto N, Nakajima K, Chikamori T, Moroi M, Takehana K, et al. Prognostic impact of reducing myocardial ischemia identified using ECG-gated myocardial perfusion SPECT in Japanese patients with coronary artery disease: J-ACCESS 4 study. *Int J Cardiol*. 2018;267:202-7.
276. Nishizaki Y, Shimada K, Tani S, Ogawa T, Ando J, Takahashi M, et al. Impact of smoking history on the association between Eicosapentaenoic acid to arachidonic acid ratio and acute coronary syndrome: A multicenter cross-sectional study. *Tob Induc Dis*. 2018;16:08.
277. Okumura Y, Fukuda I, Nakamura M, Yamada N, Takayama M, Maeda H, et al. Design and rationale for the Japanese Registry of Rivaroxaban Effectiveness & Safety for the Prevention of Recurrence in Patients with Deep Vein Thrombosis and Pulmonary Embolism (J'xactly) study. *BMJ Open*. 2018;8(6):e020286.
278. Saito Y, Kato M, Nagashima K, Monno K, Aizawa Y, Okumura Y, et al. Prognostic Relevance of Liver Stiffness Assessed by Transient Elastography in Patients With Acute Decompensated Heart Failure. *Circ J*. 2018;82(7):1822-9.
279. Shiba M, Kitano D, Kunimoto S, Hirayama A. Identification of left ventricular chamber-like aneurysm related to cardiac sarcoidosis. *BMJ Case Rep*. 2018;2018.
280. Suzuki S, Sotomi Y, Nakatani S, Hirata A, Hao H, Tsujimoto M, et al. Histopathologic Insights Into the Honeycomb-Like Structure in the Coronary Artery: In Vivo Multimodality Imaging Assessment With Directional Coronary Atherectomy. *JACC Cardiovasc Interv*. 2018;11(19):e157-e9.
281. Taguchi I, Iimuro S, Iwata H, Takashima H, Abe M, Amiya E, et al. High-Dose Versus Low-Dose Pitavastatin in Japanese Patients With Stable Coronary Artery Disease (REAL-CAD): A Randomized Superiority Trial. *Circulation*. 2018;137(19):1997-2009.
282. Takahashi H, Yagyu S, Furuya S, Washio T, Kawauchi K, Kobori M, et al. Decreased coronary blood flow velocity in two patients with coronary microvascular spasm: case series(dagger). *Eur Heart J Case Rep*. 2018;2(2):yty061.

283. Takayama T, Hiro T, Yoda S, Fukamachi D, Haruta H, Kogo T, et al. Effect of Aggressive lipid-lowering treatment with Rosuvastatin on vascular endothelial function: evaluation of vascular endothelium function (EARTH study). *Heart Vessels*. 2018;33(6):590-4.
284. Tani S, Matsuo R, Kawauchi K, Yagi T, Atsumi W, Hirayama A. A cross-sectional and longitudinal study between association of n-3 polyunsaturated fatty acids derived from fish consumption and high-density lipoprotein heterogeneity. *Heart Vessels*. 2018;33(5):470-80.
285. Watanabe R, Okumura Y, Nagashima K, Iso K, Takahashi K, Arai M, et al. Influence of balloon temperature and time to pulmonary vein isolation on acute pulmonary vein reconnection and clinical outcomes after cryoballoon ablation of atrial fibrillation. *J Arrhythm*. 2018;34(5):511-9.
286. Yamaguchi N, Okumura Y, Watanabe I, Nagashima K, Takahashi K, Iso K, et al. Impact of Sinus Node Recovery Time after Long-Standing Atrial Fibrillation Termination on the Long-Term Outcome of Catheter Ablation. *Int Heart J*. 2018;59(3):497-502.
287. Yasuda S, Kaikita K, Ogawa H, Akao M, Ako J, Matoba T, et al. Atrial fibrillation and ischemic events with rivaroxaban in patients with stable coronary artery disease (AFIRE): Protocol for a multicenter, prospective, randomized, open-label, parallel group study. *Int J Cardiol*. 2018;265:108-12.
288. Yoda S, Hori Y, Hayase M, Mineki T, Hatta T, Suzuki Y, et al. Correlation between early revascularization and major cardiac events demonstrated by ischemic myocardium in Japanese patients with stable coronary artery disease. *J Cardiol*. 2018;71(1):44-51.
289. Akutsu N, Ogaku A, Koyama Y, Fujito H, Ebuchi Y, Migita S, et al. Effect of drug-coated balloon angioplasty on in-stent restenotic coronary lesions analyzed with optical coherence tomography and serial coronary artery angioscopy. *Heart Vessels*. 2019;34(12):1925-35.
290. Fukamachi D, Hao H, Migita S, Akutsu N, Kusumi Y, Okumura Y, et al. Pathology of Myocardial Protective Effect of IMPELLA Support After ST-Elevation Acute Myocardial Infarction. *Circ Rep*. 2019;1(11):538-9.
291. Hirayama A, Yamashita S, Ruzza A, Inomata H, Cyrille M, Lu C, et al. Long-Term Treatment With Evolocumab Among Japanese Patients - Final Report of the OSLER Open-Label Extension Studies. *Circ J*. 2019;83(5):971-7.
292. Isaka Y, Hayashi H, Aonuma K, Horio M, Terada Y, Doi K, et al. Guideline on the Use of Iodinated Contrast Media in Patients With Kidney Disease 2018. *Circ J*.

- 2019;83(12):2572-607.
293. Iso K, Okumura Y, Watanabe I, Nagashima K, Takahashi K, Arai M, et al. Is Vagal Response During Left Atrial Ganglionated Plexi Stimulation a Normal Phenomenon?: Comparison Between Patients With and Without Atrial Fibrillation. *Circ Arrhythm Electrophysiol*. 2019;12(10):e007281.
294. Kajikawa M, Maruhashi T, Hidaka T, Matsui S, Hashimoto H, Takaeko Y, et al. Effect of Saxagliptin on Endothelial Function in Patients with Type 2 Diabetes: A Prospective Multicenter Study. *Sci Rep*. 2019;9(1):10206.
295. Kimura K, Kimura T, Ishihara M, Nakagawa Y, Nakao K, Miyauchi K, et al. JCS 2018 Guideline on Diagnosis and Treatment of Acute Coronary Syndrome. *Circ J*. 2019;83(5):1085-196.
296. Koretsune Y, Yamashita T, Akao M, Atarashi H, Ikeda T, Okumura K, et al. Baseline Demographics and Clinical Characteristics in the All Nippon AF in the Elderly (ANAFIE) Registry. *Circ J*. 2019;83(7):1538-45.
297. Mori N, Sotomi Y, Hirata A, Hirayama A, Sakata Y, Higuchi Y. External Validation of the ORBIT Bleeding Score and the HAS-BLED Score in Nonvalvular Atrial Fibrillation Patients Using Direct Oral Anticoagulants (Asian Data from the DIRECT Registry). *Am J Cardiol*. 2019;124(7):1044-8.
298. Murata N, Hiro T, Takayama T, Migita S, Morikawa T, Tamaki T, et al. High shear stress on the coronary arterial wall is related to computed tomography-derived high-risk plaque: a three-dimensional computed tomography and color-coded tissue-characterizing intravascular ultrasonography study. *Heart Vessels*. 2019;34(9):1429-39.
299. Nakamura M, Ako J, Arai H, Hirayama A, Murakami Y, Nohara A, et al. Investigation into Lipid Management in Acute Coronary Syndrome Patients from the EXPLORE-J Study. *J Atheroscler Thromb*. 2019;26(6):559-72.
300. Nishida T, Okumura Y, Yokoyama K, Matsumoto N, Tachibana E, Kuronuma K, et al. Oral anticoagulant use and clinical outcomes in elderly Japanese patients: findings from the SAKURA AF Registry. *Heart Vessels*. 2019;34(12):2021-30.
301. Sato K, Takahashi J, Odaka Y, Suda A, Sueda S, Teragawa H, et al. Clinical characteristics and long-term prognosis of contemporary patients with vasospastic angina: Ethnic differences detected in an international comparative study. *Int J Cardiol*. 2019;291:13-8.
302. Sotomi Y, Hirata A, Amiya R, Kobayashi T, Hirayama A, Sakata Y, et al. Bleeding Risk of Add-On Anti-Platelet Agents to Direct Oral Anticoagulants in Patients With Nonvalvular Atrial Fibrillation (From 2216 Patients in the DIRECT Registry). *Am J*

Cardiol. 2019;123(8):1293-300.

303. Suzuki S, Sotomi Y, Kobayashi T, Hamanaka Y, Nakatani S, Shiojima I, et al. Early vessel healing after implantation of biodegradable-polymer and durable-polymer drug-eluting stent: 3-month angioscopic evaluation of the RESTORE registry. *Int J Cardiovasc Imaging*. 2019;35(6):973-80.
304. Tani S, Matsuo R, Hirayama A. Does administration of eicosapentaenoic acid increase soluble thrombomodulin level in statin-treated patients with stable coronary artery disease? *Heart Vessels*. 2019;34(2):368-74.
305. Yasuda S, Kaikita K, Akao M, Ako J, Matoba T, Nakamura M, et al. Antithrombotic Therapy for Atrial Fibrillation with Stable Coronary Disease. *N Engl J Med*. 2019;381(12):1103-13.
306. Akao M, Shimizu W, Atarashi H, Ikeda T, Inoue H, Okumura K, et al. Oral Anticoagulant Use in Elderly Japanese Patients With Non-Valvular Atrial Fibrillation - Subanalysis of the ANAFIE Registry. *Circ Rep*. 2020;2(10):552-9.
307. Hamanaka Y, Sotomi Y, Hirata A, Kobayashi T, Ichibori Y, Makino N, et al. Persistent Systemic Inflammation Is Associated With Bleeding Risk in Atrial Fibrillation Patients. *Circ J*. 2020;84(3):411-8.
308. Hamanaka Y, Sotomi Y, Kobayashi T, Hayashi T, Hirayama A, Hirata A, et al. Dynamic Change of Coronary Microcirculation During Cardiocirculatory Support by the Impella. *JACC Cardiovasc Interv*. 2020;13(1):135-7.
309. Hiasa KI, Kaku H, Inoue H, Yamashita T, Akao M, Atarashi H, et al. Age-Related Differences in the Clinical Characteristics and Treatment of Elderly Patients With Atrial Fibrillation in Japan - Insight From the ANAFIE (All Nippon AF In Elderly) Registry. *Circ J*. 2020;84(3):388-96.
310. Higuchi Y, Hirayama A, Komatsu S, Kodama K. Embolic Stroke Caused by Aortic Ruptured Plaque and Thrombus Visualized by Angioscopy. *JACC Case Rep*. 2020;2(5):705-6.
311. Isaka Y, Hayashi H, Aonuma K, Horio M, Terada Y, Doi K, et al. Guideline on the use of iodinated contrast media in patients with kidney disease 2018. *Jpn J Radiol*. 2020;38(1):3-46.
312. Kainuma S, Toda K, Miyagawa S, Yoshikawa Y, Hata H, Yoshioka D, et al. Restrictive mitral annuloplasty with or without coronary artery bypass grafting in ischemic mitral regurgitation. *ESC Heart Fail*. 2020;7(4):1560-70.
313. Kanemaru K, Yoshimoto T, Inoue H, Yamashita T, Akao M, Atarashi H, et al. Baseline Characteristics of Elderly Japanese Patients Aged  $\geq 75$  Years With Non-Valvular Atrial Fibrillation and a History of Stroke - ANAFIE Registry. *Circ J*.

2020;84(3):516-23.

314. Katayama Y, Kiyohara K, Komukai S, Kitamura T, Ishida K, Hirose T, et al. The relationship between seasonal influenza and telephone triage for fever: A population-based study in Osaka, Japan. *PLoS One*. 2020;15(8):e0236560.
315. Kitano D, Takayama T, Fukamachi D, Migita S, Morikawa T, Tamaki T, et al. Impact of low-dose prasugrel on platelet reactivity and cardiac dysfunction in acute coronary syndrome patients requiring primary drug-eluting stent implantation: A randomized comparative study. *Catheter Cardiovasc Interv*. 2020;95(1):E8-E16.
316. Kobayashi T, Higuchi Y, Komatsu S, Yutani C, Hirayama A, Kodama K. Visualization of Cholesterol Crystals Liberated From a Diseased Saphenous Vein Coronary Bypass Graft. *JACC Cardiovasc Interv*. 2020;13(11):e105-e6.
317. Kobayashi T, Sotomi Y, Hirata A, Sakata Y, Hirayama A, Higuchi Y. Impact of Direct Oral Anticoagulant Off-Label Reduced Dose in Combination With Antiplatelet Agents on Clinical Outcome - Propensity Score-Matching Analysis From the DIRECT Real-World Non-Valvular Atrial Fibrillation Registry. *Circ Rep*. 2020;2(6):289-96.
318. Kobayashi T, Sotomi Y, Suzuki S, Hamanaka Y, Nakatani S, Dijkstra J, et al. Neointimal characteristics comparison between biodegradable-polymer and durable-polymer drug-eluting stents: 3-month follow-up optical coherence tomography light property analysis from the RESTORE registry. *Int J Cardiovasc Imaging*. 2020;36(2):205-15.
319. Kobayashi T, Sotomi Y, Suzuki S, Suwannasom P, Nakatani S, Morino Y, et al. Five-year clinical efficacy and safety of contemporary thin-strut biodegradable polymer versus durable polymer drug-eluting stents: a systematic review and meta-analysis of 9 randomized controlled trials. *Cardiovasc Interv Ther*. 2020;35(3):250-8.
320. Komatsu S, Takahashi S, Yutani C, Ohara T, Takewa M, Hirayama A, et al. Spontaneous ruptured aortic plaque and injuries: insights for aging and acute aortic syndrome from non-obstructive general angioscopy. *J Cardiol*. 2020;75(4):344-51.
321. Koretsune Y, Yamashita T, Akao M, Atarashi H, Ikeda T, Okumura K, et al. CORRIGENDUM: Baseline Demographics and Clinical Characteristics in the All Nippon AF in the Elderly (ANAFIE) Registry. *Circ J*. 2020;84(2):360.
322. Masuda D, Kirosue A, Hirayama A, Shimauchi J, Lopez JAG, Miyawaki K, et al. Evolocumab Effects on Lipoproteins, Measured by High-Performance Liquid Chromatography. *J Atheroscler Thromb*. 2020;27(11):1183-207.
323. Mizokami Y, Yamamoto T, Atarashi H, Yamashita T, Akao M, Ikeda T, et al. Current status of proton pump inhibitor use in Japanese elderly patients with non-valvular atrial fibrillation: A subanalysis of the ANAFIE Registry. *PLoS One*.

2020;15(11):e0240859.

324. Nagashima K, Hiro T, Fukamachi D, Okumura Y, Watanabe I, Hirayama A, et al. Anomalous origin of the coronary artery coursing between the great vessels presenting with a cardiovascular event (J-COMONALY Registry). *Eur Heart J Cardiovasc Imaging*. 2020;21(2):222-30.
325. Nagashima K, Okumura Y, Yokoyama K, Matsumoto N, Tachibana E, Kuronuma K, et al. Comparison of continuous 24-h and 14-day monitoring for detection of otherwise unknown atrial fibrillation: a registry to identify Japanese concealed atrial fibrillation (REAL-AF)-based study. *Heart Vessels*. 2020;35(5):689-98.
326. Nakamura M, Kimura K, Kimura T, Ishihara M, Otsuka F, Kozuma K, et al. JCS 2020 Guideline Focused Update on Antithrombotic Therapy in Patients With Coronary Artery Disease. *Circ J*. 2020;84(5):831-65.
327. Nishi H, Higuchi Y, Takahashi T, Domae K, Inoguchi K, Kawasumi R, et al. Aortic angioscopy assisted thoracic endovascular repair for chronic type B aortic dissection. *J Cardiol*. 2020;76(1):60-5.
328. Nishizaki Y, Shimada K, Tani S, Ogawa T, Ando J, Takahashi M, et al. Association between the ratio of serum n-3 to n-6 polyunsaturated fatty acids and acute coronary syndrome in non-obese patients with coronary risk factor: a multicenter cross-sectional study. *BMC Cardiovasc Disord*. 2020;20(1):160.
329. Okada Y, Kiguchi T, Irisawa T, Yamada T, Yoshiya K, Park C, et al. Development and Validation of a Clinical Score to Predict Neurological Outcomes in Patients With Out-of-Hospital Cardiac Arrest Treated With Extracorporeal Cardiopulmonary Resuscitation. *JAMA Netw Open*. 2020;3(11):e2022920.
330. Okumura K, Yamashita T, Akao M, Atarashi H, Ikeda T, Koretsune Y, et al. Characteristics and anticoagulant treatment status of elderly non-valvular atrial fibrillation patients with a history of catheter ablation in Japan: Subanalysis of the ANAFIE registry. *J Cardiol*. 2020;76(5):446-52.
331. Okumura Y, Fukuda I, Nakamura M, Yamada N, Takayama M, Maeda H, et al. A Multicenter Prospective Observational Cohort Study to Investigate the Effectiveness and Safety of Rivaroxaban in Japanese Venous Thromboembolism Patients (The J'xactly Study). *Circ J*. 2020;84(11):1912-21.
332. Omatsu T, Hayashi T, Ichibori Y, Makino N, Hirata A, Yasumura Y, et al. Recurrent Fulminant Myocarditis Accompanied by Lymphoid Follicle Formation in Myocardium. *Intern Med*. 2020;59(23):3045-9.
333. Yuzawa H, Inoue H, Yamashita T, Akao M, Atarashi H, Koretsune Y, et al. Rhythm versus rate control strategies regarding anticoagulant use in elderly non-

- valvular atrial fibrillation patients: Subanalysis of the ANAFIE (All Nippon AF In the Elderly) Registry. *J Cardiol.* 2020;76(1):87-93.
334. Adachi K, Hayashi T, Omatsu T, Hirayama A, Higuchi Y. Idiopathic Effusive-Constrictive Pericarditis Presented by Variant Angina. *Cureus.* 2021;13(4):e14380.
335. Akao M, Yasuda S, Kaikita K, Ako J, Matoba T, Nakamura M, et al. Rivaroxaban monotherapy versus combination therapy according to patient risk of stroke and bleeding in atrial fibrillation and stable coronary disease: AFIRE trial subanalysis. *Am Heart J.* 2021;236:59-68.
336. Fukaya H, Ako J, Yasuda S, Kaikita K, Akao M, Matoba T, et al. Aspirin versus P2Y(12) inhibitors with anticoagulation therapy for atrial fibrillation. *Heart.* 2021;107(21):1731-8.
337. Fukuda I, Hirayama A, Kawasugi K, Kobayashi T, Maeda H, Nakamura M, et al. Design and Baseline Data for a Prospective Observational Study of Rivaroxaban in Patients with Venous Thromboembolism in Japan (XASSENT). *TH Open.* 2021;5(4):e521-e32.
338. Hamanaka Y, Sotomi Y, Kobayashi T, Omatsu T, Dijkstra J, Sakata Y, et al. Comparable neointimal healing in patients with stable coronary lesions and acute coronary syndrome: 3-month optical coherence tomography analysis. *Int J Cardiovasc Imaging.* 2021;37(7):2095-105.
339. Kaikita K, Yasuda S, Akao M, Ako J, Matoba T, Nakamura M, et al. Bleeding and Subsequent Cardiovascular Events and Death in Atrial Fibrillation With Stable Coronary Artery Disease: Insights From the AFIRE Trial. *Circ Cardiovasc Interv.* 2021;14(11):e010476.
340. Kainuma S, Mitsuno M, Toda K, Miyagawa S, Yoshikawa Y, Hata H, et al. Surgical Ablation Concomitant With Nonmitral Valve Surgery for Persistent Atrial Fibrillation. *Ann Thorac Surg.* 2021;112(6):1909-20.
341. Kario K, Hasebe N, Okumura K, Yamashita T, Akao M, Atarashi H, et al. High prevalence of masked uncontrolled morning hypertension in elderly non-valvular atrial fibrillation patients: Home blood pressure substudy of the ANAFIE Registry. *J Clin Hypertens (Greenwich).* 2021;23(1):73-82.
342. Keech AC, Oyama K, Sever PS, Tang M, Murphy SA, Hirayama A, et al. Efficacy and Safety of Long-Term Evolocumab Use Among Asian Subjects - A Subgroup Analysis of the Further Cardiovascular Outcomes Research With PCSK9 Inhibition in Subjects With Elevated Risk (FOURIER) Trial. *Circ J.* 2021;85(11):2063-70.
343. Kojima K, Fukamachi D, Hirayama A, Okumura Y. Clinical insights of non-

- obstructive general angioscopy for assessing atherosclerotic pathology of aortic valve in vivo. *Int J Cardiovasc Imaging.* 2021;37(6):1839-41.
344. Kojima K, Hiro T, Koyama Y, Ohgaku A, Fujito H, Ebuchi Y, et al. High Wall Shear Stress Is Related to Atherosclerotic Plaque Rupture in the Aortic Arch of Patients with Cardiovascular Disease: A Study with Computational Fluid Dynamics Model and Non-Obstructive General Angioscopy. *J Atheroscler Thromb.* 2021;28(7):742-53.
345. Kurosawa T, Li Y, Sudo M, Haruta H, Hagikura K, Takayama T, et al. Effect of the dipeptidyl peptidase-4 inhibitor linagliptin on atherosclerotic lesions in Watanabe heritable hyperlipidemic rabbits: iMap-IVUS and pathological analysis. *Heart Vessels.* 2021;36(1):127-35.
346. Matoba T, Yasuda S, Kaikita K, Akao M, Ako J, Nakamura M, et al. Rivaroxaban Monotherapy in Patients With Atrial Fibrillation After Coronary Stenting: Insights From the AFIRE Trial. *JACC Cardiovasc Interv.* 2021;14(21):2330-40.
347. Matsuzawa Y, Kimura K, Yasuda S, Kaikita K, Akao M, Ako J, et al. Antithrombotic Therapy for Atrial Fibrillation and Coronary Artery Disease in Patients With Prior Atherothrombotic Disease: A Post Hoc Analysis of the AFIRE Trial. *J Am Heart Assoc.* 2021;10(21):e020907.
348. Migita S, Kitano D, Li Y, Koyama Y, Shimodai-Yamada S, Onishi A, et al. Pathological findings after third- and second-generation everolimus-eluting stent implantations in coronary arteries from autopsy cases and an atherosclerotic porcine model. *Sci Rep.* 2021;11(1):6281.
349. Nakae M, Kainuma S, Toda K, Miyagawa S, Yoshikawa Y, Hata H, et al. Incidence, determinants and clinical impact of left ventricular function recovery after surgical treatments for ischaemic cardiomyopathy. *Eur J Cardiothorac Surg.* 2021;60(3):689-96.
350. Nakamura M, Ako J, Arai H, Hirayama A, Nohara A, Murakami Y, et al. Lipid Management and 2-Year Clinical Outcomes in Japanese Patients with Acute Coronary Syndrome: EXPLORE-J. *J Atheroscler Thromb.* 2021;28(12):1307-22.
351. Nakamura M, Kadota K, Nakao K, Nakagawa Y, Shite J, Yokoi H, et al. Single Antiplatelet Therapy With Prasugrel vs. Dual Antiplatelet Therapy in Japanese Percutaneous Coronary Intervention Patients With High Bleeding Risk. *Circ J.* 2021;85(6):785-93.
352. Nishida T, Hiro T, Takayama T, Sudo M, Haruta H, Fukamachi D, et al. Clinical significance of microvessels detected by in vivo optical coherence tomography within human atherosclerotic coronary arterial intima: a study with multimodality intravascular imagings. *Heart Vessels.* 2021;36(6):756-65.

353. Nishioka N, Kobayashi D, Izawa J, Irisawa T, Yamada T, Yoshiya K, et al. Association between serum lactate level during cardiopulmonary resuscitation and survival in adult out-of-hospital cardiac arrest: a multicenter cohort study. *Sci Rep.* 2021;11(1):1639.
354. Ohno J, Sotomi Y, Hirata A, Sakata Y, Hirayama A, Higuchi Y. Dose of Direct Oral Anticoagulants and Adverse Outcomes in Asia. *Am J Cardiol.* 2021;139:50-6.
355. Oshima T, Kojima K, Hiro T, Murata N, Fukamachi D, Hirayama A, et al. Intravascular aortic observation by non-obstructive general angioscopy in Treponema pallidum syphilis. *Int J Cardiovasc Imaging.* 2021;37(12):3381-3.
356. Yamagishi M, Tamaki N, Akasaka T, Ikeda T, Ueshima K, Uemura S, et al. JCS 2018 Guideline on Diagnosis of Chronic Coronary Heart Diseases. *Circ J.* 2021;85(4):402-572.
357. Yasaka M, Yamashita T, Akao M, Atarashi H, Ikeda T, Koretsune Y, et al. Background characteristics and anticoagulant usage patterns of elderly non-valvular atrial fibrillation patients in the ANAFIE registry: a prospective, multicentre, observational cohort study in Japan. *BMJ Open.* 2021;11(3):e044501.
358. Yazaki Y, Nakamura M, Iijima R, Yasuda S, Kaikita K, Akao M, et al. Clinical Outcomes of Rivaroxaban Monotherapy in Heart Failure Patients With Atrial Fibrillation and Stable Coronary Disease: Insights From the AFIRE Trial. *Circulation.* 2021;144(17):1449-51.
359. Yoshimura S, Hirayama A, Kiguchi T, Irisawa T, Yamada T, Yoshiya K, et al. Trends in In-Hospital Advanced Management and Survival of Out-of-Hospital Cardiac Arrest Among Adults From 2013 to 2017 - A Multicenter, Prospective Registry in Osaka, Japan. *Circ J.* 2021;85(10):1851-9.
360. Akishita M, Suzuki S, Inoue H, Akao M, Atarashi H, Ikeda T, et al. Frailty screening index and atrial fibrillation outcomes in the All Nippon AF In the Elderly registry. *Geriatr Gerontol Int.* 2022;22(10):899-902.
361. Akishita M, Suzuki S, Inoue H, Akao M, Atarashi H, Ikeda T, et al. Frailty and outcomes in older adults with non-valvular atrial fibrillation from the ANAFIE registry. *Arch Gerontol Geriatr.* 2022;101:104661.
362. Arashi H, Yamaguchi J, Hagiwara N, Yasuda S, Kaikita K, Akao M, et al. Rivaroxaban Underdose for Atrial Fibrillation with Stable Coronary Disease: The AFIRE Trial Findings. *Thromb Haemost.* 2022;122(9):1584-93.
363. Asakura M, Ito S, Yamada T, Saito Y, Kimura K, Yamashina A, et al. Efficacy and Safety of Early Initiation of Eplerenone Treatment in Patients with Acute Heart Failure (EARLIER trial): a multicentre, randomized, double-blind, placebo-controlled

- trial. *Eur Heart J Cardiovasc Pharmacother.* 2022;8(2):108-17.
364. Fukamachi D, Okumura Y, Fukuda I, Nakamura M, Yamada N, Takayama M, et al. Characteristics and clinical outcomes of Japanese patients with venous thromboembolism receiving under-dose rivaroxaban: subanalysis of J'xactly. *Curr Med Res Opin.* 2022;38(7):1059-68.
365. Fukamachi D, Okumura Y, Matsumoto N, Tachibana E, Oiwa K, Ichikawa M, et al. Edoxaban Monotherapy in Nonvalvular Atrial Fibrillation Patients with Coronary Artery Disease. *J Interv Cardiol.* 2022;2022:5905022.
366. Harada-Shiba M, Ako J, Hirayama A, Nakamura M, Nohara A, Sato K, et al. Familial Hypercholesterolemia in Patients with Acute Coronary Syndrome: Genetic Insights from EXPLORE-J. *J Atheroscler Thromb.* 2022;29(8):1201-12.
367. Hiasa KI, Kaku H, Kawahara G, Inoue H, Yamashita T, Akao M, et al. Echocardiographic Structure and Function in Elderly Patients With Atrial Fibrillation in Japan - The ANAFIE Echocardiographic Substudy. *Circ J.* 2022;86(2):222-32.
368. Higuchi Y, Hirayama A, Hamanaka Y, Kobayashi T, Sotomi Y, Komatsu S, et al. Significant Contribution of Aortogenic Mechanism in Ischemic Stroke: Observation of Aortic Plaque Rupture by Angioscopy. *JACC Asia.* 2022;2(6):750-9.
369. Hirayama A, Tanahashi N, Tachiiri M, Hayasaki T. JCS/JHRS Guideline: Rivaroxaban Not Recommended for Patients With Nonvalvular Atrial Fibrillation and High Bleeding Risk. *Circ J.* 2022;86(7):1204.
370. Hisatake S, Ikeda T, Fukuda I, Nakamura M, Yamada N, Takayama M, et al. Rivaroxaban Treatment for Patients With Unprovoked or Provoked Venous Thromboembolism - Subanalysis of the J'xactly Study. *Circ Rep.* 2022;4(10):490-8.
371. Ido T, Minamiguchi H, Ichibori Y, Hayashi T, Makino N, Hirayama A, et al. Cardiac involvement of diffuse large B-cell lymphoma presenting as various arrhythmias. *Clin Case Rep.* 2022;10(11):e6504.
372. Iijima R, Kadota K, Nakao K, Nakagawa Y, Shite J, Yokoi H, et al. Ischemic and Bleeding Events in PENDULUM Patients With High Bleeding Risk and High Platelet Reactivity. *Circ J.* 2022;86(5):763-71.
373. Ikeda T, Yamashita T, Akao M, Atarashi H, Koretsune Y, Okumura K, et al. Prognostic impact of heart rate during atrial fibrillation on clinical outcomes in elderly non-valvular atrial fibrillation patients: ANAFIE Registry sub-cohort study. *J Cardiol.* 2022.
374. Ikeda T, Yamashita T, Akao M, Atarashi H, Koretsune Y, Okumura K, et al. Effect of Cancer on Clinical Outcomes in Elderly Patients With Non-Valvular Atrial Fibrillation - Substudy of the ANAFIE Registry. *Circ J.* 2022;86(2):202-10.

375. Ishii M, Akao M, Yasuda S, Kaikita K, Ako J, Matoba T, et al. Rivaroxaban Monotherapy in Patients With Atrial Fibrillation and Coronary Stenting at Multiple Vessels or the Left Main Trunk: The AFIRE Trial Subanalysis. *J Am Heart Assoc.* 2022;11(21):e027107.
376. Ishii M, Kaikita K, Yasuda S, Akao M, Ako J, Matoba T, et al. Rivaroxaban Monotherapy in Atrial Fibrillation and Stable Coronary Artery Disease Across Body Mass Index Categories. *JACC Asia.* 2022;2(7):882-93.
377. Kadota K, Nakao K, Nakagawa Y, Shite J, Yokoi H, Kozuma K, et al. Clinical Outcomes After Percutaneous Coronary Intervention in East Asian Patients - 30-Month Results of the PENDULUM Registry. *Circ J.* 2022;86(9):1339-49.
378. Kario K, Hasebe N, Okumura K, Yamashita T, Akao M, Atarashi H, et al. Home Blood Pressure Can Predict the Risk for Stroke/Bleeding Events in Elderly Patients With Nonvalvular Atrial Fibrillation From the ANAFIE Registry. *Hypertension.* 2022;79(12):2696-705.
379. Kitano D, Migita S, Li Y, Takahashi R, Taniguchi Y, Kurosawa T, et al. Effect of Rivaroxaban and Clopidogrel Combination Therapy on In-Stent Responses After Everolimus-Eluting Stent Implantation in a Porcine Coronary Model. *J Atheroscler Thromb.* 2022;29(1):69-81.
380. Kojima K, Komatsu S, Kakuta T, Fukamachi D, Kimura S, Fujii H, et al. Aortic plaque burden predicts vascular events in patients with cardiovascular disease: The EAST-NOGA study. *J Cardiol.* 2022;79(1):144-52.
381. Komatsu S, Yutani C, Takahashi S, Takewa M, Ohara T, Hirayama A, et al. Debris collected in-situ from spontaneously ruptured atherosclerotic plaque invariably contains large cholesterol crystals and evidence of activation of innate inflammation: Insights from non-obstructive general angiography. *Atherosclerosis.* 2022;352:96-102.
382. Matsui K, Yasuda S, Kaikita K, Akao M, Ako J, Matoba T, et al. The impact of kidney function in patients on antithrombotic therapy: a post hoc subgroup analysis focusing on recurrent bleeding events from the AFIRE trial. *BMC Med.* 2022;20(1):69.
383. Matsumaru Y, Kitazono T, Kadota K, Nakao K, Nakagawa Y, Shite J, et al. Relationship between platelet aggregation and stroke risk after percutaneous coronary intervention: a PENDULUM analysis. *Heart Vessels.* 2022;37(6):942-53.
384. Matsumura M, Sotomi Y, Hirata A, Sakata Y, Hirayama A, Higuchi Y. Sex-related difference in bleeding and thromboembolic risks in patients with atrial fibrillation treated with direct oral anticoagulants. *Heart Vessels.* 2022;37(3):467-75.
385. Miyagawa M, Okumura Y, Fukamachi D, Fukuda I, Nakamura M, Yamada N, et al. Clinical Implication of the Right Ventricular/Left Ventricular Diameter Ratio in

- Patients with Pulmonary Thromboembolism. *Int Heart J.* 2022;63(2):255-63.
386. Naito R, Miyauchi K, Yasuda S, Kaikita K, Akao M, Ako J, et al. Rivaroxaban Monotherapy vs Combination Therapy With Antiplatelets on Total Thrombotic and Bleeding Events in Atrial Fibrillation With Stable Coronary Artery Disease: A Post Hoc Secondary Analysis of the AFIRE Trial. *JAMA Cardiol.* 2022;7(8):787-94.
387. Nakagawa Y, Kadota K, Nakao K, Shite J, Yokoi H, Kozuma K, et al. Early P2Y(12) Inhibitor Single Antiplatelet Therapy for High-Bleeding Risk Patients After Stenting - PENDULUM Mono 24-Month Analysis. *Circ J.* 2022;86(9):1352-61.
388. Nakamura M, Kadota K, Nakao K, Nakagawa Y, Shite J, Yokoi H, et al. CORRIGENDUM: Single Antiplatelet Therapy With Prasugrel vs. Dual Antiplatelet Therapy in Japanese Percutaneous Coronary Intervention Patients With High Bleeding Risk. *Circ J.* 2022;86(6):1060.
389. Nakamura M, Yaku H, Ako J, Arai H, Asai T, Chikamori T, et al. JCS/JSCVS 2018 Guideline on Revascularization of Stable Coronary Artery Disease. *Circ J.* 2022;86(3):477-588.
390. Nakao K, Kadota K, Nakagawa Y, Shite J, Yokoi H, Kozuma K, et al. Changes in Antithrombotic Therapy Over Time and Durability of a Prasugrel WOEST-Like Regimen for Percutaneous Coronary Intervention Patients With Atrial Fibrillation - Post Hoc Analysis of the PENDULUM Mono and PENDULUM Registries. *Circ Rep.* 2022;4(5):194-204.
391. Nakawatase S, Minamiguchi H, Hirayama A, Higuchi Y. Angioscopic observation of venous endothelium after transvenous lead extraction with excimer laser sheath: Initial experience. *HeartRhythm Case Rep.* 2022;8(11):796-7.
392. Okada Y, Komukai S, Kitamura T, Kiguchi T, Irisawa T, Yamada T, et al. Clustering out-of-hospital cardiac arrest patients with non-shockable rhythm by machine learning latent class analysis. *Acute Med Surg.* 2022;9(1):e760.
393. Okada Y, Komukai S, Kitamura T, Kiguchi T, Irisawa T, Yamada T, et al. Clinical Phenotyping of Out-of-Hospital Cardiac Arrest Patients With Shockable Rhythm - Machine Learning-Based Unsupervised Cluster Analysis. *Circ J.* 2022;86(4):668-76.
394. Okumura K, Yamashita T, Akao M, Atarashi H, Ikeda T, Koretsune Y, et al. Oral Anticoagulants in Very Elderly Nonvalvular Atrial Fibrillation Patients With High Bleeding Risks: ANAFIE Registry. *JACC Asia.* 2022;2(6):720-33.
395. Omatsu T, Sotomi Y, Kobayashi T, Hamanaka Y, Hirata A, Hirayama A, et al. Quantitative Validation of the Coronary Angioscopic Yellow Plaque with Lipid Core Burden Index Assessed by Intracoronary Near-Infrared Spectroscopy. *J Atheroscler Thromb.* 2022;29(3):362-9.

396. Saito Y, Okumura Y, Nagashima K, Fukamachi D, Yokoyama K, Matsumoto N, et al. Low alanine aminotransferase levels are independently associated with mortality risk in patients with atrial fibrillation. *Sci Rep.* 2022;12(1):12183.
397. Sasaki S, Sotomi Y, Hirata A, Makino N, Hayashi T, Sakata Y, et al. Comparison of Low-Dose Direct Oral Anticoagulants for Patients <80 Versus >/=80 Years of Age With Atrial Fibrillation. *Am J Cardiol.* 2022;162:86-91.
398. Shibuya Y, Shiba M, Hayashi T, Iwai S, Mitake A, Mori N, et al. Peripartum Cardiomyopathy with the Cardiac Function Restored by Cabergoline. *Intern Med.* 2022.
399. Yamashita T, Akao M, Atarashi H, Ikeda T, Koretsune Y, Okumura K, et al. Effect of Polypharmacy on Clinical Outcomes in Elderly Patients With Non-Valvular Atrial Fibrillation - A Sub-Analysis of the ANAFIE Registry. *Circ J.* 2022;87(1):6-16.
400. Yamashita T, Fukuda I, Nakamura M, Yamada N, Takayama M, Maeda H, et al. Clinical Outcome After Discontinuation of Anticoagulation Therapy in Japanese Patients With Venous Thromboembolism - Insights From the J'xactly Study. *Circ Rep.* 2022;4(8):371-7.
401. Yamashita T, Suzuki S, Inoue H, Akao M, Atarashi H, Ikeda T, et al. Two-year outcomes of more than 30 000 elderly patients with atrial fibrillation: results from the All Nippon AF In the Elderly (ANAFIE) Registry. *Eur Heart J Qual Care Clin Outcomes.* 2022;8(2):202-13.
402. Yoshimoto T, Toyoda K, Ihara M, Inoue H, Yamashita T, Suzuki S, et al. Impact of Previous Stroke on Clinical Outcome in Elderly Patients With Nonvalvular Atrial Fibrillation: ANAFIE Registry. *Stroke.* 2022;53(8):2549-58.
403. Hisatake S, Ikeda T, Fukuda I, Nakamura M, Yamada N, Takayama M, et al. Effectiveness and safety of rivaroxaban in patients with venous thromboembolism and active cancer: A subanalysis of the J'xactly study. *J Cardiol.* 2023;81(3):268-75.
404. Ikeda Y, Ako J, Toda K, Hirayama A, Kinugawa K, Kobayashi Y, et al. Short-Term Outcomes of Impella Support in Japanese Patients With Cardiogenic Shock Due to Acute Myocardial Infarction - Japanese Registry for Percutaneous Ventricular Assist Device (J-PVAD). *Circ J.* 2023.
405. Migita S, Okumura Y, Fukuda I, Nakamura M, Yamada N, Takayama M, et al. Relationship between baseline D-dimer and prognosis in Japanese patients with venous thromboembolism: Insights from the J'xactly study. *Front Cardiovasc Med.* 2023;10:1074661.
406. Mo M, Fukuda I, Nakamura M, Yamada N, Takayama M, Maeda H, et al. Effectiveness and safety of the direct oral anticoagulant in acute distal deep vein thrombosis: From the prospective multicenter observational study, J'xactly, in Japan.

Phlebology. 2023;38(1):4-15.

407. Nagata K, Inoue H, Yamashita T, Akao M, Atarashi H, Ikeda T, et al. Impact of cognitive impairment on clinical outcomes in elderly patients with atrial fibrillation: ANAFIE Registry. *BMJ Neurol Open*. 2023;5(1):e000370.
408. Nishizaki Y, Miyauchi K, Iwata H, Inoue T, Hirayama A, Kimura K, et al. Study protocol and baseline characteristics of Randomized trial for Evaluation in Secondary Prevention Efficacy of Combination Therapy-Statin and Eicosapentaenoic Acid: RESPECT-EPA, the combination of a randomized control trial and an observational biomarker study. *Am Heart J*. 2023;257:1-8.
409. Suzuki S, Yamashita T, Akao M, Atarashi H, Ikeda T, Okumura K, et al. Clinical phenotypes of older adults with non-valvular atrial fibrillation not treated with oral anticoagulants by hierarchical cluster analysis in the ANAFIE Registry. *PLoS One*. 2023;18(2):e0280753.
410. Toda K, Ako J, Hirayama A, Kinugawa K, Kobayashi Y, Ono M, et al. Three-year experience of catheter-based micro-axial left ventricular assist device, Impella, in Japanese patients: the first interim analysis of Japan registry for percutaneous ventricular assist device (J-PVAD). *J Artif Organs*. 2023;26(1):17-23.
411. Yamashita T, Akao M, Atarashi H, Ikeda T, Koretsune Y, Okumura K, et al. Causes of Death in Elderly Patients With Non-Valvular Atrial Fibrillation - Results From the ANAFIE Registry. *Circ J*. 2023.

## 【著書】

- 1 児玉和久, 平山篤志. : 狹心症. (杉本侃 編);図説救急医学講座, pp.62-73. メジカルビュー社, 東京, 1989
- 2 児玉和久, 平山篤志. : 心原性ショックと補助循環. (児玉和久 編); 急性心筋梗塞の呼吸・循環管理, pp.138-148. メディカ出版, 大阪, 1990
- 3 児玉和久, 南都伸介, 増山理, 平山篤志, 朝田真司, 中真砂士. : 心筋虚血を伴う「いわゆる正常冠動脈」. (児玉和久, 土師一夫, 堀正二 編);臨床からみた心筋細胞障害, pp.265-272.科学評論社, 東京, 1990
- 4 平山篤志, 児玉和久. : 急性心筋梗塞とSOD活性. (児玉和久, 土師一夫, 堀正二 編);臨床からみた心筋細胞障害, pp.123-132.科学評論社, 東京, 1990
- 5 三嶋正芳, 岩井邦充, 是恒之宏, 堀正二, 井上通敏, 平山篤志, 南都伸介, 児玉和久. : 狹心症様症状を有し、心筋生検で冠細動脈硬化病変を認めた3例. (児玉和久, 土師一夫, 堀正二 編);臨床からみた心筋細胞障害, pp.236-243.科学評論社, 1990
- 6 K. Kodama, Y. Okazaki, S. Nanto, M. Mishima, A. Hirayama, H. Sato, M. Kitakaze, M. Hori, M. Inoue. : Possible Mechanisms of the Beneficial Effects of Nitroglycerin in Patients with Effort Angina:Potential Roles of collateral Circulation. (Inoue M, Hori M, Imai S, R.M.Berne 編);Regulation of Coronary Blood Flow, pp.299-314.Springer-Verlag, Tokyo, 1991
- 7 児玉和久, 平山篤志. : 血栓溶解剤 ハパーゼコーウ、プラスベータ. (熊腹雄一 編); 「時の新薬」, pp.79-87. メディカルレビュー社, 東京, 1991
- 8 平山篤志, 木村佳弘. : 虚血性心疾患とプロスタノイド. (鎌田武信, 児玉和久 編);虚血性心疾患治療の最前線, pp.585-72.医薬ジャーナル社, 大阪, 1991
- 9 児玉和久, 平山篤志. : 急性心筋梗塞と慢性虚血性心疾患. (半田俊之介 編);循環器NOW1 心不全 循環不全の病態と最新の治療, pp.194-200.南江堂, 東京, 1992
- 10 児玉和久, 平山篤志. : 補助循環法. (上島権兵衛 編);循環器NOW 7 心臓エマージェンシー, pp.115-121.南江堂, 東京, 1992
- 11 K. Kodama, A. Hirayama. : Reperfusion injury in patients with acute myocardial infarction. Plasma free-radical scavenger activity is a factor involved in reducting the infarct size following successful reperfusion. (Masatusgu Hori, Yukio Maruyama, Reneman R.S 編);Cardiac Adaptation and Failure, pp.119-130.Springer-Verlag, Tokyo, 1994
- 12 児玉和久, 平山篤志. : 人血漿radical scavenger活性の心筋梗塞サイズに及ぼす影響. (阿部博幸, 佐藤光, 児玉和久 編);冠動脈疾患の多面的展開-治療へのPerspective-, pp.143-149.科学評論社, 東京, 1994
- 13 児玉和久, 平山篤志. : 冠動脈造影. (北島政樹 編);外科臨床ハンドブック 第4集 冠動脈外科の最前線, pp.10-22.中山書店, 東京, 1994
- 14 平山篤志, 児玉和久. : 硝酸イソソルビド. (編);新しい治療薬のポイント, pp.55-65. メディカルレビュー社, 東京, 1994
- 15 児玉和久, 平山篤志. : ニトロフィックス. (編);時の新薬 メディカルレビュー社, pp.55-67.1994
- 16 児玉和久, 平山篤志. : 心筋梗塞後狭心症の病態と治療. (編);別冊 医学のあゆみ 循環器疾患, pp.454-455.医歯薬出版社, 東京, 1995
- 17 平山篤志, 児玉和久. : 心臓カテーテル検査. (篠山重威 編);狭心症, pp.222-237.医薬ジャーナル社, 大阪, 1995
- 18 平山篤志, 児玉和久. : Prehospital careとCoronary care. (谷口興一 編);カレント内科虚血性心疾患, pp.158-162.金原出版株式会社, 東京, 1996
- 19 児玉和久, 平山篤志. : キリノン誘導体の治療効果. (篠山重威 編);強心薬 - 現状と将来への展望 -, pp.163-166.1996
- 20 児玉和久, 平山篤志. : 急性心筋梗塞. (杉本恒明 編);循環器疾患最新の治療96 - 97, pp.7-11.1996

- 21 児玉和久, 三崎尚之, 平山篤志. : リードトラブルの発生頻度および耐用率 ペースメーカーリード断線-その頻度について-. 編);cardiac Pacemaker's Lead Trouble and Troubule Shooting, pp.23-25.第1 2 JASPE学術大会, 1997
- 22 児玉和久, 平山篤志, 堀正二. : 梗塞後リモデリングと心不全. (篠山重威 編);心不全, pp.83-91.医薬ジャーナル社, 大阪, 1997
- 23 児玉和久, 平山篤志. : 抗血小板薬と抗凝固薬. (笠貫宏 編);心臓病診療プラクティス 13 心疾患の薬物治療を考える - 大規模試験を踏まえて -, pp.300-304.文光堂, 1997
- 24 児玉和久, 平山篤志. : 急性心筋梗塞とplaques破裂. (井村裕夫, 尾形悦郎, 高久史麿, 垂井清一郎 編);最新内科学大系 プログレス 6 循環器疾患 I, pp.160-168.中山書店, 東京, 1997
- 25 児玉和久, 平山篤志. : PTCAの手技と成績. (岡田昌義 編);ここまで進んだ血管内治療法, pp.207-227.永井書店, 大阪, 1998
- 26 児玉和久, 平山篤志. : 一過性心停止をきたした患者の治療法. (杉本恒明, 篠山重威, 矢崎義雄 編);循環器疾患 最新の治療1998-1999, pp.328-332.南江堂, 東京, 1998
- 27 平山篤志, 児玉和久. : 圧センサー. (土師一夫 編);心臓病診療プラクティス 18.インターベンションを活かす, pp.144-146.文光堂, 東京, 1998
- 28 児玉和久, 平山篤志. : 狹心症における硝酸薬の使い方. (齊藤宗靖 編);目でみる循環器病シリーズ 13 循環器病の薬物療法, pp.75-81.メジカルビュー社, 1998
- 29 横口義治, 平山篤志, 柳原哲夫, 児玉和久. : 急性心筋梗塞. (松田暉 編);経皮的心肺補助法—PCPSの基礎から臨床まで-, pp.43-50.秀潤社, 東京, 1998
- 30 児玉和久, 平山篤志. : 狹心症・心筋梗塞に対する治療成績のEvidence. (山口徹 編);プラクティカル内科シリーズ8 狹心症・心筋梗塞—治療戦略へのアプローチと長期管理, pp.85-91.南江堂, 東京, 1999
- 31 横口義治, 平山篤志, 山口修, 児玉和久. : PTCA(経皮的冠動脈形成術)後の血管反応性に関する検討. (三浦傳, 矢部喜正 編);冠血管リモデリング, pp.125-131.医歯薬出版社, 東京, 2000
- 32 児玉和久, 横口義治, 平山篤志. : 血管内視鏡による動脈硬化の診断. (横山光宏 編);動脈硬化診療の新展開, pp.230-234.メジカルセンス, 東京, 2000
- 33 平山篤志, 上田恭敬, 朝倉正紀, 横口義治, 児玉和久. : CAG/LVG/血管内視鏡. (吉田清, 南都伸介, 石田良雄 編);虚血性心疾患 病態に応じた画像診断, pp.41-46.メジカルセンス, 東京, 2000
- 34 児玉和久, 平山篤志. : インターベンションステント植え込みと施行後の抗血小板療法の有効性の検討:アスピリン単独とアスピリン・チクロビジン併用療法の比較. (池田康夫, 重松宏, 島田和幸, 藤田敏郎 編);血栓と循環 特集 データブック 血栓症の大規模臨床試験, pp.108-109.メディカルビュー社, 大阪, 2000
- 35 平山篤志. : 冠血管拡張剤. (楠岡英雄 編);心臓・血管疾患で使う薬剤ノート, pp.335-366.メディカ出版, 大阪, 2001
- 36 平山篤志. : 虚血性心疾患の治療. (楠岡英雄 編);心臓・血管疾患で使う薬剤ノート, pp.3-14.メディカ出版, 大阪, 2001
- 37 柏瀬一路, 平山篤志, 児玉和久. : 心原性ショック. (高野照夫 編);目でみる循環器病シリーズ 16 循環器病の救急処置, pp.12-21.メジカルビュー社, 東京, 2001
- 38 平山篤志, 児玉和久. : 非ST上昇型ACSの診断と治療. (清野精彦 編);心筋障害と心筋/血管マーカー 心筋梗塞再定義 (ESC/ACC)に基づく迅速生化学診断, pp.28-37.メジカルビュー社, 東京, 2002
- 39 平山篤志. : 心原性ショックと補助循環. (児玉和久 編);改訂第2版 急性心筋梗塞の呼吸・循環管理 集中治療の基礎と臨床, pp.146-153.メディカ出版, 大阪, 2002
- 40 平山篤志, 上田恭敬, 児玉和久. : 心筋梗塞の病理・病態生理 病因と病理. (高野照夫 編);新しい診断と治療のABC 4／循環器1 心筋梗塞, pp.41-46.最新医学社, 大阪, 2002
- 41 児玉和久, 平山篤志. : 动脈硬化粥腫破裂の予知. (杉下靖郎, 門間和夫, 矢崎義雄, 高木眞一 編);Annual Review循環器2003, pp.121-127.中外医学社, 2003
- 42 上田恭敬, 平山篤志, 児玉和久. : 血管内視鏡. (山口徹, 齊藤穎 編);Beyond Angiography - 冠循環への新しいアプローチ, pp.62-70.南江堂, 東京, 2003

- 43 児玉和久, 平山篤志. : Late reperfusion therapyはどのような症例で有効か?何時間までなら効果が期待されるか?. (三田村秀雄, 山科章, 川名正敏, 桑島巖 編);EBM 循環器疾患の治療2004-2005, pp.57-64.中外医学社, 東京, 2003
- 44 児玉和久, 平山篤志, 上田恭敬. : 血管内視鏡. (山田信博, 石橋俊, 代田浩之 編);高脂血症ナビゲーター, pp.248-251.メディカルビュー社, 東京, 2003
- 45 児玉和久, 平山篤志, 上田恭敬. : 血管内視鏡アトラス. 編), pp.メディカルセンス, 東京, 2004
- 46 児玉和久, 平山篤志. : 急性心筋梗塞. (山口徹, 堀正二 編);循環器疾患最新の治療2004-2005, pp.55-65.南江堂, 東京, 2004
- 47 平山篤志, 児玉和久. : PCPSの内科的基準. (松田暉 編);新版 経皮的心肺補助法PCPSの最前線, pp.23-28.秀潤社, 東京, 2004
- 48 澤芳樹, 平山篤志, 西村元延. : PCPSの概要. (松田暉 編);新版 経皮的心肺補助法PCPSの最前線, pp.9-16.秀潤社, 2004
- 49 平山篤志, 奥山裕司, 児玉和久. : Supported PTCA. (松田暉 編);新版 経皮的心肺補助法PCPSの最前線, pp.85-92.秀潤社, 東京, 2004
- 50 溝手勇, 平山篤志. : 血栓吸引療法,Distal protection deviceの効用と注意点は?. (三田村秀雄, 山科章, 川名正敏, 桑島巖 編);EBM循環器疾患の治療2006-2007, pp.27-31.中外医学社, 東京, 2005
- 51 奥山裕司, 平山篤志, 児玉和久. : 突然の胸痛に続いて 全身倦怠感・失神が生じた!?. (堀正二 編);シミュレーション内科 心不全を探る, pp.61-66.永井書店, 大阪, 2005
- 52 平山篤志. : ST上昇型急性冠症候群 プレホスピタル治療の意義. (山口徹 編);冠動脈疾患プロフェッショナル 急性冠症候群の臨床Clinical treatment in ACS, pp.147-151.中山書店, 東京, 2005
- 53 児玉和久, 平山篤志. : 乳酸摂取率. (木村一雄, 土師一夫 編);新・心臓病診療プラクティス 4 冠動脈疾患を診る I , pp.127-129.文光堂, 東京, 2005
- 54 平山篤志. : 心筋虚血と機械的障害. (木村一雄, 土師一夫 編);新・心臓病診療プラクティス 4 冠動脈疾患を診る I , pp.124-126.文光堂, 東京, 2005
- 55 平山篤志, 上田恭敬. : 血管内視鏡. (木村一雄, 土師一夫 編);新・心臓病診療プラクティス 4 冠動脈疾患を診る I , pp.378-383.文光堂, 東京, 2005
- 56 竹田泰治, 平山篤志. : 心原性ショックをきたした大動脈解離. (野々木宏 編);胸痛診療のコツと落とし穴, pp.16-18.中山書店, 東京, 2005
- 57 平山篤志, 柏瀬一路. : ミルリノン投与の効果判定—時間・基準など. (児玉和久 編);PDEIII阻害薬の使い方 ミルリノンの基礎から臨床まで, pp.120-127.メディカルレビュー社, 2006
- 58 柏瀬一路, 平山篤志, 児玉和久, 堀正二. : うつ血性心不全. (Medical Practice編集委員会 編);内科外来診療実践ガイド 個別診療を重視したこれからの中の診療のすべて—縮小版—, pp.111-114.文光堂, 東京, 2006
- 59 奥山裕司, 平山篤志, 児玉和久. : 硝酸薬 狹心症における硝酸薬の使い方. (木全心一 編);新目でみる循環器病シリーズ21 : 循環器病の薬物療法, pp.109-116.メディカルビュー社, 東京, 2006
- 60 児玉和久, 平山篤志. : 急性冠症候群. (池田康夫 編);血栓症ナビゲーター, pp.122-123.メディカルビュー社, 東京, 2006
- 61 児玉和久, 平山篤志. : 急性冠症候群. (池田康夫 編);血栓症ナビゲーター, pp.246-247.メディカルビュー社, 東京, 2006
- 62 奥山裕司, 平山篤志. : 1章心臓病の予防,検査 5.浸襲的検査(心臓カテーテル検査) . (北風政史 編);説明上手なナースになる!心臓病患者さんの生活・退院指導, pp.47-56.メディカル出版, 大阪, 2006
- 63 児玉和久監修、平山篤志編集 改訂六版 CCUハンドブック メジカルレビュー社, 大阪, 2006
- 64 監修:平山篤志 Heart nursing 2006年秋増刊 Q&Aからはじめよう 冠動脈疾患マスター ブック MCメディカル出版 2006
- 65 監修:児玉和久 企画 平山篤志/栗林幸夫/山岸正和/南和友/小松 誠 プラークを診断することは肝臓脈疾患患者をどれだけ救うか?  
心臓血管画像MOOK P114-116 産業開発機構株式会社 2008

- 66 編集:平山篤志 Circulation up-to-Date 2009 増刊 病棟必携！カラーで診る 心臓カテーテル室マニュアル検査と治療の実態一 メディカ出版 2009
- 67 監修:児玉和久、栗原幸夫 編集:平山篤志、佐藤裕一、陣崎雅弘、小松誠 Q&Aでやさしく学ぶ心臓CT メディカルビュー 2009
- 68 監修:児玉和久、栗原幸夫 編集:平山篤志、小松一成、上田恭敬、小松誠 心臓CTを活かす新しい冠動脈疾患診断戦略—こういう症例に活用する メディカルビュー 2010
- 69 監修:児玉和久 編集:平山篤志 血管内視鏡最新診療ガイドメディカルビュー 2011
- 70 編集:平山篤志  
心臓カテーテル室スタッフマニュアル 中外医学社 2012
- 71 小沢友紀雄、平山篤志、齋藤穎 これだけは知っておきたいやさしい心電図の見方—おもな心疾患と治療のポイント 医薬ジャーナル社 2013
- 72 平山篤志 CCUトラブルシューティング 中外医学社 2015
- 73 平山篤志編. 症例を読み解くため的心臓病学 検査編. 医薬ジャーナル社.2018.
- 74 平山篤志編. 症例を読み解くため的心臓病学 疾患編. 症例を読み解くため的心臓病学 疾患編. 医薬ジャーナル社 2019.
- 75 平山篤志. I 医療安全と循環器疾患. 循環器疾患 最新の治療2020–2021. pp.418–420. 2020.

## 〔国内学会演題(シンポジウム、パネルディスカッション、ワークショップ)〕

- 1 上田恭敬, 平山篤志, 堀昭彦, 足立孝好, 児玉和久, 南都伸介, 三嶋正芳. ステントによる急性冠閉塞治療と慢性期再狭窄予防. 第58回日本循環器学会学術集会 (シンポジウム) 1994, 3.
- 2 平山篤志, 長谷川新治, 三嶋正芳, 児玉和久. 梗塞後左室リモデリングとリハビリテーション. 第58回日本循環器学会学術集会 (シンポジウム) 1994, 3.
- 3 松若良介, 榊原哲夫, 新谷英夫, 矢倉明彦, 平山篤志\*, 児玉和久\*. 左室破裂 (自由壁破裂と中隔穿孔) に対する我々の戦略と成績 (パネルディスカッション). 第23回日本集中治療医学会総会 1996, 1.
- 4 足立孝好, 平山篤志, 朝倉正紀, 藤久和, 金銅伸彦, 松田伸一, 山元博義, 坂田泰史, 樋口義治, 水野裕八, 山口修, 柏瀬一路, 児玉和久. 完全閉塞病変に対するステント留置の有用性の限界—血管内視鏡IVUSからの検討— (VTRシンポジウム). 第11回日本冠疾患学会学術集会 1997, 12.
- 5 朝倉正紀, 平山篤志, 児玉和久. Acute Coronary Syndromesの成因と治療—2.治療：冠血管内視鏡所見からの検討 (パネルディスカッション). 第62回日本循環器学会学術集会 1998, 3.
- 6 朝倉正紀, 平山篤志, 児玉和久. IV : Acute Coronary Syndromesの成因と治療—2.治療：冠血管内視鏡所見からの検討 (パネルディスカッション). 第62回日本循環器学会学術集会 1998, 3.
- 7 藤久和, 平山篤志, 足立孝好, 朝倉正紀, 松田伸一, 金銅伸彦, 山元博義, 樋口義治, 水野裕八, 児玉和久. リモデリング状態によるステント後の血管の反応性の差異について (シンポジウム). 第46回日本心臓病学会学術集会 1998, 9.
- 8 樋口義治, 朝倉正紀, 平山篤志, 児玉和久. 冠動脈硬化病変解析におけるIVUS及び血管内視鏡併用の意義 (ビジュアルワークショップ). 第46回日本心臓病学会学術集会 1998, 9.
- 9 奥山裕司, 平山篤志, 児玉和久, 榊原哲夫. 急性心不全に対するPCPSの治療成績 (パネルディスカッション). 第26回日本集中治療医学会総会 1999, 3.
- 10 奥山裕司, 平山篤志, 児玉和久, 榊原哲夫. 急性心不全に対するPCPSの治療成績 (パネルディスカッション). 第26回日本集中治療医学会総会 1999, 3.
- 11 樋口義治, 上田恭敬, 平山篤志, 児玉和久. 血管内視鏡とIVUSを併用した冠動脈硬化病変の解析 (パネルディスカッション). 第47回日本心臓病学会学術集会 (横浜) 1999, 09.
- 12 平山篤志, 樋口義治, 足立孝好, 奥山裕司, 上松正朗, 金銅伸彦, 松田伸一, 山元博義, 榊原哲夫, 児玉和久, 堀辰之, 篠原宣幸. 急性冠症候群による循環不全に対するPCPSの有用性と限界 (パネルディスカッション). 日本医工学治療学会第12回学術大会 1999, 2.
- 13 平山篤志, 山口修, 上田恭敬, 児玉和久. 血管内視鏡からみたUnstable Plaque (コロキウム) (パネルディスカッション). 第64回日本循環器学会学術集会 2000, 4.
- 14 上田恭敬, 大谷朋仁, 清水政彦, 平山篤志, 児玉和久. 梗塞サイズの縮小を目標とした再灌流療法の検討 (パネルディスカッション). 第15回日本冠疾患学会学術集会 2001, 12.
- 15 溝手勇, 上田恭敬, 奥山裕司, 鷹野譲, 小松誠, 竹田泰治, 岡崇史, 大森洋介, 大藪丈太, 平山篤志, 児玉和久. (パネルディスカッション) : 長期治療からみた急性冠症候群に対する再灌流療法の意義 : 血管内視鏡からみた再灌流療法の成果と長期的予後. 第10回日本血管内治療学会総会 2004, 6.

- 16 溝手勇, 上田恭敬, 奥山裕司, 鷹野譲, 小松誠, 竹田泰治, 岡崇史, 大森洋介, 大藪丈太, 平山篤志, 児玉和久. 長期治療からみた急性冠症候群に対する再灌流療法の意義：血管内視鏡からみた再灌流療法の成果と長期的予後（パネルディスカッション）. 第10回日本血管内治療学会総会 2004.6.
- 17 小松誠, 大森洋介, 上田恭敬, 大藪丈太, 平山篤志, 児玉和久. マルチスライスCTによる冠動脈plaquesの同定～血管内視鏡、血管内超音波との比較シンポジウム1「血管内画像診断」(Multi Slice CT MRI, 抹消ICES, IVUS, その他). 第19回日本心臓血管内視鏡学術研究集会 2005.10.
- 18 平山篤志 急性冠症候群における抗血栓療法の実際(シンポジウム) 日本血栓止血学会(福岡) 2009.6
- 19 Koichi Nagashima, Takeshi Yamashita, Akiko Sekiguchi, Ichiro Watanabe, Atsushi Hirayama The Role of Mammalian Target of Rapamycin in Hypertensive Rat Atria (シンポジウム) 第28回日本心電学会学術集会 (福岡) 2011.9
- 20 Yasuo Okumura, Ichiro Watanabe, Masayoshi Kofune, Koichi Nagashima, Kimie Ohkubo, Hiroaki Mano, Kazumasa Sonoda, Toshiko Nakai, Atsushi Hirayama Characteristics and Distribution of Complex Fractionated Atrial Electrograms and Dominant Frequency during Atrial Fibrillation in Patients Responding or Non-Responding to Pulmonary Vein Isolation (シンポジウム)  
第28回日本心電学会学術集会(福岡) 2011.9(福岡)
- 21 Yasuo Okumura, Ichiro Watanabe, Masayoshi Kofune, Koichi Nagashima, Hiroaki Mano, Kazumasa Sonoda, Kimie Ohkubo, Toshiko Nakai, Atsushi Hirayama Different Distribution of Complex Fractionated Atrial Electrograms and Dominant Frequency after Pulmonary Vein Isolation of Atrial Fibrillation (シンポジウム) 第28回日本心電学会学術集会(福岡) 2011.9(福岡)
- 22 Katsuaki Yokoyama, Mitsunobu Enomoto, Yasuhito Kubochi, Masakazu Komoriya, Hidehito Takase, Kagari Matsudaira, Shinobu Imai, Ken Nagao, Atsushi Hirayama Epicardial Adipose Tissue Volume Adjacent to Left Atrium Predicts the Recurrence of Atrial Fibrillation after PV Isolation Plus Ganglionated Plexus Ablation (シンポジウム) 第28回日本心電学会学術集会(福岡) 2011.9(福岡)
- 23 Mitsunobu Enomoto, Katsuaki Yokoyama, Yasuhito Kubochi, Masakazu Komoriya, Hidehito Takase, Kagari Matsudaira, Shinobu Imai, Ken Nagao, Atsushi Hirayama Distribution of Epicardial Adipose Tissue Surrounding the Left Atrium Predicts the Incidence of Atrial Fibrillation in Patients with Obstructive Sleep Apnea (シンポジウム) 第28回日本心電学会学術集会(福岡) 2011.9(福岡)

- 24 Kazumasa Sonoda, Yasuo Okumura, Ichiro Watanabe, Masayoshi Kofune, Koichi Nagashima, Kimie Ohkubo, Toshiko Nakai, Satoshi Kunimoto, Yuji Kasamaki, Atsushi Hirayama Large Volume and High Dominant Frequency of Left Atrial Appendage Is Associated with a Refractory to Pulmonary Vein Isolation. (シンポジウム) 第28回日本心電学会学術集会(福岡) 2011.9(福岡)
- 25 Hiroaki Mano, Ichiro Watanabe, Yasuo Okumura, Masayoshi Kofune, Koichi Nagashima, Kazumasa Sonoda, Kimie Okubo, Toshiko Nakai, Yuji Kasamaki, Atsushi Hirayama Atypical Electrocardiographic Features of Cavotricuspid Isthmus-Dependent Atrial Flutter Occurring during Left Fibrillation Ablation (シンポジウム) 第28回日本心電学会学術集会(福岡) 2011.9(福岡)
- 26 Masayoshi Kofune, Ichiro Watanabe, Yasuo Okumura, Koichi Nagashima, Hiroaki Mano, Kazumasa Sonoda, Kimie Ohkubo, Toshiko Nakai, Yuji Kasamaki, Satoshi Kunimoto, Atsushi Hirayama Clinical and Electrophysiologic Characteristics of Intra-Istmus Reentry(シンポジウム) 第28回日本心電学会学術集会(福岡) 2011.9(福岡)
- 27 松本直也、鈴木康之、長尾建、平山篤志 CT, 核医学の臨床の場での応用を中心に (ワークショップ) 第59回日本心臓病学会学術集会(兵庫) 2011.9
- 28 瀬在明、赤星俊樹、秦光賢、吉武勇、宇野澤聰、和久井真司、木村玄、畠博明、塩野元美、赤柴恒人、高山忠輝、平山篤志、内山真、関野久邦 心臓手術患者と睡眠呼吸障害 (シンポジウム) 第59回日本心臓病学会学術集会(兵庫) 2011.9
- 29 廣高史、平山篤志、高山忠輝 Three-dimensional Intravascular Plaque Imaging: Current Status and Future Perspectives (シンポジウム) 第59回日本心臓病学会学術集会(兵庫) 2011.9
- 30 高山忠輝、廣高史、川野太郎、金井孝司、渡辺康夫、春田裕典、北野大輔、須藤祐正、斎藤穎、平山篤志 Vulnerable plaqueの検出について - IVUS・内視鏡による検討- (シンポジウム) 第25回日本心臓内視鏡学会(京都) 2011.10
- 31 高山忠輝、廣高史、斎藤穎、平山篤志 糖尿病に冠動脈plaquesの特徴とその治療反応性についての検討(シンポジウム)  
第25回日本心臓内視鏡学会(京都) 2011.10
- 32 福島聖二、天野恵子、渡辺康夫、大島暢、池田和也、八幡貴治、古川力丈、永島正明、高木康博、田中俊行、井上尊文、平山篤志 更年期に狭心痛を訴える女性の診断について(シンポジウム) 第25回日本冠疾患学会(大阪) 2011.12
- 33 高山忠輝、廣高史、斎藤穎、平山篤志、上田恭敬、児玉和久、小松誠 不安定plaquesに対するスタチンの有効性-リモデリング様式による効果予測 (TOGETHER試験から) -(パネルディスカッション) 第25回日本冠疾患学会(大阪) 2011.12
- 34 高山忠輝、廣高史、斎藤穎、平山篤志、上田恭敬、児玉和久、小松誠 不安定plaquesに対するスタチンの有効性-リモデリング様式による効果予測 (TOGETHER試験から) -(パネルディスカッション) 第25回日本心臓内視鏡学会(京都) 2011.12

- 35 平山篤志 循環器医療・研究の魅力について語ろう～若い人たちへのメッセージ～(シンポジウム) 第25回日本冠疾患学会(大阪) 2011.12
- 36 Seiji Fukushima ,Keiko Amano ,Toru Oshima ,Yasuo Watanabe ,Masaaki Nagashima ,Atsushi Hirayama Microvascular Angina in Menopausal Women (シンポジウム)  
第76回日本循環器学会学術集会(福岡) 2012.3
- 37 金丸浩、住友直方、唐澤賢祐、渡邊拓史、宮下理夫、鮎沢衛、岡田知雄、依田俊一、高山忠輝、平山篤志、麦島秀雄 川崎病長期フォローアップセンターによるドロップアウト救済にむけて(シンポジウム) 第60回日本心臓病学会学術集会(石川) 2012.9
- 38 高山忠輝、廣高史、齋藤穎、平山篤志 IVUSから (シンポジウム)  
第26回日本心臓血管内視鏡学会総会(愛媛) 2012.10
- 39 平山篤志 脈管疾患におけるガイドラインを考える 腎障害患者におけるヨード造影剤使用に関するガイドライン2012 造影剤腎症の診断法 侵襲的診断法と非侵襲的診断法(シンポジウム)  
第53回日本脈管学会総会(東京)
- 40 廣高史, 高山忠輝, 平山篤志 動脈硬化の臨床と病理 3Dプラクイメージングからみたプラーカ破綻のメカニズム (シンポジウム)  
第53回日本脈管学会総会(東京)
- 41 Tadateru Takayama,Takafumi Hiro, Takashi Kanai, Taro Kawano, Kanae Ikegami, Mitsumasa Sudo, Toshihiko Nishida, Yoshiharu Higuchi, Ichiro Watanabe, Satoshi Saitoh, Atsushi Hirayama Clinical Efficacy of Gray-scale Intravascular Ultrasound for Comprehensive Treatment of Coronary Artery Disease: A Conventional but Yet a Novel Modality (シンポジウム)  
第77回日本循環器学会学術集会(神奈川) 2013.3
- 42 Takafumi Hiro,Tadateru Takayama, Atsushi Hirayama Three-dimensional Intravascular Plaque Imaging: Update and Future Perspectives(シンポジウム)  
第77回日本循環器学会学術集会(神奈川) 2013.3
- 43 IVUSガイドDES留置はVLS-Tを減少させることができるのか?高山忠輝,廣高史,川野太郎,須藤祐正,西田俊彦,飯田維人,深町大輔,樋口義治,齋藤穎,平山篤志(シンポジウム) 第22回日本心血管インターベンション治療学会学術集会2013.7
- 44 Yoshiharu Higuchi ,Takafumi Hiro ,Tadateru Takayama ,Taro Kawano ,Daisuke Fukamachi ,Mitsumasa Sudo ,Toshihiko Nishida ,Korehito Iida ,Atsushi Hirayama Impact of Coronary Plaque Burden and Composition on Peri-procedural Myocardial Infarction and Coronary Flow Reserve after Percutaneous Coronary Intervention (シンポジウム)  
第78回日本循環器学会学術集会(東京) 2014.3

- 45 Yasuo Okumura ,Ichiro Watanabe ,Koichi Nagashima ,Kazumasa Sonoda ,Rikitake Kogawa ,Naoko Sasaki ,Keiko Takahashi ,Kimie Ohkubo ,Toshiko Nakai ,Atsushi Hirayama Scar Size and Characteristics Assessed by 2D and 3D Gadolinium-enhanced MRI Imaging Predict the Inducibility and Origin of Ventricular Arrhythmias (シンポジウム) 第78回日本循環器学会学術集会(東京) 2014.3
- 46 Yuxin Li ,Takafumi Hiro ,Qingfei Lin ,Tadateru Takayama ,Yoshiharu Higuchi ,Taro Kawano ,Mitsumasa Sudo ,Toshihiko Nishida ,Satoshi Saitoh ,Atsushi Hirayama Identification of Multiple Biomarkers That Predict the Extent of Plaque Burden in Coronary Culprit Lesions (シンポジウム) 第78回日本循環器学会学術集会(東京) 2014.3
- 47 松本 直也, 鈴木 康之, 長尾 建, 平山 篤志  
負荷心筋スペクト検査による異常心筋 (TPD) の定量化 (シンポジウム)  
第62回日本心臓病学会学術集会(宮城) 2014.9
- 48 奥村 恒男, 渡辺 一郎, 國本 聰, 平山 篤志  
心臓MRI画像構築による瘢痕組織の性状により、器質的心疾患に合併した心室頻拍の起源の予知は可能か? (シンポジウム)  
第62回日本心臓病学会学術集会(宮城) 2014.9
- 49 加藤 真帆人, 飯田 圭, 大矢 俊之, 頬部 威道, 太田 昌克, 福島 聖二, 廣 高史, 長尾 建, 平山 篤志  
Acute Heart Failure Syndrome における前負荷、心機能、後負荷の関与と増悪時における各臨床指標との関連 (シンポジウム)  
第62回日本心臓病学会学術集会(宮城) 2014.9
- 50 Naoya Matsumoto,Yasuyuki Suzui,Atsushi Hirayama  
Heart Failure and ECG-Gated Single-Photon Emission Computed Tomography (シンポジウム) 第18回日本心不全学会学術集会 (大阪) 2014.10
- 51 Takafumi Hiro、Satoshi Saito、Atsushi Hirayama  
Effect of Lipid-modifying Therapy on Coronary Plaque Characteristics in Japanese Patients with Coronary Artery Disease: A Meta-analysis of Clinical Studies with Intravascular Imaging Modalities(シンポジウム)  
第80回日本循環器学会学術集会2016.3 (仙台)
- 52 深町 大介, 高山 忠輝, 廣 高史, 平山 篤志 新世代の冠動脈ステント 第二世代DESと第三世代DESを血管内視鏡から考える(シンポジウム) 第30回日本冠疾患学術集会 2016.12 (東京)
- 53 春田裕典,廣高史,高山忠輝,深町大介,李予日斤,須藤晃正,黒澤毅文,村田伸弘,平山 篤志  
血管内イメージングからみた糖尿病の動脈硬化の特性 (パネルディスカッション)  
第65回日本心臓病学会学術集会 2017.9 (大阪)

- 54 依田俊一, 門野越, 早瀬未紗, 堀 祐輔, 八田拓海, 峯木隆志, 鈴木康之, 松本直也, 平山篤志, PCI最適化に必要なFFR CTの知識 (シンポジウム)  
第65回日本心臓病学会学術集会 2017.9 (大阪)
- 55 小嶋啓介, 小松誠, 角田恒和, 深町大介, 木村茂樹, 洋之 藤, 真宜 松, 和興 臺, 松岡宏, 上田 恭敬, 橋口義治, 阿部七郎, 高見澤格, 佐藤明, 平山篤志, 児玉和久, 「大動脈破綻の先制診断を目的とする 血管内視鏡を用いたレジストリー研究」の結果より. (シンポジウム)  
第66回日本心臓病学会学術集会 2018.9 (大阪)
- 56 小嶋啓介, 大角彰仁, 小山裕, 藤戸秀聰, 江渕康柔, 新井陸, 盛川智之, 右田卓, 門傳昌樹, 玉城貴啓, 村田伸弘, 阿久津尚孝, 西田俊彦, 須藤晃正, 深町大介, 高山忠輝, 廣高史, 平山篤志, 奥村恭男, 大動脈弓部におけるプラーク破綻像と血管壁ずり応力の関係: 大動脈内視鏡研究. (シンポジウム) 第33回日本心臓血管内視鏡学会, 2019.10 (大阪)
- 57 平山篤志, 橋口義治, 小松誠, 児玉和久, 脈管疾患イベントの予防のための抗血栓療法. (シンポジウム) 第60回日本脈管学会総会 2019.10 / 10 (東京)
- 58 的場哲哉, 安田聰, 海北幸一, 赤尾昌治, 阿古潤哉, 中村正人, 宮内克己, 萩原誠久, 木村一雄, 平山篤志, 松井邦彦, 筒井裕之, 小川久雄, 心房細動合併・安定冠動脈疾患の抗血栓療法: AFIRE試験から考察する. (シンポジウム) 第33回日本冠疾患学会学術集会 2019.12 (岡山)
- 59 中村正人, 飯島雷輔, 門田一繁, 中尾浩一, 横井宏佳, 志手淳也, 中川義久, 上妻謙, 田邊健吾, 斎藤滋, 平山篤志, 上野高史, 赤阪隆史, 上村史朗, 新家俊郎, PENDULUM Registryからの新たな知見. (シンポジウム) 第33回日本冠疾患学会学術集会 2019.12 (岡山)
- 60 平山篤志, 脈管疾患イベントの予防のための抗血栓療法. (シンポジウム) 第33回日本冠疾患学会学術集会 2019.12 (岡山)
- 61 児玉和久, 小松誠, 大原知樹, 平山篤志, 上田恭敬, 橋口義治, 高橋覚, 由谷親夫, Establishment of Japan-origin Non-obstructive General Angioscopy - Lessons Learned from Struggle for 40 years. (シンポジウム) The 84th Annual scientific Meeting of the Japanese Circulation Society 2020.7 (WEB)
- 62 橋口義治, 浜中佑馬, 由谷親夫, 高橋覚, 小松誠, 上田恭敬, 朝倉正紀, 平山篤志, 児玉和久, 血管内イメージングの展望-Future 血流維持型血管内視鏡解析による大動脈瘤進展過程の解明. (シンポジウム) 第61回日本脈管学会総会 2020.10 (WEB)
- 63 上田恭敬, 小杉隼平, 伊達基郎, 橋口義治, 小松誠, 平山篤志, 児玉和久, 血管内視鏡による血管内イメージングの役割: 心筋梗塞の発症機序解明など. (シンポジウム) 第61回日本脈管学会総会 2020.10 (WEB)

- 64 小松誠, 由谷親夫, 橋口義治, 高橋覚, 武輪光彦, 上田恭敬, 平山篤志, 児玉和久, 「血流維持型汎用血管内視鏡（NOGA）」による大動脈自然破たんプラーク破綻の観察～末梢臓器障害との関連についての提言～. (シンポジウム) 第61回日本脈管学会総会, WEB, 2020. 10 (WEB)
- 65 西宏之, 橋口義治, 北原睦識, 後藤隆純, 楠原聰, 柿澤佑実, 菊池篤志, 小松誠, 平山篤志, 児玉和久, 血流維持型大動脈内視鏡ガイド下TEVARの可能性と今後の展望. (シンポジウム) : 血管内イメージングの展望 –Future developments of intravascular imaging– 【英語セッション】) 第61回日本脈管学会総会 2020. 10 (WEB)
- 66 小嶋啓介, 平山篤志, 小松誠, 橋口義治, 深町大介, 角田恒和, 山口正男, 藤井洋之, 木村茂樹, 奥村恭男, 児玉和久, 血流維持型大動脈内視鏡によるプラーク評価を用いた抗血栓療法の選択決定の可能性. (シンポジウム) 第61回日本脈管学会総会 2020. 10 (WEB)
- 67 橋口義治, 林隆治, 市堀泰裕, 森直己, 小林知晃, 濱中佑馬, 安永元樹, 尾松卓, 平山篤志, 急性心筋梗塞再灌流療法における冠微小循環維持の重要性. (シンポジウム) 第24回日本心不全学会学術集会 2020. 10 (WEB)
- 68 小松誠, 高橋覚, 橋口義治, 上田恭敬, 大原知樹, 武輪光彦, 平山篤志, 由谷親夫, 児玉和久, Recommendation of the Diagnostic Application with NOGA for Preventive Strategy for Acute Aortic Dissection. (Plenary Session) The 85th Annual scientific Meeting of the Japanese Circulation Society 2021. 3 (WEBハイブリット パシフィコ横浜)
- 69 西宏之, 橋口義治, 菊池篤志, 北原睦識, 後藤隆純, 楠原聰; 柿澤佑実, 渡部徹也, 小松誠; 平山篤志, 児玉和久, Application of Aortic Angioscopy in Thoracic Endovascular Repair for Type B Aortic Dissection -Insights from New Aortic Intimal Findings. (Plenary Session) The 85th Annual scientific Meeting of the Japanese Circulation Society 2021. 3 (WEBハイブリット パシフィコ横浜)
- 70 西宏之, 橋口義治, 北原睦識, 後藤隆純, 中里太郎, 楠原聰, 菊池篤志, 小松誠, 平山篤志, 児玉和久, 胸部大動脈ステントグラフト治療における血流維持型大動脈内視鏡の有用性. (シンポジウム) 第69回日本心臓病学会学術集会 2021. 9 (鳥取 ハイブリット)
- 71 市堀泰裕, 堂前圭太郎, 林隆治, 秦雅寿, 正井崇史, 澤芳樹, 平山篤志, 橋口義治, 当院におけるACS症例でのPCIとCABGのハイブリッド治療について. (シンポジウム) 第35回日本冠疾患学会学術集会 2021. 12 (WEB)

- 72 安永元樹, 樋口義治, 濱中佑馬, 平山篤志, 小松誠, 油谷親夫, 児玉和久, 原因不明の脳梗塞症例の塞栓原探索に対する血管内視鏡を用いた大動脈破綻プラーク観察の有効性について. (シンポジウム) 第35回日本冠疾患学会学術集会 2021. 12 (WEB)
- 73 市堀泰裕, 安達賢太郎, 森直己, 金啓和, 秦雅寿, 正井崇史, 澤芳樹, 平山篤志, 樋口義治, TAVIとPCI施行患者における抗血栓療法を考える. (シンポジウム) 第35回日本冠疾患学会学術集会 2021. 12 (WEB)
- 74 樋口義治, 由谷親夫, 小松誠, 市堀泰裕, 濱中佑馬, 上田恭敬, 平山篤志, 児玉和久, Clinical Impact of Cholesterol Crystals Liberated from Atheromatous Plaque on Coronary Microvascular Injury. (シンポジウム) The 86th Annual scientific Meeting of the Japanese Circulation Society, WEB, 2022. 3 (WEB)

〔国際学会演題（一般演題）〕

- 1 K. Komamura, T. Masuyama, M.Uematsu, A. Hirayama, Y.Kimura, R.Taniura, Y.Koretsune,K. Kodama. Hemodynamic benefits of atrioventricular sequential pacing depend on ventricular diastolic function, 10th World Congress of Cardiology 1986.
- 2 A. Hirayama, K. Kodama, M. Naka, Y. Kimura, S. Nakatani,M. Mishima. Effects of preservation of left ventricular function after thrombolysis in acute myocardial infarction on human serum superoxide dismutase activity, American Heart Association 59th Scientific Session,(dallas,TX), 1987.
- 3 A. Hirayama, S. Asada, S. Nakatani, T. Ohara, Y. Kimura,M. Mishima. Establishment of a new method (latex photometric immunoassay) detepminig serum cardiac myoshin light chain levels rapidly, American Heart Association 59th Scientific Session,(dallas,TX), 1987.
- 4 K. Komamura, T. Masuyama, M. Naka, A. Hirayama, H. Sato,T. Ikeda. Hemodynamic benefits of atrioventricular pacing can be predicted with parameters of left ventricular diastolic function, American Heart Association 59th Scientific Session,(dallas,TX), 1987.
- 5 A. Hirayama, K. Kodama, M. Naka, S. Nanto, K. Komamura, H. Sato, T. Masuyama, Y. Koretsune,M. Inoue. Effects of Human Serum Superoxide Dismutase Activity on infarct Size After Thrombolysis in acute myocardial Infarction, 9th Asian-Pacific Congress of Cardiology,(Auckland,New Zealand), 1987.
- 6 K. Komamura, K. Kodama, S. Nanto, M. Naka, A. Hirayama, M. Mishima,M. Inoue. Human Experience with Intermittent coronary Sinus Occlusion in Acute Myocardial Infarction:Feasibility and Safety, 9th Asian-Pacific Congress of Cardiology,(Auckland,New Zealand), 1987.
- 7 A. Hirayama, M. Mishima, S. Nanto, S. Asada, K. Komamura,K. Kodama. Preventive effects of hhuman serum superoxide dismutase activity on reperfusion injury with successful thrombolysis in acute myocardial infarction, American College of Cardiology 37th Annual Scientific Session,(Atlanta,GA), 1988.
- 8 K. Komamura, A. Hirayama, K. Yamamoto, S. Nanto, M. Mishima,K. Kodama. Transient increase in endogenous plasma tissue plasminogen activator in patients with acute myocardial infarction, American College of Cardiology 37th Annual Scientific Session,(Atlanta,GA), 1988.
- 9 T. Ohara, K. Kodama, M. Mishima, S. Nanto, A. Hirayama,C. Yutani. Ultratructural findings of proliferating and migrating smooth muscle cells at the site of percutaneous transluminal coronary angioplasty, American College of Cardiology 37th Annual Scientific Session,(Atlanta,GA), 1988.
- 10 S. Asada, S. Nanto, A. Hirayama, K. Komamura, Y. Matsumura,K. Kodama. Motion-clinical evaluation of hibernating myocardium -short term effects of coronary angioplasty on regional left ventricular wall, American College of Cardiology 37th Annual Scientific Session,(Atlanta,GA), 1988.

- 11 S. Nanto, M. Mishima, A. Hirayama, Y. Koretsune, J.-M. Lee, K. Kodama. Monorail coronary angioscope with movales guide wire, American Heart Association 61st Scientific Session,(Washington D.C.), 1988.
- 12 A. Hirayama, M. Arita, S. Asada, T. Ohara, H. Koretune, Y. Matsumura, K. Kodama. Presence and significance of circulating cardiac myosin light chain 1 & 2 complex in patients, American Heart Association 61st Scientific Session,(Washington D.C.), 1988.
- 13 A. Hirayama, K. Kodama, M. Mishima, S. Nanto, K. Komamura. Biphasic release of cardiac myosin light chains in patients With successful thrombolysis in acute myocardial infarction, American College of Cardiology 38th Annual Scientifi Session,(Anaheim,CA), 1989.
- 14 K. Yamamoto, K. Kodama, A. Hirayama, T. Ohara, M. Uematsu, A. Kitabatake, T. Kamada. The effect of atrial contraction and synchroneity of cardiac contraction on ventriculo-arterial coupling, American College of Cardiology 38th Annual Scientifi Session,(Anaheim,CA), 1989.
- 15 M. Mishima, K. Kodama, A. Hirayama, T. Ohara, M. Tsujimoto, H. Sato, K. Iwai. Histological evidence of coronary arteriolosclerosis as a cause of myocardial ischemia in patients with normal coronary arteriograms, American College of Cardiology 38th Annual Scientifi Session,(Anaheim,CA), 1989.
- 16 Y. Okazaki, H. Sato, A. Hirayama, S. Asada, Y. M. K. Kodama. Warming up phenomenon cannot be explained by the increase in coronary flow reserve, American College of Cardiology 38th Annual Scientific Session,(Anaheim,CA), 1989.
- 17 K. Nishida, K. Kodama, M. Mishima, S. Nanto, A. Hirayama, Young-Jae, K. Komamura. Retrograde coronary venous myocardial contralst echocardiography in humans:Can coronary venous retroinfusion diliver pharmacologieagents to the myocardium – , American College of Cardiology 39th Annual Scientific Session,(NewOrleans,LA), 1990.
- 18 Y. Okazaki, A. Hirayama, K. Kodama. Adenosine release during exercise accounts for warm Up phenomenon at 2nd exercise, American Heart Association,(Dallas,TX), 1990.
- 19 K. Nishida, T. Masai, S. Nanto, A. Hirayama, S. Asada, T. Sakakibara, K. Kodama. Beneficial effects of synchronized coronary venous retroperfusion during high-risk PTCA compared with those of cardiopulmonary bypass, American College of Cardiology 40th Annual Scientific Session, (Atlanta, GA), 1991. 3.
- 20 A. Hirayama, K. Nishida, J. Naito, T. Adachi, K. Honda, K. Kodama. Clinical assessment of a rapid sensitive enzyme immunoassay specific for human cardiac troponin-I, American College of Cardiology 40th Annual Scientific Session,(Atlanta, GA), 1991. 3.
- 21 T. Adachi, A. Hirayama, S. Asada, Y. Okazaki, M. Mishima, K. Kodama. Effects of late coronary reperfusion on left ventricular dilatation after acute myocardial infarction, American College of Cardiology 40th Annual Scientific Session,(Atlanta, GA), 1991. 3.

- 22 M. Mishima, S. Nanto, A. Hirayama, S. Asada, K. Kodama,Y. Okazaki. Postischemic electrical stunning accompanied by stunned myocardium in acute myocardial infarction, American College of Cardiology 40th Annual Scientific Session,(Atlanta, GA), 1991. 3.
- 23 A. Hirayama, M. Mishima, S. Nanto, K. Nishida, J. Naito, T. Matsuda,K. Kodama. Limitation of infarct expansion by late reperfusion independent of myocardial salvage in patients with acute myocardial infarction, American Heart Association 64th Scientific Session,(Anaheim,CA), 1991. 11.
- 24 K. Nishida, M. Mishima, A. Hirayama, N. Misaki, T. Masue, Y. Ueda,K. Kodama. Limitation of infarct size by preinfarction angina through preconditioning but not collateral circulation, American College of Cardiology 41st Annual Scientific Session,(Atlanta,GA),
- 25 A. Hirayama, S. Nanto, T. Ohara, K. Nishida, Y. Okuyama,K. Kodama. Preventive effect on restenosis after PTCA by ebselen: A newly synthesized anti-inflammation agent, American College of Cardiology 41st Annual Scientific Session,(Atlanta,GA), 1992. 4.
- 26 Y. Ueda, A. Hirayama, T. Adachi, S. Nanto,K. Kodama. Neointimal coverage of the stents in human coronary arteries observed by angioscopy, American College of Cardiology 42nd Annual Scientific Session,(Anaheim,CA), 1993. 3.
- 27 T. Adachi, S. Nanto, M. Mishima, A. Hirayama,K. Kodama. Value of intracoronary venous electrocardiogram to detect regional myocardial ischemia during coronary angioplasty: Comparison with lactate metabolism, American College of Cardiology 42nd Annual Scientific Session,(Anaheim,CA), 1993. 3.
- 28 A. Hirayama, A. Sakai, N. Misaki, Y. Sakata, S. Hasegawa, T. Adachi,K. Kodama. Collateral developing after myocardial infarction prevents subsequent dilatation of left ventricle, American College of Cardiology 43rd Annual Scientific Session,(Atlanta,GA), 1993. 3.
- 29 K. Komamura, A. Hirayama, K. Honda, N. Misaki, S. Nanto, M. Mishima,K. Kodama. Progressive decrease in coronary vein flow during reperfusion of acute myocardial infarction: Clinical documentation of no reflow phenomenon following successful thrombolysis, American Heart Association 66th Scientific session,(Atlanta, GA), 1993. 11.
- 30 T. Adachi, A. Hirayama, A. Sakai, N. Misaki, S. Hasegawa, Y. Ueda,K. Kodama. Value of intracoronary venous electrocariogram to detect regional myocardial ischemia during intracoronary injection of acetylcholine: Comparison with lactate metabolism, American College of Cardiology 43rd Annual Scientific Session,(Atlanta,GA), 1994. 3.
- 31 Y. Sakata, A. Hirayama, M. Mishima, A. Sakai, N. Misaki, T. Adachi, S. Hasegawa, M. Miyajima, Y. Okuyama, N. Ueda, T. Kurotobi,H. Y. a. K. Kodama. The residual R waves in the precordial leads before coronary reperfusion may predict the reduction of infarct size by the following successful coronary reperfusion, XXI International Congress on Electorocardiology, (Tokyo), 1994. 7.

- 32 T. Adachi, A. Hirayama, A. Sakai, N. Misaki, S. Hasegawa, M. Miyajima, Y. Okuyama, N. Ueda, Y. Sakata, T. Kurotobi, H. Y. a. K. Kodama. Value of intracoronary venous electrocardiogram to detect regional myocardial ischemia during coronary angioplasty: Comparison with lactate metabolism, XXI International Congress on Electorocardiology, (Tokyo), 1994. 7.
- 33 A. Hirayama, F. Ishikura, N. Misaki, H. Fuji, T. Adachi, Y. Sakata, K. Kodama. Attenuation of B-type natriuretic peptide(BNP) secreted from an infarcted segment represents the process of left ventricular remodeling after myocardial infarction, American College of Cardiology 45th annual Scientific Session,(Orlando, FL), 1995. 3.
- 34 F. Ishikura, Y. Sakata, M. Mishima, Y.-J. Lim, A. Hirayama, K. Kodama. Use of myocardial contrast echocardiography to study the relationship between response to dobutamine stimulation of asynergic segments and regional perfusion abnormality, American College of Cardiology 45th annual Scientific Session,(Orlando, FL), 1995. 3.
- 35 S. Hasegawa, Y. Sakata, A. Hirayama, M. Mishima, K. Kodama. The mechanism for abnormal image in TI-201 myocardial scintigraphy observed in patients with left bundle branch block, American Heart Associetion 68th Scientific Sessions, (Anaheim, CA), 1995. 11.
- 36 Y. Sakata, K. Kodama, Y.-J. Lim, H. Ishikura, A. Hirayama. Restoration of myocardial blood flow and functional improvement in patients with acute myocardial infarction by a K+-ATP Channel opener, nicorandil, American College of Cardiology 46th Annual Scientific Session, (Anaheim, CA), 1996. 3.
- 37 A. Hirayama, Y. Sakata, H. Yamamoto, T. Kurotobi, M. A. Y. Sakata, K. Kodama. Evaluation of ""Time Window"" during which late reperfusion is beneficial to prevent left ventricular dilatation, American Heart Association 69th Scientific Session,(New Orleans, LA), 1996. 11.
- 38 M. Asakura, Y. Ueda, A. Hirayama, T. Adachi, Y. Sakata, Y. Sakata, M. Mishima, K. Kodama. Neointima covering stent became thinner and transparent at 3years follow-up: Serial angioscopic and angiographic observations, American Heart Association 69th Scientific Session, (New Orleans, LA), 1996. 11.
- 39 M. Asakura, K. Kodama, A. Hirayama, T. Adachi, H. Fuji, Y. Sakata, Y. Ueda. Angioscopy reveals the remaining occlusive protrusions after successful angioplasty of chronic total occlusions, American College of Cardiology 46th Annual Scientific Session, (Anaheim, CA), 1997. 3.
- 40 Y. Sakata, K. Kodama, Y.-J. Lim, F. Ishikura, A. Hirayama. Assessment of collateral blood flow distribution during myocardial ishemia with stress myocardial contrast echocardiography in humans, American College of Cardiology 46th Annual Scientific Session,(Anaheim, CA), 1997. 3.

- 41 Y. Sakata, K. Kodama, A. Hirayama, F. Ishikura,T. Adachi. Functional and non-functional coronary collaterals assessed with myocardial contrast echocardiography during acute coronary occlusion in humans, American College of Cardiology 46th Annual Scientific Session,(Anaheim, CA), 1997. 3.
- 42 M. Asakura, A. Hirayama, Y. Ueda,K. Kodama.; First demonstration by angioscopy:Disappearance of residual thrombus at culprit by 6 months after infarction., American Heart Association 70th Scientific Session, (Orlando, FL), 1997. 11.
- 43 Y.Sakata, K. Kodama, A. Hirayama, Y.J.-Lim, M. Kitakaze,M. Hori. Alternation in collateral flow dynamics as a determinant of stress-induced Myocardial ishemia in humans, American College of Cardiology 47th Annual Scientific Session, (Atlanta, GA), 1998. 3.
- 44 A. Hirayama, H. Fuji, H. Yamamoto, Y. Sakata, F. Ishikura,K. Kodama. Assesment of left ventricular remodeling after myocardial infarction by B-type natriuretic peptide secreted form the infarct and noninfarct segment., American College of Cardiology 47th Annual Scientific Session, (Atlanta, GA), 1998. 3.
- 45 A. Hirayama, H. Fuji, H. Yamamoto, Y. Sakata, M. Asakura, F. Ishikura, H. Kusuoka,K. Kodama. Can plasma level of brain natriuretic peptide in early phase predict subsequent left ventricular dilatation in myocardial infarction-, American College of Cardiology 47th Annual Scientific Session, (Atlanta, GA), 1998. 3.
- 46 F. Ishikura, Y.Sakata, T. Adachi, Y. S. Y.J.-Lim, A. Hirayama,K. Kodama. Coronary flow reserve of arteries which supply collaterals is influenced perfusion area echocardiography, American College of Cardiology 47th Annual Scientific Session, (Atlanta, GA), 1998. 3.
- 47 Y.Sakata, K. Kodama, A. Hirayama, M. Kitakaze,M. Hori. A K+-ATP channel opener, Nicorandil, limited infact size in patients with acute myocardial infarction, American College of Cardiology 47th Annual Scientific Session, (Atlanta, GA), 1998. 3.
- 48 F. Ishikura, R.Matsuwaka, T. Sakakibara, A. Hirayama,K. Kodama. Power doppler imaging of a bypass grafts anastomoses during operation can predict early occulsion of that graft., American College of Cardiology 47th Annual Scientific Session, (Atlanta, GA), 1998. 3.
- 49 A. Hirayama, H. Fuji, T. Adachi, Y. Sakata, M. Asakura,K. Kodama. Brain natriuretic peptide level: A simple predictor of the progressive left ventricular remodeling after myocardial infarction, The 6th world congress on heart failure-mechanisms and management,(Geneva,Italy), 1998. 5.
- 50 A. Hirayama, Y. Higuchi, F. Ishikura, S. Nanto, M. Mishima,K. Kodama. Efficacy and safety of continuous slow saturating infusion of amerinone in patients with acute heart failure, The 6th world congress on heart failure-mechanisms and management,(Geneva,Italy), 1998. 5.

- 51 H. Mizuno, Y. Sakata, M. Uematsu, Y. Okuyama, A. Hirayama,K. Kodama. Basic fibroblast growth factor is produced from the ischemic myocardial of patients with stable effort angina, American College of Cardiology 48th Annual Scientific Session,(New Orleans, LA), 1999. 3.
- 52 Y. Higuchi, A. Hirayama, M. Uematsu, T. Adachi, O. Yamaguchi,K. Kodama. Differing coronary arterial responses to balloon angioplasty between stable and unstable lesions. A combined study of intravascular ultrasound and angioscopy, American College of Cardiology 48th Annual Scientific Session,(New Orleans, LA), 1999. 3.
- 53 Y. Higuchi, A. Hirayama, M. Uematsu, S. Matsuda, O. Yamaguchi,K. Kodama. Functional significance of coronary artery stenosis evaluated by intravascular ultrasound -Relation with TI-201 scintigram-, American College of Cardiology 48th Annual Scientific Session,(New Orleans, LA), 1999. 3.
- 54 N. Kondo, A. Hirayama, M. Uematsu, T. Adachi, K. Kashiwase,K. Kodama. Relationship between fractional flow reserve and %stenosis measured with quantitative angiography and intravascular ultrasound after coronary angioplasty, American College of Cardiology 48th Annual Scientific Session,(New Orleans, LA), 1999. 3.
- 55 Y. Higuchi, A. Hirayama, N. Kondo, T. Adachi, Y. Okuyama,K. Kodama. Wall thickening of saphenous vein bypass grafts begins in relatively early stage after surgery, American College of Cardiology 48th Annual Scientific Session,(New Orleans, LA), 1999. 3.
- 56 O. Yamaguchi, K. Kodama, A. Hirayama, N. Kondo, Y. Ueda, Y. Okuyama,Y. Higuchi. Myocardial infarction is not a disease of specific segment but of whole coronary arteries, American Heart Association 72nd Scientific Session, (Atlant, GA), 1999. 11.
- 57 A. Hirayama, K. Kodama, U. Masaaki, N. Kondo, Y. Ueda, Y. Mizuno,Y. Higuchi. Subsequent left ventricular dilatation after myocardial infarction can be predicted by plasma brain natriuretic level independent of infarct-related artery patency, American Heart Association 72nd Scientific Session,(Atlant, GA), 1999. 11.
- 58 H. Mizuno, A. Hirayama, Y. Okuyama,K. Kodama. Does the change of QT dispersion predict LV remodeling after myocardial infarction – , Asian Pacific Conference on Cardiac Electrophysiology and Pacing, (Taiwan), 1999. 12.
- 59 Y. Okuyama, H. Mizuno, H. Yamamoto, O. Yamaguchi, A. Hirayama,K. Kodama. Fibrinogen and fibrin D-dimer levels in chronic atrial flutter:is there excess in intravascular thrombogenesis – , Asian Pacific Conference on Cardiac Electrophysiology and Pacing,(Taiwan), 1999. 12.
- 60 O. Yamaguchi, M. Asakura, A. Hirayama, T. Adachi, Y. Higuchi, Y. Ueda,K. Kodama. High prevalence of angioscopically yellow plaque in angiographically mild stenosis, XXIst Congress of the European Society of Cardiology, (Barcelona, Spain), 1999. 08.

- 61 A. Hirayama, K. Kodama, M. Uematsu, H. Yamamoto, K. Kashiwase,H. Mizuno. Left ventricular remodeling after myocardial infarction can be predicted by plasma brain natriuretic peptide, XXIst Congress of the European Society of Cardiology,(Barcelona, Spain), 1999. 08.
- 62 Y. Ueda, O. Yamaguchi, Y. Okuyama, H. Yamamoto, M. Shimizu, A. Hirayama, Kazuhisa,kodama. Angioscopic evaluation of reperfusion therapy for acute myocardial infarction:To stent or not to stent, American College of Cardiology 2000. 3.
- 63 A. Hirayama, K. Kodama, Y. Mizuno, K. Kashiwase, M. Shimizu,T. Ohtani. Subsequent left ventricular dilatation after myocardial infarction can be predicted by plasma brain natriuretic peptide level with or without restenosis, Congress of the European Society of Cardiology,(Amsterdam,Netherlands), 2000. 8.
- 64 T. Kurotobi, H. Sato, H. Sato, I. Shiotani, E. Hishida, K. Kingjoe, D. Nakatani, A. Hirayama, T. Kuzuya, K. Kodama,M. Hori. Advanced Age Impairs Development of Collateral Vessels to Infarct Related Artery in Patients With Acute Myocardial Infarction, American College of Cardiology 50th Annual Scientific Session, (Orlando、 FL), 2001. 3.
- 65 H. Yamamoto, A. Hirayama, Y. Ueda, H. Mizuno, M. Shimizu,K. Kodama. Cyclic Fiow Variation Can Detect Massive Thrombus and Predict Abrupt Coronary Occlusion After Successful Reperfusion Therapy, American College of Cardiology 50th Annual Scientific Session, (Orlando、 FL), 2001. 3.
- 66 A. Hirayama, T. Ohtani, K. Kashiwase, Y. Mizuno, H. Yamamoto,K. Kodama. Lack of Compensatory Activity of Brain Natriuretic Peptide(BNP) in Patients With Left Venticular Remodeling, American College of Cardiology 50th Annual Scientific Session, (Orlando、 FL), 2001. 3.
- 67 Y. Ueda, N. Kondo, A. Hirayama,K. Kodama.; Assessment of Plaque Vulnerability by Angioscopic Classification of Plaque Color., American Heart Association Scientific Sessions,(Anaheim,CA), 2001. 11.
- 68 A. Hirayama, K. Shinozaki, A. Kashiwagi, Y. Nishino, T. Okamoto, T. Ohtani,K. Kodama.; Endothelial Dysfunction in the Insulin-Resistant State Is Linked to Abnormal Pteridine Metabolism and aCause of Vascular Oxidative Stress., American Heart Association Scientific Sessions,(Anaheim,CA), 2001. 11.
- 69 T. Sumiyoshi, Y. Yui, K. Kodama, A. Hirayama, H. Nonogi, O. limura, M. Ishii, T. S. K. Arakawa, M. nakashima, H. Origasa, S. Hosoda,C. Kawai.; Nifedipine Retard Was Not Worse than ACE Inhibitors on the Long-Term Cardiovascular Incidence and Mortality in Hypertension with Coronary Artey Disease., American Heart Association Scientific Sessions,(Anaheim,CA), 2001. 11.

- 70 A. Hirayama, K. Kodama, T. Sumiyoshi, H. Nonogi, Y. Yui, H. Origasa, S. Hosoda,C. Kawai. The Preventive Effect of Trapidil on Cardiovascular Events in Patients with Coronary Artery Disease:Results from the Japan Multicenter Investigation for Cardiovascular Diseases-M(J-MIC-M). American Heart Association Scientific Sessions,(Anaheim,CA), 2001. 11.
- 71 T. Ohtani, Y. Ueda, M. Shimizu, A. Hirayama,K. Kodama. Prediction of Repeated Restenosis by Angioscopic Findings of the Taeget Lesions, The society for Cardiac Angiography and Interventions' 24th Annual Scientific Sessions 2001. 5.
- 72 A. Hirayama, O. Yamaguchi, Y. Ueda, M. Shimizu, T. Ohtani,K. Kodama. The vigorous thrombus formation at the infarct-velated lesion may cause the microvascular injury after primary PCI, XXIII Congress of the European Society of Cardiology,(Stockholm,Sweden), 2001. 9.
- 73 Y. Ueda, T. Ohtani, M. Shimizu, A. Hirayama,K. Kodama. Regression of Nonculprit Yellow Plaques After the Onset of Acute Myocardial Infarction, American College of Cardiology 51st Annual Scientific Session, (Atlanta、 GA), 2002. 3.
- 74 T. Ohtani, Y. Ueda, M. Shimizu, N. Kondoh,A. H. K. Kodama. Risk of Ischemic Events Can Be Predicted by Angioscopic Evaluation of Yellow Plaques, American College of Cardiology 51st Annual Scientific Session, (Atlanta、 GA), 2002. 3.
- 75 T. Kurotobi, A. Hirayama, Y. Ueda, M. Shimizu, T. Ohtani,K. Kodama. Smoking,Thrombus,and Plaque in the Culprit Vessel in Patients With Acute Myocardial Infarction:AngioscopicFindings, American College of Cardiology 51st Annual Scientific Session, (Atlanta、 GA), 2002. 3.
- 76 N. Kondo, Y. Ueda, T. Kurotobi, M. Shimizu, T. Otani, A. Hirayama,K. Kodama. Yellow Coronary Plaques Observed With Angioscopy Are Closely Related to Increased Plasma Lavelns of Triglyceride-Rich Remnant Lipoproteins, American College of Cardiology 51st Annual Scientific Session,(Atlanta,GA), 2002. 3.
- 77 E. Shinoda, Y. Yui, K. Kodama, A. Hirayama, H. Nonogi, K. Kanmatsuse, T. Sumiyoshi, S. Hosoda,C. Kawai. Nifedipine Retard Prevents the Progression of Atherosclelotic Coronary Lesions in Hypertensive Patients with Coronary Artery Diseases (Result from the J-MIC(B) Sub-Study), American Heart Association,(Chicago,IL), 2002. 11.
- 78 Y. Ueda, A. Hirayama, Y. Takano, S. Komatsu, Y. Takeda,K. Kodama. Association Between Angioscopically Determined Parameters of Atherosclerosis and Classical Risk Factors of Myocardial Infarction, American College of Cardiology 52nd Annual Scientific Session,(Chicago,IL), 2003. 3.
- 79 H. Mizuno, H. Sato, K. Kinjo, D. Nakatani, I. Shiotani, E. Hishida, A. Hirayama, K. Kodama,M. Hori. The Effect of Combination Use of Ticlopidine and Aspirin on 30-Day Mortality in Patients With Acute Myocardial Infarction, American College of Cardiology 52nd Annual Scientific Session,(Chicago,IL), 2003. 3.

- 80 A. Hirayama, Y. Ueda, M. Shimizu, I. Mizote, M. Usami,K. Kodama. Sustained Elevation of B-Type Natriuretic Peptide Concentration in Patients With Left Ventricular Remodeling After Myocardial Infarction, American College of Cardiology 52nd Annual Scientific Session,(Chicago,IL), 2003. 3.
- 81 H. Mizuno, H. Sato, K. Kinjo, D. Nakatani, I. Shiotani, E. Hishida, A. Hirayama, K. Kodama,M. Hori. The Effect of Combination Use of Ticlopidine and Aspirin on 30-Day Mortality in Patients With Acute Myocardial Infarction, American College of Cardiology 52nd Annual Scientific Sessions,(Chicago,IL), 2003. 3.
- 82 A. Hirayama, Y. Ueda, M. Shimizu, I. Mizote, M. Usami,K. Kodama. Sustained Elevation of B-Type Natriuretic Peptide Concentrations in Patients With Left Ventricular Remodeling After Myocardial Infarction, American College of Cardiology 52nd Annual Scientific Sessions,(Chicago,IL), 2003. 3.
- 83 A. Hirayama, S. Komatsu, Y. Sakata,K. Kodama. Perfusion-metabolic mismatch in TI-201 and BMIPP scintigraphic imaging in patients with successful reperfusion after myocardial infarction related to subsequent left-ventricular dilatation, Congress of the European Society of Cardiology,(Vienna,Austria), 2003. 8.
- 84 A. Hirayama, T. Ohtani, Y. Ueda, M. Shimizu,K. Kodama. Prevalence of thrombus in non-culprit segments in patients with acute myocardial infarction-coronary angioscopic observation, Congress of the European Society of Cardiology,(Vienna,Austria), 2003. 8.
- 85 Y. Ueda, M. Shimizu, T. Ohtani, A. Hirayama, K. Kodama,I. Mizote. Amount of Thrombus at Culprit Lesion of Acute Myocardial Infarction Is Dependent on Angioscopically Determined Coronary Atherosclerosis, XIIIth International Symposium on Atherosclerosis, (Kyoto), 2003. 9.
- 86 Y. Ueda, I. Mizote, T. Ohtani, Y. Okuyama, M. Usami, A. Hirayama,K. Kodama. Coronary Atherosclerosis Is More Advanced in the Patients With Avute Myocardial Infarction Than Unstable Angina., American College of Cardiology 53rd Annual Scientific Sessions, (New Orleans,LA), 2004. 3.
- 87 I. Mizote, K. Kodama, A. Hirayama, Y. Ueda, Y. Takano, J. Ohyabu,T. Sakakai. Distal Protection Device(percusurge) Can Reduce Infarct Size in Parients With Avute Myocardial Infarction Who Have Ruptured Culprit Plaque., American College of Cardiology 53rd Annual Scientific Sessions, (New Orleans,LA), 2004. 3.
- 88 Y. Ueda, I. Mizote, T. Ohtani, Y. Okuyama, M. Usami, T. Oka, A. Hirayama,K. Kodama. The Extent Coronary Atherosclerosis Determined by Angioscopy Is a Risk Factor of Restenosis, American College of Cardiology 53rd Annual Scientific Sessions, (New Orleans,LA), 2004. 3.
- 89 S. Komatsu, Y. Omori, Y. Takano, I. Mizote, A. Hirayama,K. Kodama. The Reliability of Plaque Map Established by Multidetector Row Computed Tomography in Patients of Acute Coronary Syndorome, American College of Cardiology 53rd Annual Scientific Sessions, (New Orleans,LA), 2004. 3.

- 90 T. Sakai, Atsushi.Hirayama, Y. Okuyama, M. Usami,T. Oka. Coronary Flow to Noninfarct Segments Determines the Healing Process of Ventricular Expansion in the Early Phase of Acute Myocardial Infarction, American Heart Association 77th Scientific Session, (New Orleans, LA) , 2004. 11.
- 91 Y. Okuyama, T. Oka, T. Sakai, A. Hirayama,K. Kodama. Electropharmacologic Effects of Class I and Class III Antiarrhythmic Drugs on Dispersion of Atrial pharmacological Repolarization in Patients with Paroxysmal Atrial Fibrillation, American Heart Association 77th Scientific Session, (New Orleans, LA) , 2004. 11.
- 92 Y. Ueda, A. Hirayama,K. Kodama. Angioscopic Classification of Culprit Lesion is Associated With Infarct Size in Acute Myocardial Infarction, American College of Cardiology 54th Annual Scientific Session,(Orlando,FL), 2005. 3.
- 93 I. Mizote, Y. Ueda, A. Hirayama,K. Kodama. Microembolism of Plaque Debris Than Thrombus is the Cause of Slow/No-reflow Phenomenon, American College of Cardiology 54th Annual Scientific Session,(Orlando,FL), 2005. 3.
- 94 T. Sakai, Y. Ueda, Y. Okuyama, Y. Takano, I. Mizote, A. Hirayama,K. Kodama. Myocardial Perfusion Imaging and Cardiac Troponin T Provide Complementary Information for Identifying Patients with Acute Coronary Syndrome in the Emergency Department, American College of Cardiology 54th Annual Scientific Session,(Orlando,FL), 2005. 3.
- 95 Y. Okuyama, Y. Oka, T. Sakai, A. Hirayama,K. Kodama. Progostic Implication of Progressive Isthmus Conduction Delay During Successful Rediofrequency Current Application for Atrial Flutter, American College of Cardiology 54th Annual Scientific Session,(Orlando,FL), 2005. 3.
- 96 S. Komatsu, Y. Omori, A. Hirayama, Y. Ueda, Y. Fujisawa, M. Kiyomoto, T. Higashide,K. Kodama. Reliability of Comprehensive Analysis of Coronary Vessel and Plaque in Patients with Acute Coronary Syndrome by Multi-detector row CT with "Plaque Map" System 17-44, American College of Cardiology 54th Annual Scientific Session,(Orlando,FL), 2005. 3.
- 97 Y. Ueda, A. Hirayama,K. Kodama. Slow Flow Phenomenon Is Associated With Type of Plaque Disruption, American College of Cardiology 54th Annual Scientific Session,(Orlando,FL), 2005. 3.
- 98 T. Sakai, Y. Ueda, Y. Okuyama, Y. Takano, A. Hirayama,K. Kodama. Vulnerability of Coronary Plaques Associates with Elevated Cardiac Troponin T in Patients with non-ST Elevation Acute Coronary Syndrome: Analysis by Using Coronary Angioscopy and Intravascular Ultrasound, American College of Cardiology 54th Annual Scientific Session,(Orlando,FL), 2005. 3.
- 99 Y. Okuyama, T. Oka, Y. Takano, T. Murakawa, A. Hirayama,K. Kodama. Effective Refractory Period,a Surrogate of action Potential Duration,Restitution Kinetics of Pulmonary Vein in Human Atrial Fibrillation, American Heart Association Scientific Session, (Dallas TX), 2005. 11.

- 100 Y. Ueda,O.Oyabu, A. Hirayama,K. Kodama.Angioscopic Evaluation of Neointima Coverage:Sirolimuse Drug-Eluting Stent vs.Bare Metals Stemt.Drug-Eluting Stent vs.Bare Metal Stent,American Heart Association Scientific Session (Chicago.Illinois),2006.11
- 101 Y. Ueda,O.Oyabu,K.Okada,A.Hirata,A. Hirayama,K. Acute Myocardial Infarction Without Disrupted Yellow Plaque Among Patients Below 50 YearsOld-Angioscopic Study,American Heart Association Scientific Session (Chicago.Illinois),2006.11
- 102 Y. Omori, Y. Ueda, S. Komatsu, J. Oyabu, K. Kashiwase, A. Hirayama,K. Kodama. Progression of Coronary Artery Stenosis during Months Was Associated With the Number of Yellow Plaques Detected by Baseline Angioscopy, American College of Cardiology 55th Annual Scientific Session,(Atlanta,GA), 2006. 3.
- 103 N.ogasawara,Y.ueda,Y.Okuyama,S.Komatsu,K.Kashiwase,A.Hirata,Y.Ohmori,J.Ohyabu,K.O kada,T.Higo,T.Nemoto,M.Matsui,K.Matsuo,A.Hirayama,K.Kodama.Superficial Fibro-Fatty Area Detected by Virtual Histology Interavascular Ultrasound is Associated with Thrombus Detected by Angioscopy ,12 Summit 2007(New Orleans,Lousiana)2007.3
- 104 A.Hirayama,S.Saito,Y.Ueda,T.Takayama,J.Hone,O.Yamaguchi,Y.Li,J.Yajima,S.Nanto,K.Tak azawa,K.Kodama.Atorvastatin Leads to the Stabilization and Regression of Coronary Plaque Trial-Evaluation With Simultaneous Angioscopic and Invascular Ultrasound Examination.,The American College of Cardiology 56th Annual Scietific Session,(New Orleans,Lousiana)2007.3
- 105 K.Okada,Y.Ueda,N.Ogasawara,S.Saito,A.Hirayama,K.Kodama.Effect of Achieved Low-density Lipoprotein cholesterol Level by Atorvastatin on Stablization of Coronary Plaques—Results from TWINS study ,American Heart Association Scientific Session 80th,(Orland,Florida),2007.11
- 106 Masayoshi Kofune, Ichiro Watanabe, Sonoko Ashino, Yasuo Okumura, Kazunori Kawauchi, Tatsuya Kofune, Kimie Ohkubo, Kenichi Hashimoto, Atsushi Shindo, Hidezou Sugimura, Toshiko Nakai, Satoshi Saito, Atsushi Hirayama. High-speed rotational venous angiography improves delineation of coronary sinus anatomy during cardiac resynchronization therapy. Scientific Sessions 2007, American Heart Association, Orland, USA, November.
- 107 Sonoko Ashino, Ichiro Watanabe, Yasuo Okumura, Kimie Ohkubo, Kenichi Hashimoto, Masayoshi Kofune, Kazunori Kawauchi, Atsushi Shindo, Hidezou Sugimura, Toshiko Nakai, Satoshi Kunimoto, Satoshi Saito, Atsushi Hirayama. Usefulness of unipolar electrical recordings in the coronary sinus during atrial fibrillation for differentiation of coronary sinus and left atrial potentials. Scientific Sessions 2007, American Heart Association, Orland, USA, November.
- 108 Masayoshi Kofune, Ichiro Watanabe, Sonoko Ashino, Yasuo Okumura, Kimie Ohkubo, Toshiko Nakai, Atsushi Hirayama. Abnormal action potential duration restitution property in the right ventricular outflow tract in Brugada syndrome. Heart Rhythm 2008, San Francisco, USA, 2008 May

- 109 Masayoshi Kofune, Ichiro Watanabe, Sonoko Ashino, Kimie Ohkubo, Toshiko Nakai, Atsushi Hirayama. Alternans of action potential duration at the right ventricular outflow tract and induction of ventricular fibrillation in a patient with Brugada syndrome. Heart Rhythm 2008, San Francisco, USA, 2008 , May.
- 110 Kimie Ohkubo, Ichiro Watanabe, Sonoko Ashino, asayoshi Kofune, Toshiko Nakai, Atsushi Hirayama. Prognostic value of induced ventricular fibrillation in patients with Brugada syndrome ? Single center experience. Heart Rhythm 2008, San Francisco, USA, 2008,
- 111 Masayoshi Kofune, Ichiro Watanabe, Sonoko Ashino, Kimie Ohkubo, Yasuo Okumura, Toshiko Nakai, Atsushi Hirayama. Electroanatomical mapping of the right ventricle in patients with the Brugada syndrome. Heart Rhythm 2008, San Francisco, USA, 2008, May.
- 112 Sonoko Ashino, Ichiro Watanabe, Masayoshi Kofune, Kimie Ohkubo, Toshiko Nakai, Atsushi Hirayama. A case of idiopathic ventricular fibrillation characterized by spatial heterogeneity of action potential duration and it's restitution kinetics in the right ventricle. Heart Rhythm 2008, San Francisco, USA, 2008, May
- 113 Ichiro Watanabe, Kimie Ohkubo, Yasuo Okumura, Sonoko Ashino, Masayoshi Kofune, Toshiko Nakai, Yuji Kasamaki, Atsushi Hirayama. Delay in right ventricular activation contributes to Brugada syndrome ? Electrophysiological and pathological study. CARDIOTIM 2008, Nice, France, 2008, June.
- 114 Kimie Ohkubo, Ichiro Watanabe, Sonoko Ashino, Masayoshi Kofune, Toshiko Nakai, Yuji Kasamaki, Atsushi Hirayama. A new criteria differentiating type 2 and 3 Brugada pattern from incomplete righr bundle branch block pattern. Heart Rhythm 2009, Boston, USA, 2009, May
- 115 Kimie Ohkubo, Ichiro Watanabe, Yasuo Okumura, Sonoko Ashino, Masayoshi Kofune, Toshiko Nakai, Yuji Kasamaki, Atsushi Hirayama. Idiopathic ventricular fibrillation presenting with prominent J wave. Heart Rhythm 2009, Boston, USA, 2009, May
- 116 Kimie Ohkubo, Ichiro Watanabe, Yasuo Okumura, Sonoko Ashino, Masayoshi Kofune, Toshiko Nakai, Yuji Kasamaki, Atsushi Hirayama. Implication of QRS width in V2 lead for vulnerability to life-threatening ventricular arrhythmias in Brugada syndrome. Heart Rhythm 2009, Boston, USA, 2009, May.
- 117 Yasuo Okumura, Ichiro Watanabe, Toshiko Nakai, Kimie Ohkubo, Tatsuya Kofune, Sonoko Ashino, Masayoshi Kofune, Atsushi Hirayama. Successful catheter ablation of ventricular tachycardia demonstrationg a reentry circuit across the lefy-right interventricular septum in a patient with cardiac sarcoidosis. Heart Rhythm 2009, Boston, USA, 2009, May.
- 118 Masayoshi Kofune, Ichiro Watanabe, Yasuo Okumura, Kimie Ohkubo, Toshiko Nakai, Yuji Kasamaki, Atsushi Hirayama. Combined use of ensite non-contact maping system and template matching for radiofrequency catheter ablation of roght ventricular outflow tract tachycardia. Heart Rhythm 2009, Boston, USA, 2009, May

- 119 Yuji Kasamaki, Masakatsu Ohta, Toshiko Nakai, Ichiro Watanabe, Atsushi Hirayama, Yukio Ozawa. Efficacy of low level laser therapy around the stellate ganglion in the treatment of sick sinus syndrome. Heart Rhythm 2009, Boston, USA, 2009, May
- 120 Sonoko Ashino, Ichiro Watanabe, Toshiko Nakai, Kimie Ohkubo, Masayoshi Kofune, Yuji Kasamaki, Atsushi Hirayama. No interference from transcutaneous electrical nerve stimulation on the sensing function of pacemaker: A case report. Heart Rhythm 2009, Boston, USA, 2009, May.
- 121 Yasuo Okumura, Ichiro Watanabe, Sonoko Ashino, Masayoshi Kofune, Masakatsu Ohta, Tatsuya Kofune, Kimie Ohkubo, Toshiko Nakai, Satoshi Kunimoto, Yuji Kasamaki, Atsushi Hirayama, Fumio Suzuki. The upper turnover site in the reentry circuit of common atrial flutter - 3-dimensional mapping and entrainment study- 12th Taipei-Tokyo-Seoul arrhythmia Joint Conference 2009, Taipei, Taiwan, 2009, September
- 122 Hirayama A. Plaque regression and stabilization evaluation by angioscopy and the IVUS - Twins Study The 4th International JOINT MEETING Meet the Experts Chine, Japan, Germany 2009
- 123 Ichiro Watanabe, Yasuo Okumura, Masayoshi Kofune, Sonoko Ashino, Kimie Ohkubo, Koichi Nagashima, Toshiko Nakai, Atsushi Hirayama. The upper turnover site in the reentry circuit of common atrial flutter ? Three dimensional mapping and entrainment study. 6th Annual Congress of the European Cardiac Arrhythmia Society, Munchen, Germany, 2010, April
- 124 Koichi Nagashima, Ichiro Watanabe, Yasuo Okumura, Kimie Ohkubo, Sonoko Ashino, Masayoshi Kofune, Toshiko Nakai, Satoshi Kunimoto, Yuji Kasamaki, Atsushi Hirayama. Ventricular septal ablation using irrigated electrodes ? Comparison of bipolar and unipolar sequential ablation in lesion formation. Heart Rhythm 2010, Denver, USA, 2010 May
- 125 Yasuo Okumura, Ichiro Watanabe, Masayoshi Kofune, Sonoko Ashino, Kimie Ohkubo, Koichi Nagashima, Toshiko Nakai, Atsushi Hirayama. The upper turnover site in the reentry circuit of common atrial flutter ? Three dimensional mapping and entrainment study. Heart Rhythm 2010, Denver, USA, 2010 May
- 126 Koichi Nagashima, Ichiro Watanabe, Yasuo Okumura, Kimie Ohkubo, Sonoko Ashino, Masayoshi Kofune, Toshiko Nakai, Atsushi Hirayama. Efficacy and feasibility of epicardial endoscopy by percutaneous subxiphoid approach. Heart Rhythm 2010, Denver, USA, 2010 May
- 127 Ichiro Watanabe, Yasuo Okumura, Masayoshi Kofune, Sonoko Ashino, Kimie Ohkubo, Koichi Nagashima, Toshiko Nakai, Yuji Kasamaki, Atsushi Hirayama. Ablation of RVOT PVC guided by virtual unipolar electrograms of Ensite? system. CARDIOSTIM 2010, Nice, France, 2010, June.
- 128 A. Hirayama, Primary Prevention of Cardiac Sudden Death: Long-term follow-up in 44 Patients with Severe Heart Dysfunction ,The 6th Internationl Joint Meeting, China, 2010.06

- 129 A. Hirayama, S. Saito, Y. Ueda, T. Takayama, O. Yamaguchi, Y. Li, J. Yajima, S. Nanto, K. Takazawa, K. Kodama The plaque-stabilizing effect of atorvastatin is greater in more unstable plaques evaluated by angioscopy and intravenous ultrasound ,ESCCongress,Sweden ,2010.08
- 130 Kimie Ohkubo, Ichiro Watanabe, Toshiko Nakai, Yasuo Okumura, Sonoko Ashino, Masayoshi Kofune, Koichi Nagashima, Satoshi Kunimoto, Yuji Kasamaki, Atsushi Hirayama. Signal-Averaged Vector-Projected 187-Channel High Resolution ECG for Risk Stratification of Brugada Syndrome. 3rd Asia Pacific Heart Rhythm Society Scientific Session. Jeju Island, Korea, 2010, October
- 131 Tadateru Takayama, Takafumi Hiro, Daisuke kitano, Taro Kawano, Yasuo Watanabe, Hironori Haruta, Takashi Kanai, Satoshi Saito, Atsushi Hirayama, Characteristic Features of Neointima and Thrombosis of Everolimus-Eluting Stent 10 Months After Implantation: Intravascular Ultrasound and Angioscopic Studies Comparing With Sirolimus and Paclitaxel-Eluting Stents ,AHA,USA2011.11
- 132 Koichi Nagashima, Yasuo Okumura, Ichiro Watanabe, Masayoshi Kofune, Hiroaki Mano, Kazumasa Sonoda, Naoko Sasaki, Kimie Ohkuo, Toshiko Nakai, Takafumi Hiro, Atsushi Hirayama. Is epicardial adipose tissue distribution correlated with endocardial fhigh dominant frequency or complex fractionated atrial electrogram sites? Heart Rhythm 2012, Boston, USA, 2012, May.
- 133 Koichi Nagashima, Yasuo Okumura, Ichiro Watanabe, Masayoshi Kofune, Hiroaki Mano, Kazumasa Sonoda, Naoko Sasaki, Kimie Ohkuo, Toshiko Nakai, Atsushi Hirayama. Effects of inter-electrode spacing on complex fractionated atrial electrograms and dominant frequency detection. Heart Rhythm 2012, Boston, USA, 2012, May
- 134 Naomasa Makita, Takeru Makiyama, Akiko Seki, Akihiko Nogami, Kime Ohkubo, Ichiro Watanabe, Wataru Shimizu, Hiroshi Watanabe, Naokata Sumitomo, Minoru Horie, Mario Delmar. Clinical features and genetic basis of 63 patients with progressive cardiac conduction defect. Heart Rhythm 2012, Boston, USA, 2012, May.
- 135 Watanabe I, Okumura Y, Nagashima Y, Kofune M, Mano H, Sonoda K, Ohkubo K, Nakai T, Kasamaki Y, Hirayama A. Correlation between epicardial fat and high dominant frequency site. CARDIOSTIM 2012 Nice, France, 2012, June.
- 136 Watanabe I, Okumura Y, Sonoda K, Kofune M, Nagashima K, Mano H, Ohkubo K, Nakai T, Kasamaki Y, Hirayama A. Atrial fibrillation termination prediction from left atrial parameters. CARDIOSTIM 2012 Nice, France, 2012, June.
- 137 Watanabe I, Okumura Y, Sonoda K, Kofune M, Nagashima K, Mano H, Ohkubo K, Nakai T, Kasamaki Y, Hirayama A.Tissue Doppler echo based atrial fibrillation cycle length / wall motion. CARDIOSTIM 2012 Nice, France, 2012, June.

- 138 M Ota,Y Kasamaki,Y Ozawa,A Hirayama,T Nakayama, H Kawamura,D Himit,A Fukuda,M Asano,Y Izumi. Combined effects of blood pressure and aldosterone on cardiac left ventricular mass-ethnic differences between Han,Kazakh and Uygur subjects.ESC Congress,Germany2012.8
- 139 H Haruta,T Hiro,D Kitano,T Takayama,Y Li,A Hirayama.Effect of pitavastatin on tissue characteristics of atherosclerotic plaque in watanabe heritable hyperlipidemic rabbit:serial observation with IVUS ans iMap TM.ESC Congress,Germany2012.8
- 140 Toshiko Nakai, Hiroaki Mano, Kouichi Nagashima, Kazumasa Sonoda, Sonoko Ashino, Kimie Ohkubo, Yasuo Okumura, Masaaki Nagashima, Satoshi Kunimoto, Yuji Kasamaki, Ichiro Watanabe, Atsushi Hirayama, Kenji Nakai. A Case of Dilated Cardiomyopathy Developed Electrical Storm and Atrial Fibrillation after CRT-D implantation: Risk stratification for atrial and ventricular arrhythmias using a signal-averaged vector-projected 187-channel electrocardiogram, APHRS, Taiwan, 2012, Oct.
- 141 Mitsumasa Sudo,Atsushi Hirayama Development of Hypercholesterolemia-Induced Complex Unstable Atherosclerotic Lesions in a Novel Low Density lipoprotein Receptor Knockout Pig. AHA,USA2012
- 142 Shunichi Yoda, Kamae Nakanishi, Ayako.Tano, Satoshi Kunimoto, Yuji.Kasamaki, Naoya Matsumoto, Hiroshi Kanamaru, Yuichi.Sato, Atsushi Hirayama; Diagnostic value of automated assessment of myocardial perfusion SPECT in a Japanese population: Comparison between Japanese and American normal databases. The 17th Annual Scientific Session of the American Society of Nuclear Cardiology, Baltimore, Maryland, U.S.A, 2012, 9
- 143 Yasuyuki Suzuki, Naoya Matsumoto, Keiko Masuoka, Shunichi Yoda, Ken Nagao, Atsushi Hirayama; Motion-Frozen Myocardial Perfusion SPECT Improves Detection of Coronary Artery Disease in Patients with Normal Left Ventricular Systolic Function. The 17th Annual Scientific Session of the American Society of Nuclear Cardiology, Baltimore, Maryland, U.S.A, 2012, 9
- 144 Kimie Ohkubo, Ichiro Watanabe, Yasuo Okumura, Masayoshi Kofune, Koichi Nagashima, Hiroaki Mano, Kazumasa Sonoda, Naoko Sasaki, Rikitake Kogawa, Toshiko Nakai, Yuji Kasamaki, Atsushi Hirayama Risk Stratification of Patients with Early repolarization by Spatial and Transmural Dispersion of Repolarization and Late Potentials by Signal-Averaged Vector 187-Channel High Resolution ECG Asia Pacific Heart Rhythum Sosiety (Taipei) 2012 Oct
- 145 Toshiko Nakai, Hiroaki Mano, Kouichi Nagashima, Kazumasa Sonoda, Sonoko Ashino, Kimie Ohkubo, Yasuo Okumura, Masaaki Nagashima, Satoshi Kunimoto, Yuji Kasamaki, Ichiro Watanabe, Atsushi Hirayama, Kenji Nakai. A Case of Dilated Cardiomyopathy Developed Electrical Storm and Atrial Fibrillation after CRT-D implantation: Risk stratification for atrial and ventricular arrhythmias using a signal-averaged vector-projected 187-channel electrocardiogram, APHRS, Taiwan, 2012, Oct.

- 146 Okumura Y, Watanabe I, Ohkubo K, Nagashima Y, Mako H, Sonoda K, Nakai T, Hirayama A. Impact of catheter tip/tissue surface contact on 3 dimensional left atrial and pulmonary vein geometry: Potential anatomic distortion of ultrasound-derived, fast anatomic mapping and CTmerge images. The 5th Asia-Pacific Heart Rhythm Society Scientific Sessoins. Taipei, Taiwan, 2012, October.
- 147 Mitsumasa Sudo, Yuxin Li, Akira Onishi, Seiji Fukushima, Shunichi Suzuki, Daiichiro Fuchimoto, Shoichiro Sembon, Masaki Iwamoto, Michiko Hashimoto, Hironori Haruta, Tadateru Takayama, Takafumi Hiro, Taro Matsumoto, Masako Mitsumata, Masahiko Sugitani, Satoshi Saito, Atsushi Hirayama. Development of Hypercholesterolemia-Induced Complex Unstable Atherosclerotic Lesions in a Novel Low Density Lipoprotein Receptor Knockout Pig. Scientific Sessions 2012 of American Heart Association. USA2012 .11
- 148 S Kunimoto, K Yamamoto, R Ichikawa, J Fukuhara, M Matsumura, N Sumitomo, Y Okumura, I Watanabe and A Hirayama: Potency of Integrating Three-dimensional Cardiac Magnetic Resonance Imaging into Electroanatomic Mapping to Perform Catheter Ablation in Pediatrics. Society for Cardiovascular Magnetic Resonance 16th Annual Scientific Sessions, San Francisco, CA, USA 2013/02/02
- 149 Yasuo Okumura, Ichiro Watanabe, Masayoshi Kofune, Koich Nagashima, Hiroaki Mano, Kazumasa Sonoda, Rikitake Kogawa, Naoko Sasaki, Kimie Ohkubo, Toshiko Nakai, Atsushi Hirayama. Effects of catheter-tip surface contact on three-dimensional left atrial and pulmonary vein geometrics: Potential anatomic distortion of 3D eltrasound-, fast anatomical mapping-, and merged 3D CT-derived images. Heart Rhythm 2013, Denver, USA, 2013, May
- 150 Kazumasa Sonoda, Yasuo Okumura, Ichiro Watanabe, Masayoshi Kofune, Koich Nagashima, Hiroaki Mano, Rikitake Kogawa, Naoko Sasaki, Kimie Ohkubo, Toshiko Nakai, Atsushi Hirayama. Prediction of the extent of atrial electrical and structural remodeling from tissue velocity imaging in patients with atreial fibrillation. Heart Rhythm 2013, Denver, USA, 2013, May
- 151 Rikitake Kogawa, Yasuo Okumura, Ichiro Watanabe, Masayoshi Kofune, Hiroaki Mano, Koich Nagashima, Kazumasa Sonoda, Naoko Sasaki, Kimie Ohkubo, Toshiko Nakai, Atsushi Hirayama. Impact of adenosine triphosphate on complex fractionated atrial electrograms in human atrial fibrillation. Heart Rhythm 2013, Denver, USA, 2013, May
- 152 Naoko Sasaki, Yasuo Okumura, Ichiro Watanabe, Masayoshi Kofune, Hiroaki Mano, Koich Nagashima, Kazumasa Sonoda, Rikitake Kogawa, Kimie Ohkubo, Toshiko Nakai, Atsushi Hirayama. Increase in Biomarker persistes despite reserse atrial Structural Remideling during the Long-term Period Following AF Ablation. Heart Rhythm 2013, Denver, USA, 2013, May

- 153 I. Watanabe, R. Kogawa, Y. Okumura, K. Nagashima, H. Mano, K. Sonoda, N. Sasaki, K. Ohkubo, T. Nakai, A. Hirayama. Temporal variability of dominant frequency and complex fractionated atrial electrograms in human atrial fibrillation. Europace 1013, Athens, Greece, 2013, June
- 154 I. Watanabe, R. Kogawa, Y. Okumura, K. Nagashima, H. Mano, K. Sonoda, N. Sasaki, K. Ohkubo, T. Nakai, A. Hirayama Impact of adenosine triphosphate on complex fractionated atrial electrograms in human atrial fibrillation. Europace 1013, Athens, Greece, 2013, June
- 155 S.Tani,K.Nagao,M.Matsumoto,M.Onikura,T.Ashida,K.Kawauchi,A.Hirayama Highly purified eicosapentaenoic acid may increase the low-density lipoprotein particle size by improving triglyceride meta .ESCCongress,Netherlands2013.8
- 156 K.Kawauchi,S.Tani,M.Matsumoto,M.Onikura,K.Nagao,T.Ashida,A.Hirayama Potential preventive effects of n-3 polyunsaturated fatty acids on vascular endothelial damage:evalution with souluble thombomodulin. .ESCCongress,Netherlands2013.8
- 157 D.Kitano,T.Takayama,T.Saruya,T.Kanai,K.Harasawa,Y.Higuchi,T.Hiro,T.Tochihara,S.Saito, A.Hirayama Angioscopic prevalence in diabetic patients with everolimus-eluting stent compared to paclitaxel-eluting stent,a serial observation of coronary angiography in multicenter..ESCCongress,Netherlands2013.8
- 158 M.Sudo,T.Hiro,T.Takayama,K.Iida,N.Akutsu,T.Nishida,Y.Hayashida,T.Kawano,Y.Higuchi,A. Hirayama Comparison of mid-term thrombogenicity of everolimus-versus paclitaxel-eluting stents stents with the same stent platform.:acoronary angioscopic study.ESCCongress,Netherlands2013.8
- 159 S. Sonoda, Y. Okumura, I Watanabe, M. Kofune, K. K. Nagashima, H. Mano, R. Kogawa, N. Sasaki, K. Ohkubo, T Nakai, Y. Kasamaki, A. Hiratama. Prediction of the atrial remodeling from tissue velocity imaging in patients with atrial fibrillation. 6th APHRS, Hong Kong, 2013 October
- 160 Rikitake Kogawa, Yasuo Okumura, Ichiro Watanabe, Masayoshi Kofune, Hiroaki Mano, Koichi Nagashima, Kazumasa Sonoda, Naoko Sasaki, Kimie Okubo, Toshiko Nakai, Yuji Kasamaki, Atsushi Hirayama. Spatial and Temporal Variability of Complex Fractionated Atrial Electrogram Activity and Dominant Frequency in Human Atrial Fibrillation. 6th Asia Pacific Heart Rhythm Society Scientific Session 2013, Hong Kong, China, 2013, October.
- 161 N.Yamaguchi, Y. Okumura, I Watanabe, K. Sonoda, K. Takahashi, K. Iso, H. Mano, K. Nagashima, K. Ohkubo, T. Nakai, A. Hirayama, Y. Hamano, A. Madry, M. Nikaido. Localized rotor in he left atrium during atrial fibrillation using phase mapping from 56-pole contact electrode basket catheter. 6th APHRS, Hong Kong, 2013 October

- 162 Sasaki N, Watanabe I, Okumura Y, Kofune M, Mano H, Nagashima K, Sonoda K, Kogawa R, Ohkubo K, Nakai T, Hirayama A. Localized Rotor in the Left Atrium during Atrial Fibrillation Identified using Phase Mapping from 56-pole Contact Electrode Basket Catheter. 6th Asia Pacific Heart Rhythm Society & Cardio Rhythm, HongKong, 2013 Octobar
- 163 Eizo Tachibana,Atsushi Hirayama Circulation Levels of Vasopressin for Patients in Hyper Acute Phase of Acute Coronary Syndromes AHA, U S A 2013
- 164 Yuxin Li,Atsushi Hitayama Pleiotropic Effects of Statin in Stabilization of Unstable Coronary Plaque-Direct Evidence from Low Density Lipoprotein Receptor knockout Pig AHA, U S A 2013
- 165 Sasaki N, Okumura Y, Watanabe I, Nagashima K, Sonoda K, Kogawa R, Takahashi K, Iso K, Ohkubo K, Nakai T, Hirayama A. Frequency analysis of atrial fibrillation from the standard surface ECG leads and specific leads of V7-V9: Lower DF in lead II and V9 is a marker of advanced atrial remodeling. Heart Rhythm 2014, San Francisco, USA, 2014 May
- 166 Iso K, Okumura Y, Watanabe I, Nagashima K, Sonoda K, Mano H, Sasaki N, Kogawa R, Takahashi K, Ohkubo K, Nakai T, Hirayama A. Contact force, filtered unipolar electrogram, and protrusion of catheter-tip from the surface of 3D ultrasound-derived images determines lesion efficacy after pulmonary vein isolation. Heart Rhythm 2014, San Francisco, USA, 2014 May
- 167 Kogawa R, Okumura Y, Watanabe I, Kofune M, Mano H, Nagashima K, Sonoda K, Sasaki N, Iso K, Takahashi K, Ohkubo K, Nakai T, Hirayama A. Spatial and temporal variability of complex fractionated activity and dominant frequency in human atrial fibrillation. Heart Rhythm 2014, San Francisco, USA, 2014 May
- 168 Sasaki N, Okumura Y, Watanabe I, Nagashima K, Sonoda K, Kogawa R, Takahashi K, Iso K, Ohkubo K, Nakai T, Hirayama A. Localized reentry in the left atrium during atrial fibrillation: Is it possible to identify rotors of atrial fibrillation by phase analysis of data from basket catheter? Heart Rhythm 2014, San Francisco, USA, 2014 May
- 169 Iso K, Okumura Y, Watanabe I, Nagashima K, Sonoda K, Sasaki N, Kogawa R, Takahashi K, Ohkubo K, Nakai T, Hirayama A. High left atrial pressure is associated with a poor prognosis after ablation of atrial fibrillation. Heart Rhythm 2014, San Francisco, USA, 2014 May
- 170 Kogawa R, Okumura Y, Watanabe I, Kofune M, Mano H, Nagashima K, Sonoda K, Sasaki N, Iso K, Takahashi K, Ohkubo K, Nakai T, Hirayama A. Difference between dormant pulmonary vein reconnection sites and provoked by ATP and the pace capture on the ablation line after pulmonary vein reconnection. Heart Rhythm 2014, San Francisco, USA, 2014 May

- 171 Sonoda K, Okumura Y, Watanabe I, Nagashima K, Kogawa R, Sasaki N, Takahashi K, Ohkubo K, Nakai T, Iso K, Hirayama A. Comparizon of contact force-guided PV isolation vs. "pace and ablate" PV isolation on the ATP-provoked PV reconnections. Heart Rhythm 2014, USA, 2014 May
- 172 Sonoda K, Watanabe I, Okumura Y, Nagashima K, Sasaki N, Kogawa R, Takahashi K, Iso K, Ohkubo K, Nakai T, Hirayama A. Three-dimensional delyed enhanced MRI imaging in patients with structural heart disease: Relation to VT/VF induction by programed ventricular stimulation. Heart Rhythm 2014, USA, 2014 May
- 173 Watanabe I, Okumuya Y, Kogawa R, Hirayama A. Spatial and temporal variability of CFAE and high DF sites in atrial fibrillation. CARDIOSTIM 2014, Nice, France, 2014 June
- 174 Watanabe I, Okumura Y, Iso K, Hirayama A. Comparizon of contact force, unipolar electrogram and 3D ablation point.location. CARDIOSTIM 2014, Nice, France, 2014 June
- 175 Watanabe I, Okumura Y, Hirayama A. Relation betweencatheter tip prootrusiion from the left atrium and contact force. CARDIOSTIM 2014, Nice, France, 2014 June
- 176 Mitsumasa Sudo, Yuxin Li, Takafumi Hiro, Hironori Haruta, Tadateru Takayama, Masako Mitsumata, Atsushi Hirayama Modification Of Plaque Composition And Improvement Of Plaque Stability By Glucagon-Like Peptide-1 Agonist - In Vivo Findings Using iMap? IVUS In Watanabe Heritable Hyperlipidemic Rabbits ESCCongress2014.8,Spain
- 177 Mitsumasa Sudo, Yuxin Li, Takafumi Hiro, Hironori Haruta, Tadateru Takayama, Masako Mitsumata, Atsushi Hirayama Modification Of Plaque Composition And Improvement Of Plaque Stability By Glucagon-Like Peptide-1 Agonist - In Vivo Findings Using iMap? IVUS In Watanabe Heritable Hyperlipidemic Rabbits ESCCongress2014.8,Spain
- 178 Toshihiko Nishida,Takafumi Hiro, Tadateru Takayama ,Takashi Mineki ,Takayuki Kougo, Korehito Iida, Mitsumasa Sudo, Hironori Haruta, Daisuke Fukamachi, Yasuo Okumura, Yoshiharu Higuchi, Atsushi Hirayama Significance of micro-vessels within atherosclerotic coronary plaques: A color-coded intravascular ultrasound study ESCCongress2014.8,Spain
- 179 Yoshiharu Higuchi, Takafumi Hiro, Tadateru Takayama, Taro Kawano,Daisuke Fukamachi,Mitsumasa Sudo,Toshihiko Nishida,Korehito Iida,Satoshi Saito, Atsushi Hirayama Impact of Coronary Plaque Burden and Composition on Peri-Procedural Myocardial Infarction and Coronary Flow Reserve after Percutaneous Coronary Intervention ESCCongress2014.8,Spain
- 180 Yoshihiko Saito, Makoto Watanabe,Kazutaka Aonuma,Atsushi Hirayama,Nagara Tamaki, Hiroyuki Tsutsui,Toyoaki Murohara, Hisao Ogawa, Takashi Akasaka,MichihiroYoshimura, Akira Satoh, Tadateru Takayama,Mamoru Sakakibara, Susumu Suzuki, Kenichi Ishigami Impact of Estimated Glomerular Filtration Rate and Proteinuria on Contrast-induced Nephropathy in Patients With Cardiac Catheterization AHA, U S A 2014.11"

- 181 Makoto Watanabe, Yoshihiko Saito, Kazutaka Aonuma, Atsushi Hirayama, Nagara Tamaki, Hiroyuki Tsutsui, Toyoaki Murohara, Hisao Ogawa, Takashi Akasaka, Michihiro Yoshimura, Akira Satoh, Tadateru Takayama, Mamoru Sakakibara, Susumu Suzuki, Kenichi Ishigami The Increment of Serum Creatinine Level on the Next Day Predicts the Development of Contrast Induced Nephropathy AHA (U S A) 2014.11

182 Shigemasa Tani, Atsuhiko Takahashi, Ken Nagao, Atsushi Hirayama Febuxostat -A Xanthine Oxidase Inhibitor- May Improve Cardiorenal Interaction: A Randomized Controlled Pilot Study AHA, U S A 2014.11

183 Yasuyuki Suzuki, Tsukasa Yagi, Satoshi Hayashida, Wataru Atsumi, Takayuki Yahagi, Yasuo Watanabe, Eizo Tachibana, Naoya Matsumoto, Atsushi Hirayama Utility of Cardiac Magnetic Resonance Imaging in the Postresuscitation Period of Cardiac Arrest AHA, U S A 2014.11"

184 Tsukasa Yagi, Ken Nagao, Eizo Tachibana, Naohiro Yonemoto, Shinichi Shirai, Morimasa Takayama, Hiroshi Nonogi, Takeshi Kimura, Atsushi Hirayama Effect of Electrical Therapy Using Biphasic Defibrillators in the 2010 CPR Guidelines for Patients with Out-of-Hospital Cardiac Arrest Due to Ventricular Fibrillation AHA, U S A 2014.11"

185 T Yagi, K. Nagao, E. Tachibana, S. Tani, N. Yonemoto, S. Shirai, M. Takayama, H. Nonogi, K. Saku, A. Hirayama The Efficacy of electrical therapy using biphasic AEDs in the 2010 CPR guidelines for Patients with Out-of-Hospital Cardiac Arrest due to Ventricular Fibrillation E S C Congress, U.K2015.8

186 S. Tani, A. Hirayama, W. Atsumi, T. Yagi, S. Niizuma, K. Kawauchi, K. NagaolImpact of adding eicosapentaenoic acid to strong statin therapy on serum pentraxin X3 level: a six-month, randomized control study E S C Congress, U.K2015.8

187 T. Nishida, T. Hiro, T. Takayama, T. Kougo, K. Iida, M. Sudo, D. Fukamachi, Y. Okumura, Y. Higuchi, A. Hirayama In-plaque microchannel volume as a quantitative surrogate marker of plaque vulnerability: study with 3D optical coherence tomography and color-coded intravascular ultrasound E S C Congress, U.K2015.8

188 Yagi, Tsukasa; Tachibana, Eizo; Ueki, Yasushi; Sakamoto, Kazuo; Imamura, Hiroshi; Miyamoto, Takamichi; Takahashi, Hiroshi; Hanada, Hiroyuki; Yonemoto, Naohiro; Nagao, Ken; Hirayama, Atsushi The Effect of Vasopressor Agents in the Treatment of Cardiovascular Shock. A H A ,USA2015.11

189 Yagi, Tsukasa; Nagao, Ken; Tachibana, Eizo; Yonemoto, Naohiro; Shirai, Shinichi; Takayama, Morimasa; Nonogi, Hiroshi; Saku, Keijiro; Tani, Sigemasa; Matsumoto, Naoya; Hirayama, Atsushi; The JCS-ReSS Study Group Effect of Electrical Therapy Using Biphasic Defibrillators in the 2010 CPR Guidelines for Patients With Out-of-Hospital Cardiac Arrest due to Nonshockable Rhythm A H A ,USA2015.11

- 190 Li, Yuxin; Onishi, Akira; Sudo, Mitsumasa; Haruta, Hironori; Lin, Qing-Fei; Takayama, Tadateru; Suzuki, Shunichi; Fuchimoto, Daiichiro; Sembon, Shoichiro; Iwamoto, Masaki; Hashimoto, Michiko; Yoda, Shunichi; Kunimoto, Satoshi; Hiro, Takafumi; Matsumoto, Taro; Mitsumata, Masako; Sugitani, Masahiko; Saito, Satoshi; Hirayama, Atsushi Is Early Statin Treatment Justified Before Formation of Atherosclerotic Plaques?. A H A ,USA2015.11
- 191 T. Yagi, E. Tachibana, Y. Ueki, K. Sakamoto, H. Imamura, T. Miyamoto, H. Takahashi, H. Hanada, N. Yonemoto, S. Tani, N. Matsumoto, K. Nagao, A. Hirayama The effect of vasopressor agents in the treatment of cardiovascular shock: results from the JCS shock registry ESC Congress, I t a l y 2016.8
- 192 N. Akutsu, T. Takayama, N. Takei, T. Kougo, K. Iida, N. Murata, T. Nishida, T. Oshima, H. Haruta, D. Fukamachi, T. Hiro, A. Hirayama Comparison of neointimal feature between bioabsorbable polymer everolimus eluting stent and permanent polymer everolimus eluting stent evaluated by serial angioscopy and optical coherence tomography ESC Congress, I t a l y 2016.8
- 193 M. Kobori, H. Takahashi, S. Tani, K. Kikushima, S. Furuya, K. Iida, T. Washio, S. Niizuma, K. Kawauchi, K. Nishikawa, M. Matsuzaki, N. Matsumoto, A. Hirayama Increased basal coronary blood flow and obesity: what are the characteristics of patients with coronary hyperflow?ESC Congress, I t a l y 2016.8
- 194 K. Kawauchi, H. Takahashi, S. Tani, K. Kikushima, S. Furuya, K. Iida, T. Washio, S. Niizuma, K. Nishikawa, M. Matsuzaki, M. Kobori, N. Matsumoto, A. Hirayama How does coronary microvascular dysfunction affect fractional flow reserve measurement?ESC Congress, I t a l y 2016.8
- 195 S. Furuya, H. Takahashi, S. Tani, K. Kikushima, K. Iida, T. Washio, S. Niizuma, K. Kawauchi, K. Nishikawa, M. Matsuzaki, M. Kobori, N. Matsumoto, A. Hirayama Utility of hyperemic instantaneous wave-free ratio for the diagnosis of obstructive coronary artery diseaseESC Congress, I t a l y 2016.8
- 196 S. Tani, A. Hirayama, T. Yagi, W. Atsumi, T. Ashida, K. NagaoThe ratio of eicosapentaenoic acid (EPA) to arachidonic acid may be a residual risk marker in stable coronary artery disease patients receiving treatment with statin following EPA therapyESC Congress, I t a l y 2016.8
- 197 N. Akutsu, T. Takayama, N. Takei, T. Kougo, K. Iida, N. Murata, T. Nishida, T. Oshima, H. Haruta, D. Fukamachi, T. Hiro, A. Hirayama The effect of drug-coated balloon angioplasty for in-stent restenosis evaluated by serial coronary angioscopy and optical coherence tomography study ESC Congress, I t a l y 2016.8
- 198 S. Yagyu, S. Furuya, K. Kikushima, S. Tani, H. Takahashi, K. Iida, T. Washio, S. Niizuma, K. Kawauchi, M. Kobori, T. Ashida, N. Matsumoto, A. Hirayama High levels of LDL-C, apoB, and non-HDL-C associated with coronary microvascular dysfunction ESC Congress,Spain 2017 .8

- 199 Ashida, Tadashi , Nagao, Ken 1,Tani, Shigemasa ,Yagi, Tsukasa ,Takahashi, Hiroshi ,Tachibana, Eizo , Furuya, Shingo , Matsumoto, Naoya ,Hirayama, Atsushi Novel Usefulness of Synthesized 18-Lead Electrocardiography in the Diagnosis of ST-Elevation Myocardial Infarction: A Pilot Study.[Report] AHA, U S A 2016.11
- 200 Yagi, Tsukasa,Nagao, Ken,Tachibana, Eizo, Ashida, Tadashi,Chiba, Nobutaka, Tani, Shigemasa,Yonemoto, Naohiro4,Nonogi, Hiroshi,Saku, Keijiro,Hirayama, Atsushi, JCS-ReSS Study Group Efficacy of the 2010 CPR Guidelines for Patients With Out-of-Hospital Cardiac Arrest due to Ventricular Fibrillation AHA, U S A 2016.11
- 201 S. Niizuma, S. Furuya, K. Kikushima, S. Tani, H. Takahashi, K. Iida, T. Washio, K. Kawauchi, M. Kobori, T. Ashida, S. Yagyu, N. Matsumoto, A. Hirayama Does remote ischaemic preconditioning improve coronary blood flow? ESC Congress,Spain 2017.8
- 202 T. Washio, S. Furuya, K. Kikushima, S. Tani, H. Takahashi, K. Iida, S. Niizuma, K. Kawauchi, M. Kobori, T. Ashida, S. Yagyu, N. Matsumoto, A. Hirayama Instantaneous wave-free ratio can accurately predict the severity of coronary artery stenosis in patients under hemodialysis ESC Congress ,Spain2017 08
- 203 K. Kuronuma, Y. Suzuki, S. Sugai, S. Hayashida, W. Atsumi, T. Kawamorita, M. Sudo, T. Yagi, M. Komoriya, K. Yokoyama, E. Tachibana, S. Kunimoto, N. Matsumoto, A. Hirayama prospective assessment of left atrial appendage thrombus with 320 detector row computed tomography in comparison with transesophageal echocardiography ESC Congress ,Spain2017.8
- 204 S. Furuya, H. Takahashi, K. Kikushima, S. Tani, K. Iida, T. Washio, S. Niizuma, K. Kawauchi, M. Kobori, T. Ashida, S. Yagyu, N. Matsumoto, A. Hirayama, Diagnostic accuracy of hyperemic instantaneous wave-free ratio for obstructive coronary artery disease based on lesion location ESC Congress,Spain 2017.11
- 205 Daisuke Kitano, Tadateru Takayama, Mitsumasa Sudo, Takafumi Hiro, Atsushi Hirayama Difference of Plaque Morphology on Coronary Spasm Type Evaluated by Coronary Angioscopy Compared With OCT AHA, U S A 2017.11
- 206 Yuxin Li, Hironori Haruta, Daiichiro Fuchimoto, Shunichi Suzuki, Kazumi Satou, Daisuke Kitano, Tadateru Takayama, Takafumi Hiro, Rika Kawakami, Seiichi Hirota, Taro Matsumoto, Hiroyuki Hao, Akira Onishi, Atsushi Hirayama A Novel Large Animal Model of Accelerated Human-Like Coronary In-stent Neoatherosclerosis Formation AHA, U S A 2017.11
- 207 Keisuke Kojima, Sei Komatsu, Tsunekazu Kakuta, Daisuke Fukamachi, Shigeki Kimura, Hiroyuki Fujii, Masayoshi Matsuura, Kazuoki Dai, Hiroshi Matsuoka, Atsushi Hirayama, Kazuhisa Kodama. Association of Aortic Vulnerable Plaque and Risk Factors of Atherosclerosis: Novel Evaluation by Non-Obstructive Angioscopy AHA U.S.A.2017 11
- 208 Matsusaki N, Sotomi Y, Hirata A, Hirayama A, Higuchi Y, Sex Difference in efficacy and safety of direct oral anticoagulants in Asian patients with nonvalvular atrial fibrillation : 1-year real-world data from The DIRECT registry. ACC U.S.A. 2019. 3

- 209 Mori N, Sotomi Y, Hirata A, Hirayama A, Higuchi Y, External validation of the ORBIT bleeding and the HAS-BLED score in atrial fibrillation patients using direct oral Anticoagulants: Subanalysis of the DIRECT registry ACC U.S.A. 2019. 3
- 210 Kobayashi T, Sotomi Y, Nakatani S, Suzuki S, Hirayama A, Higuchi Y, Neointimal characteristics comparison between Biodegradable-Polymer and Durable-Polymer DES ACC U.S.A. 2019. 3
- 211 Suzuki S, Sotomi Y, Suwannsom P, Kobayashi T, Hirayama A, Higuchi Y, Very long-term clinical outcomes following implantation of Biodegradable Polymer versus Durable Polymer Drug-Eluting Stent : A systematic review and meta-analysis ACC U.S.A. 2019. 3
- 212 Komatsu S, Takahashi S, Takewa M, Ohara T, Hirayama A, Yutani C, Kodama K, Spontaneous ruptured aortic plaques are more frequent: Novel insights from angioscopy. ACC U.S.A. 2019. 3ACC U.S.A. 2019. 3
- 213 Keech A C, Sever P, Jiang L, Hirayama A, Lu C, Tay L, Deedwania P, Chung-Wah Siu, Pineda A L, Choi D, Charng M-J, Amerena J, Ahmad W A W, Chopra V K, Pedersen T, Giugliano R, Sabatine M, Group F S, Efficacy and safety of long-term evolocumab use in Asian versus other subjects:The FOURIER trial. ACC U.S.A. 2019. 3
- 214 Hirata A, Sotomi Y, Kobayashi T, Amiya R, Hirayama A, Higuchi Y, Impact of renal function on bleeding risk in patients with non-valvular atrial fibrillation treated with direct oral anticoagulants: Subanalysis of the DIRECT registry. ESC Congress, France, 2019. 8 / 31-9/4.
- 215 Hamanaka Y, Sotomi Y, Hirata A, Hirayama A, Higuchi Y, Anti-inflammatory effects of direct oral anticoagulants in patients with non-valvular atrial fibrillation: insights from 2216 patients in the DIRECT registry. ESC Congress, France, 2019. 8 / 31-9/4.
- 216 Matsusaki N, Sotomi Y, Kobayashi T, Hayashi T, Takeda Y, Yasumura Y, Yamada T, Uematsu M, Tamaki S, Abe H, Hikoso S, Nakatani D, Hirayama A, Higuchi Y, Sakata Y, Impact of pulmonary artery catheter on all-cause death of patients with acute heart failure with preserved ejection fraction: Short-term results from the PURSUIT-HFpEF registry. ESC Congress, France, 2019. 8 / 31-9/4.
- 217 Kakuta T, Komatsu S, Kojima K, Fujii H, Kimura S, Dai K, Kawakami H, Matsuoka H, Higuchi Y, Abe H, Inoue T, Okumura Y, Asakura1 M, Hirayama A, Kodama K, Prediction of cardiovascular events by atheromatous plaques detected by nonobstructive general angioscopy: twoyear results of EASTNOGA Registry. ESC Congress, France, 2019. 8 / 31-9/4.
- 218 Nakamura M, Ako J, Arai H, Hirayama A, Nohara A, Uno K, Ozaki A, Harada-Shiba M, EXPLOREJ: Lipid management and 2year longterm clinical outcome in Japanese patients with acute coronary syndrome. ESC Congress, France, 2019. 8 / 31-9/4.

- 219 Kobayashi T, Sotomi Y, Hirata A, Hirayama A, Higuchi Y, Minute but Continuous Systemic Inflammation Contributes to Major Bleeding Risk: The Modified ORBIT-i Score to Assess Major Bleeding Risk in Non-Valvular Atrial Fibrillation Treated With Direct Oral Anticoagulants. AHA, USA, 2019. 11 / 16-18.
- 220 Kobayashi T, Sotomi Y, Hirata A, Hirayama A, Higuchi Y, Impact of Renal Function on Bleeding Risk in Patients With Non-Valvular Atrial Fibrillation Treated With Direct Oral Anticoagulants. AHA, USA, 2019. 11 / 16-18.
- 221 Wada H, Miyauchi K, Yasuda S, Kaikita K, Akao M, Ako J, Matoba T, Nakamura M, Hagiwara N, Kimura K, Hirayama A, Matsui K, Ogawa H, Antithrombotic and proton pump inhibitor co-therapy in patients with atrial fibrillation and stable coronary disease: a post hoc analysis of the AFIRE trial. ESC Congress, ESC Congress, Spain, 2022. 8 / 26-29.
- 222 Ishii M, Kaikita K, Yasuda S, Akao M, Ako J, Matoba T, Nakamura M, Miyauchi K, Hagiwara N, Kimura K, Hirayama A, Matsui K, Ogawa H, Tsujita K, Effect of rivaroxaban monotherapy vs. combination with anti-platelet therapy in patients with atrial fibrillation and stable coronary artery disease across different body mass index categories. ESC Congress, Spain, 2022. 8 / 26-29.
- 223 Shiba M, Hirayama A, Nishikawa T, Hayashi T, Yano M, Nakagawa A, Nakagawa Y, Seo M, Tamaki S, Yamada T, Yasumura Y, Sotomi Y, Hikoso S, Nakatani D, Higuchi Y, Sakata Y, Investigators) t O-H F, Osaka J, PROGNOSTIC IMPACT OF TOLVAPTAN ON WORSENING CLINICAL OUTCOME IN PATIENTS WITH HFPEF. The American College of Cardiology, New Orleans, LA USA, 2023. 3 / 4-6.

## 【論文 邦文】

1. 東野順彦, 中真砂土, 南都伸介, 増山理, 平山篤志, 木村佳弘, et al., 心筋虚血の核医学的定量評価 -ペーシング負荷時心筋代謝との対比-. 大阪警察病院医学雑誌, 1985. 9: 57-63.
2. 駒村和雄, 南都伸介, 谷浦弘一, 中真砂土, 上松正朗, 増山理, et al., 急性前壁中隔梗塞再疎通例での梗塞量と CK 流出量との関係. 大阪警察病院医学雑誌, 1985. 9: 49-55.
3. 朝田真司, 南都伸介, 平山篤志, 増山理, 佐藤洋, 駒村和雄, et al., 多枝病変例に対する経皮的冠動脈形成術の長期治療成績. 大阪警察病院医学雑誌, 1986. 10: 49-54.
4. 増山理, 佐藤洋, 中谷敏, 南都伸介, 平山篤志, 朝田真司, et al., 連続波ドプラー法による肺動脈拡張末期圧の非侵襲的推定. J Cardiography, 1986. 16(3): 669-675.
5. 増山理, 佐藤洋, 南都伸介, 中真砂土, 谷浦弘一, 平山篤志, et al., 超音波ドプラー法による大動脈弁逆流疾患の非侵襲重症度評価：連続波法とパルス波法の対比. Jpn J Med Ultrason, 1986. 13(4): 241-246.
6. 中真砂土, 南都伸介, 松村泰志, 平山篤志, 増山理, 駒村和雄, et al., 経皮的冠動脈形成術(PTCA)後の残存心筋虚血とその長期経過－運動負荷 Tl-201 心筋断層法を用いた検討－. 大阪警察病院医学雑誌, 1986. 10: 23-30.
7. 大原知樹, 南都伸介, 朝田真司, 平山篤志, 増山理, 児玉和久, et al., PTCA 施行冠血管の病理学的变化. 大阪警察病院医学雑誌, 1986. 10: 41-48.
8. 児玉和久, 中真砂土, 南都伸介, 増山理, 平山篤志, and 朝田真司, 心筋虚血を伴うやいわゆる正常冠動脈. Proceedings of the Rokko Cardiac Seminar, 1986. 4(1.2): 49-58.
9. 三嶋正芳, 岩井邦充, 是恒之宏, 堀正二, 井上通敏, 平山篤志, et al., 狹心症様症状を有し、心筋生検にて冠細動脈硬化病変を認めた3例. Proceedings of the ROKKO Cardiac Seminar, 1986. 4(1&2): 69-79.
10. 駒村和雄, 中真砂土, 南都伸介, 平山篤志, 増山理, 佐藤洋, et al., PTCA 中の短時間冠閉塞に基づく心筋酵素流出. 大阪警察病院医学雑誌, 1986. 10: 31-39.
11. 谷浦弘一, 南都伸介, 中真砂土, 増山理, 平山篤志, 木村佳弘, et al., 急性心筋梗塞における冠血管再疎通の長期予後からみた比較検討. 最新医学 1986. 41(4): 932-936.
12. 岡崎康司, 三嶋正芳, 平山篤志, 駒村和夫, 朝田真司, 李正明, et al., ペースメーカー・カテーテル電極の長期治療例における断線の検討. 大阪警察病院医学雑誌, 1987. 11: 35-42.
13. 松村泰志, 駒村和雄, 山本一博, 平山篤志, 朝田真司, 岡崎康司, et al., Thallium-201 心筋シンチグラムによる梗塞サイズの定量的評価. 大阪警察病院医学雑誌, 1987. 11: 43-50.
14. 大原知樹, 三嶋正芳, 朝田真司, 平山篤志, and 児玉和久, PTCA 施行部冠状動脈血管壁の超微形態的検討－慢性期再狭窄における血管平滑筋細胞の役割－. 大阪警察病院医学雑誌, 1987. 11: 25-33.
15. 中谷敏, 増山理, 南都伸介, 平山篤志, 佐藤洋, 駒村和雄, et al., 超音波パルスドプラー法による血流計測からみた AAI の利点 -DVI と比較して-. 心臓ペーシング, 1987. 3(4): 494.

16. 駒村和雄, 南都伸介, 朝田真司, 平山篤志, 三嶋正芳, and 児玉和久, 心筋梗塞急性期のPTCAの効果と残存狭窄度との関係. ICUとCCU, 1987. 11(5): 457-465.
17. 駒村和雄, 朝田真司, 平山篤志, 南都伸介, 大原知樹, 松村泰志, et al., Balloon Catheterを用いたRetrograde Coronary Perfusion. 日獨医報, 1987. 33(2): 266-267.
18. 駒村和雄, 朝田真司, 平山篤志, 南都伸介, 大原知樹, 松村泰志, et al., Balloon Catheterを用いたRetrograde Coronary Perfusion (Retrograde Coronary Perfusion with a Balloon Catheter). 日獨医報, 1988. 33(2): 266-267.
19. 南都伸介, 三嶋正芳, 平山篤志, 朝田真司, 駒村和雄, 佐藤洋, et al., 虚血性心疾患における冠血行再建術(PTCA, CABG)の選択 -当科におけるPTCA,CABG症例からの検討-. 医学と薬学, 1988. 19(2): 305-311.
20. 山本一博, 松村泰志, 岡崎康司, 朝田真司, 大原知樹, 李正明, et al., 不全心における容量負荷時及びpositive inotropic agent負荷時の圧容積関係の経時的観察 conductance/pressure combination catheterを用いて. 大阪警察病院医学雑誌, 1988. 12: 33-40.
21. 中谷敏, 増山理, 南都伸介, 平山篤志, 佐藤洋, 駒村和雄, et al., 超音波パルスドプラー法による血流計測からみた心房ペーシング(AAI)の有用性 -心房心室順次ペーシング(DVI)と比較して-. 心臓ペーシング, 1988. 4(1): 30-35.
22. 平山篤志, 三嶋正芳, 南都伸介, 駒村和雄, 朝田真司, 李正明, et al., 不安定狭心症における抗血小板療法の意義. 循環の計測と制御, 1988. 7(1): 30-35.
23. 平山篤志, 高垣裕, 児玉和久, 三嶋正芳, 南都伸介, 駒村和雄, et al., 急性心筋梗塞患者血中心筋ミオシン軽鎖の構造とその臨床的意義. 心筋の構造と代謝 心筋代謝研究会編 1988. 11: 181-194.
24. 朝田真司, 南都伸介, 平山篤志, 駒村和雄, 大原知樹, 三嶋正芳, et al., 成人における冠動脈瘤を呈する症例の臨床的検討. 日獨医報, 1989. 34(3): 630-631.
25. 平山篤志, 高垣裕, and 児玉和久, 急性心筋梗塞患者血中心筋ミオシン軽鎖(MLC)の構造とその臨床的意義. 心筋の構造と代謝, 1989. 11: 181-195.
26. 児玉和久 and 平山篤志, 活性酸素消去剤. 医薬ジャーナル 1989. 25(3): 507-514.
27. 岡崎康司, 駒村和雄, 松村泰志, 朝田真司, 大原知樹, 李正明, et al., 冠状脈内心電図による心筋虚血の評価 -急性冠閉塞および心房ペーシング負荷時における検討-. Coronary, 1989. 6(5): 125-128.
28. 児玉和久 and 平山篤志, [心筋梗塞発症のメカニズム] 人血漿 radical scavenger活性の心筋梗塞サイズに及ぼす影響. 循環器科, 1989. 26(1): 30-34.
29. 児玉和久 and 平山篤志, [硝酸薬] 新しい硝酸薬製剤. ICUとCCU, 1989. 13(8): 675-683.
30. 児玉和久 and 平山篤志, ヒト血漿 Radical Scavenger活性の心筋梗塞サイズに及ぼす影響. Therapeutic Research, 1989. 10(10): 4342-4347.
31. 駒村和雄, 南都伸介, 平山篤志, 朝田真司, 大原知樹, 松村泰志, et al., 再疎通時間および心筋壞死進展過程からみた急性心筋梗塞における再灌流の意義. J Cardiol, 1989. 19: 709-715.

32. 岡崎康司, 三嶋正芳, 平山篤志, 駒村和雄, 朝田真司, 大原知樹, et al., 急性心不全患者に対する塩酸ブナゾシン経口投与の急性効果. 呼吸と循環, 1989. 37(11): 1197-1202.
33. 松村泰志, 平山篤志, 山本一博, 三嶋正芳, and 児玉和久, Nicorandil の冠血行動態に及ぼす作用. Therapeutic Research, 1989. 10: 1313-1320.
34. 平山篤志, 駒村和雄, 松村泰志, 西田和彦, 朝田真司, 大原知樹, et al., 急性心筋梗塞患者における心筋ミオシン軽鎖の動態. 心筋の構造と代謝 心筋代謝研究会編 1989. 1: 44-47.
35. 内藤丈詞, 山本一博, 朝田真司, 平山篤志, 南都伸介, 三嶋正芳, et al., 陳旧性心筋梗塞における運動負荷 TI-201 心筋シンチグラムの redistribution (再分布) と残存虚血. 大阪警察病院医学雑誌, 1990. 14: 31-38.
36. 西田和彦, 児玉和久, 平山篤志, 南都伸介, 三嶋正芳, 朝田真司, et al., 人における経冠静脈逆行性心筋コントラストエコー法. 大阪警察病院医学雑誌, 1990. 14: 23-31.
37. 松田外志朗, 西田和彦, 内藤丈詞, 朝田真司, 大原知樹, 橋村一彦, et al., 拡張型心筋症に心筋梗塞を合併した症例. 大阪警察病院医学雑誌, 1990. 14: 39-47.
38. 平山篤志, 高垣裕, and 児玉和久, 急性心筋梗塞患者における血中ミオシン軽鎖の動態. 心筋の構造と代謝, 1990. 12: 201-211.
39. 児玉和久 and 平山篤志, 救急医療の実際 心原性ショック. 臨床成人病, 1990. 20(5): 732-737.
40. 児玉和久 and 平山篤志, ショック 全身管理 循環の機械的サポート. 救急医学 1990. 14(11): 1360-1364.
41. 有勝, 辻昭雄, 白樺勝亮, 坂口恭子, 相馬英一, 坂本善弘, et al., 心筋ミオシン軽鎖 II(MLCII)測定系の検討. 臨床検査, 1990. 34: 749-753.
42. 平山篤志, 駒村和雄, 南都伸介, and 児玉和久, 急性心筋梗塞における再灌流障害-生体内 free radical 消去活性と梗塞サイズの比較-. 脈管学, 1990. 30(2): 93-96.
43. 朝田真司, 三嶋正芳, 南都伸介, 平山篤志, 大原知樹, 山本一博, et al., IOHESOL (オムニパーク 350) を用いた冠血流予備の計測. Coronary, 1990. 7(1): 109-115.
44. 岡崎康司, 内藤丈詞, 足立孝好, 松田外志朗, 西田和彦, 本多加津雄, et al., 冠状脈内心電図 2 カ所同時記録による局所心筋虚血の評価. Therapeutic Research (第 6 回冠血管内心電図研究会), 1990. 11(11): 3738-3741.
45. 駒村和雄, 児玉和久, 南都伸介, 三嶋正芳, and 平山篤志, 線溶療法による再疎通後の緊急 PTCA が冠血流量および梗塞量に与える効果. J Cardiology, 1990. 20(1): 63-70.
46. 松村泰志, 児玉和久, 三嶋正芳, 南都伸介, 平山篤志, 駒村和雄, et al., Nicorandil の冠攣縮緩解作用の検討. Therapeutic Research 1990. 11: 1448-1452.
47. 児玉和久, 岡崎康司, 南都伸介, 平山篤志, 駒村和雄, 三嶋正芳, et al., 体内式頻拍停止装置による上室性頻拍症の治療 -長期治療成績からみた臨床的意義-. 心臓ペーシング, 1990. 6(5): 604-610.

48. 児玉和久 and 平山篤志, ショック 原因に対する局所療法 心原性ショック. 救急医学, 1990. 14(11): 1340-1344.
49. 松田外志朗, 足立孝好, 本多加津雄, 橋村一彦, 朝田真司, 大原知樹, et al., 急性心筋梗塞に合併する徐脈性不整脈に対する心房心室順次ペーシングの臨床的意義. 大阪警察病院医学雑誌, 1991. 15: 15-18.
50. 西田和彦, 南都伸介, 三嶋正芳, 平山篤志, 大原知樹, 足立孝好, et al., 経冠静脈的逆行性灌流法である Synchronized Coronary Venous Petroperfusion(SRP)の有効性. 大阪警察病院医学雑誌, 1991. 15: 9-14.
51. 本多加津雄, 岡崎康司, 大原知樹, 平山篤志, 三嶋正芳, 児玉和久, et al., 反復する心タンポナーデを主微とした右房原発血管肉腫の一例. 大阪警察病院医学雑誌, 1991. 15: 135-138.
52. 足立孝好, 三嶋正芳, 平山篤志, 朝田真司, 大原知樹, 橋村一彦, et al., 繰り返し心筋生検を施行することにより急性期から慢性期まで経過を観察し得た心筋炎の一例. 大阪警察病院医学雑誌, 1991. 15: 131-134.
53. 朝田真司, 南都伸介, 三嶋正芳, 平山篤志, and 児玉和久, 血栓溶解療法後の PTCA とその臨床的意義 -急性期と慢性期の PTCA の対比検討-. 医学と薬学, 1991. 25(2): 393-396.
54. 小林毅司, 堀辰之, 大畠雄咲, 小鍛治信幸, 田島倫, 坂本善弘, et al., 運動負荷心電図における無症候性心筋虚血の意義. 大阪警察病院医学雑誌, 1991. 15: 107-111.
55. 平山篤志, 西田和彦, 南都伸介, 朝田真司, 大原知樹, 橋村一彦, et al., Assist Device を用いた左主幹冠動脈に対する PTCA の適応 拡大. 日獨医報, 1992. 37(2): 70-73.
56. 岡崎康司, 朝田真司, 南都伸介, 足立孝好, 山本一博, 内藤丈詞, et al., 右単冠動脈症に対して PTCA が成功した 1 例. 日獨医報, 1992. 37(2): 62-63.
57. 奥山裕司, 三嶋正芳, 南都伸介, 平山篤志, 堀昭彦, 三崎尚之, et al., 房室結節回帰性頻拍(AVNRT)に対する選択的遅伝導路焼灼術による根治療法. 大阪警察病院医学雑誌, 1992. 16: 149-154.
58. 平山篤志, 足立孝好, 朝田真司, 堀昭彦, 西田和彦, 大原知樹, et al., 急性心筋梗塞に対する Late Reperfusion の慢性期左心機能に及ぼす影響. 医学と薬学, 1992. 27(4): 883-889.
59. 児玉和久 and 平山篤志, t-PA :急性心筋梗塞の新しい初期治療法 冠動脈再灌流の効果判定. 診断と治療, 1992. 80(5): 825-832.
60. 岡野錦弥, 青笛克之, 黒川和男, 辻本正彦, 大原知樹, 平山篤志, et al., 昭和 53 年以降約 10 年間に当院にて培検された心疾患 56 例の臨床病理学的考察について. 大阪警察病院医学雑誌, 1992. 16: 101-110.
61. 西田和彦, 南都伸介, 平山篤志, 堀昭彦, 三崎尚之, 足立孝好, et al., 左冠動脈主幹部病変例など high risk patients に対する supported PTCA-Synchronized coronary venous retroperfusion を用いた検討. 大阪警察病院医学雑誌, 1992. 16: 31-36.
62. 平山篤志, 西田和彦, and 児玉和久, Late Stege における Myocardial Reperfusion Therapy の有用性についての臨床的検討. Jpn Cir J, 1992. 56(増刊 1): 69-70.

63. 堀昭彦, 南都伸介, 足立孝好, 三嶋正芳, 平山篤志, 駒村和雄, et al., 当施設における PTCA の成績と今後の展望. 大阪警察病院医学雑誌, 1993. 17: 17-20.
64. 岡崎康司, 松村泰志, 三嶋正芳, 南都伸介, 平山篤志, 大原知樹, et al., 反復する意識消失発作にて発症した肺動脈主幹部原発の肉腫. 日独医報, 1993. 38(4): 154-155.
65. 足立孝好, 三崎尚之, 南都伸介, 平山篤志, 西田和彦, 堀昭彦, et al., 多発性骨髄腫を合併した心不全を発症した Bland-Whit-Garland syndrome の一成人例. 日独医報, 1993. 38(4): 220-221.
66. 平山篤志, 西田和彦, and 児玉和久, 心筋梗塞急性期の治療 : Late Stage における Myocardial Reperfusion Therapy の有用性についての臨床的検討. Jpn Circ J, 1993. 56(Suppl.5): 1438-1441.
67. 奥山裕司, 平山篤志, and 駒村和雄, PTCA 施行時の反復虚血による虚血耐性獲得の機序に関する考察. 心筋の構造と代謝, 1993. 16: 137-144.
68. 平山篤志 and 児玉和久, 心不全治療に用いられている循環補助器. Chronic Disease, 1993. 4(2): 252-257.
69. 平山篤志, 足立孝好, 朝田真司, 駒村和雄, 坂田泰彦, 堀昭彦, et al., 慢性期梗塞領域の灌流の相違が左心機能に及ぼす影響について. 大阪警察病院医学雑誌, 1993. 17: 7-12.
70. 駒村和雄, 平山篤志, 堀昭彦, 三崎尚之, 足立孝好, 長谷川新治, et al., 急性心筋梗塞再疎通例における冠静脈血流低下の意義 : 再灌流障害と梗塞量. 大阪警察病院医学雑誌, 1993. 17: 13-16.
71. 内藤丈詞, 山本一博, 三嶋正芳, 南都伸介, 平山篤志, 朝田真司, et al., 運動負荷 TI-201 心筋シンチグラムの再分布による陳旧性心筋梗塞における残存心筋の虚血の評価. 心臓, 1993. 25(9): 1004-1008.
72. 平山篤志, 三嶋正芳, 西田和彦, and 児玉和久, 急性心筋梗塞における再灌流障害の成因とその対策に関する臨床的検討. Jpn Circ J, 1993. 57(Suppl.IV): 1352-1355.
73. 児玉和久 and 平山篤志, CCU における補助循環(PCPS など). 循環器科, 1993. 34: 559-564.
74. 児玉和久 and 平山篤志, PTCA の現況と将来 PTCA の現況と問題点. ハートナーシング, 1993. 6(7): 608-612.
75. 黒飛俊哉, 平山篤志, 石藏文信, 堀昭彦, 三崎尚之, 足立孝好, et al., 出産、冠れん縮、動脈硬化が原因となり心筋梗塞が発症したと考えられる若年女性の一例に関する考察. 大阪警察病院医学雑誌, 1994. 18: 111-114.
76. 奥山裕司, 黒飛俊哉, 平山篤志, 堀昭彦, 三崎尚之, 足立孝好, et al., 左側副伝導路に対するカテーテル・アブレーション -成績向上の対策-. Jpn J Cardiac Pacing Electrophysiol, 1994. 10(2): 163-167.
77. 上田恭敬, 三島正芳, 平山篤志, 堀昭彦, 三崎尚之, 足立孝好, et al., 大動脈解離に大動脈弁閉鎖不全および左冠動脈主幹部解離による心筋梗塞を合併した 1 症例. 心臓, 1994. 26(2): 171-176.
78. 児玉和久 and 平山篤志, 冠動脈の再狭窄をめぐる問題点 冠血管再建法と再狭窄. ハートナーシング, 1994. 7(2): 39-43.
79. 児玉和久 and 平山篤志, 急性心筋梗塞の心不全・ショックの治療-IABP と補助循環.

- Medical Practice, 1994. 11(2): 349-355.
80. 児玉和久 and 平山篤志, ベッドサイド心臓病学 PTCA,Stent,CABG を比較する. 総合臨床, 1994. 43(4): 670-674.
81. 児玉和久 and 平山篤志, 動脈瘤の病態と治療 冠動脈瘤の病態. ハートナーシング, 1994. 7(8): 684-637.
82. 平山篤志 and 児玉和久, VII.狭心症の臨床 C.不安定狭心症 生化学的指標による不安定狭心症の病態把握と予後推定. 日本臨床, 1994. 52: 324-329.
83. 平山篤志 and 児玉和久, VIII.心筋梗塞の臨床 B.急性心筋梗塞 急性心筋梗塞の再灌流療法 Late myocardial reperfusion therapy の有用性と限界. 日本臨床, 1994. 52: 829-834.
84. 平山篤志, 虚血性心疾患治療の最前線 1.冠血管拡張薬療法. Osaka Heart Club, 1994. 18(3): 8-9.
85. 児玉和久 and 平山篤志, 高齢者の各種病態における ICU 管理の適応と限界 重症ポンプ失調の補助循環. ICU と CCU, 1994. 18(10): 951-957.
86. 児玉和久 and 平山篤志, 組織プラスミノーゲンアクチベータ t-PA と急性心筋梗塞. 病態生理, 1994. 13(9): 684-690.
87. 山元博義, 平山篤志, 堀昭彦, 三崎尚之, 足立孝好, 長谷川新治, et al., Supported PTCA にて救命した左主幹部病変による心原性ショックの一例. 大阪警察病院医学雑誌, 1994. 18(9): 105-110.
88. 児玉和久 and 平山篤志, 不安定狭心症の治療方針 : 薬物治療と PTCA. 臨床医, 1994. 20(10): 1899-1902.
89. 児玉和久 and 平山篤志, 急性心筋梗塞症 合併症への対策 いま救命困難な心原性ショック例の救命をめざす試み. 救急医学, 1994. 18(12): 1752-1755.
90. 三嶋正芳, 平山篤志, 堀昭彦, 足立孝好, and 児玉和久, 再疎通治療を行った急性心筋梗塞における electrical stunning の臨床的意義. 循環器科, 1995. 38(2): 243-249.
91. 三崎尚之, 平山篤志, 石藏文信, 堀昭彦, 藤久和, 足立孝好, et al., ペースメーカーのリード断線について. 大阪警察病院医学雑誌, 1995. 19: 29-32.
92. 足立孝好, 黒飛俊哉, 石藏文信, 堀昭彦, 長谷川新治, 三崎尚之, et al., 冠静脈内心電図による心筋虚血の評価アセチルコリン負荷試験での検討. Therapeutic Research, 1995. 16(6): 1852-1854.
93. 奥山裕司, 黒飛俊哉, 平山篤志, 石藏文信, 堀昭彦, 足立孝好, et al., 房室結節と心房の連結に関する臨床的考察. Therapeutic Research, 1995. 16(8): 2603-2608.
94. 平山篤志, 長谷川新治, 三嶋正芳, and 児玉和久, 梗塞後左室 Remodeling と心臓リハビリテーション. Jpn Circ J, 1995. 58(Suppl.IV): 1356-1359.
95. 坂田泰史, 平山篤志, 石藏文信, 足立孝好, 南都伸介, 三嶋正芳, et al., 組織プラスミノーゲンアクチベーター(t-PA)静脈内 投与法の有用性 : 冠動脈内投与法との比較 一出血性合併症について. 医学と薬学, 1995. 35(1): 76-79.
96. 山元博義, 平山篤志, 石藏文信, 三崎尚之, 坂田泰彦, 黒飛俊哉, et al., 心電図上心筋梗塞パ

- ターンを示した典型的心アミロイドーシスの1例. 大阪警察病院医学雑誌, 1995. 19: 109-114.
97. 坂田泰彦, 石藏文信, 平山篤志, 三崎尚之, 堀昭彦, 藤久和, et al., 急性心筋梗塞症例における再灌流心筋灌流状態の評価. 大阪警察病院医学雑誌, 1995. 19: 33-36.
98. 坂田泰彦, 石藏文信, 平山篤志, 坂田泰史, 長谷川新治, and 児玉和久, 再灌流心筋に対する Nicorandil の効果—心筋コントラストエコー法による検討—. Therapeutic Research, 1996. 17(4): 1225-1226.
99. 樋口義治, 平山篤志, 石藏文信, 三崎尚之, 藤久和, 足立孝好, et al., 梗塞責任血管において冠動脈の代償性肥大が認められた急性心筋梗塞の一症例. 大阪警察病院医学雑誌, 1996. 20: 87-90.
100. 児玉和久 and 平山篤志, 心臓突然死 危険なサインを見落とさないために 症状の増悪を認めた無症候性心筋虚血の1例. 治療, 1996. 78(9): 117-120.
101. 坂田泰史, 平山篤志, 柏瀬一路, 坂田泰彦, 朝倉正紀, 石藏文信, et al., 【虚血再灌流傷害の病態と治療】 急性心筋梗塞における再灌流傷害の指標と梗塞サイズ. 循環の計測と制御, 1997. 16(1): 33-38.
102. 柏瀬一路, 石藏文彦, 平山篤志, 児玉和久, 北出和史, 大段朋子, et al., 経皮的アプローチによる血管の3Dエコー図. 超音波医学, 1997. 24(9): 1431.
103. 若松良介, 植原哲夫, 光野正孝, 矢倉明彦, 松江一, 平山篤志, et al., 心筋梗塞後左室自由壁に対する経皮的心肺補助法を用いた外科治療. 医学と薬学 1997. 37(2): 318-320.
104. 朝倉正紀, 平山篤志, 植田恭敬, and 児玉和久, Acute coronary syndrome 発症におけるブラークの重要性—血管内視鏡による観察から—. 循環器科, 1997. 41: 262-265.
105. 坂田泰彦, 平山篤志, 石藏文信, 坂田泰史, and 児玉和久, 急性心筋梗塞再疎通療法成功後の Nicorandil 冠動脈内単回投与と慢性期梗塞サイズの関連. Therapeutic Research, 1997. 18(3): 874-875.
106. 柏瀬一路, 石藏文信, 藤久和, 足立孝好, 坂田泰彦, 山元博義, et al., 来院時急性心筋梗塞様の所見を呈した正常冠動脈の一症例. Osaka Heart Club, 1997. 20(11): 7-12.
107. 堀辰之, 篠原宣幸, 松若良介, 植原哲夫, 平山篤志, and 児玉和久, 経皮的心肺補助法施行例におけるカニューレサイズの臨床的検討. ICU と CCU, 1997. 21(10): 881-884.
108. 樋口義治, 朝倉正紀, 平山篤志, and 児玉和久, 急性心筋梗塞における梗塞責任部位の経時的变化について-血管内超音波法による検討-. 大阪医学 (大阪府医師会医学会雑誌), 1998. 32(1): 79.
109. 坂田泰彦, 平山篤志, 児玉和久, 北風政史, and 堀正二, 心筋梗塞急性期におけるニコランジル冠動脈内投与の有用性. Therapeutic Research, 1998. 19(4): 878-879.
110. 平山篤志 and 児玉和久, 特集 臓器移植のタイミング: 心疾患. ICU と CCU, 1998. 22(8): 547-552.
111. 朝倉正紀, 平山篤志, 藤久和, 足立孝好, 金銅伸彦, 松田伸一, et al., 冠動脈内視鏡からみた冠インターべンション-慢性完全閉塞病変を中心に-. 循環器科, 1998. 44(3): 273-276.
112. 柏瀬一路, 平山篤志, 藤久和, 金銅伸彦, 松田伸一, 足立孝好, et al., 急性心不全に対するミルリノン投与効果の判定ポイントの考案. 大阪警察病院医学雑誌, 1998. 22: 9-11.

113. 金銅伸彦, 平山篤志, 上松正朗, 松田伸一, 足立孝好, 奥山裕司, et al., IABP と心原性ショック 下行大動脈に coarctation を有する症例に IABP を使用した経験. 循環器科, 1999. 46(5): 520-521.
114. 樋口義治, 平山篤志, 上松正朗, 金銅伸彦, 松田伸一, 足立孝好, et al., PTCA(経皮的冠動脈形成術)後のplaques量の増減と血管リモデリングに関する検討. 循環器科, 1999. 46(1): 94-98.
115. 中谷大作, 林英宰, 川野成夫, 福井温, 三嶋正芳, 坂田泰史, et al., 陳旧期心筋梗塞における冬眠心筋に対するアムリノン負荷の臨床的意義 左室壁運動解析による検討. Therapeutic Research, 1999. 20(6): 1815-1819.
116. 坂田泰彦, 北風政史, 葛谷恒彦, 平山篤志, 児玉和久, and 堀正二, No-reflow 領域におけるニコラジルの心筋灌流改善効果と慢性期左心機能の相関について. Therapeutic Research, 1999. 20(4): 934-938.
117. 樋口義治, 平山篤志, 石藏文信, 児玉和久, 三嶋正芳, and 南都伸介, 急性心不全に対するアムリノン使用の臨床的意義. Therapeutic Research, 1999. 20(6): 1825-1831.
118. 朝倉正紀, 平山篤志, and 児玉和久, 血管内視鏡よりみた潜在性 動脈硬化病変の検討. 循環器科, 1999. 45(1): 99-102.
119. 柏瀬一路, 平山篤志, 藤久和, 金銅伸彦, 松田伸一, 足立孝好, et al., 急性心不全に対するミルリノン投与効果の判定ポイントの考案. Therapeutic Research, 1999. 20(6): 1865-1867.
120. 柏瀬一路, 平山篤志, 藤久和, 金銅伸彦, 松田伸一, 足立孝好, et al., ミルリノンの投与法とその適応と考えられる病態について 一心不全治療薬としてのミルリノンの位置付け. Therapeutic Research, 1999. 20(6): 1846-1848.
121. 平山篤志, 足立孝好, 堀昭彦, and 児玉和久, Successful PTCA 後冠動脈の長期予後 特に侵襲血管と非侵襲血管の新規病変について PTCA 後に非標的部位に狭窄が進行した症例の検討. 心臓, 1999. 31(7): 532-537.
122. 柏瀬一路, 平山篤志, 上松正朗, 金銅伸彦, 松田伸一, 足立孝好, et al., 慢性心不全患者に対する外来通院時におけるミルリノン投与の経験. Therapeutic Research, 1999. 20(11): 3051-3053.
123. 柏瀬一路, 平山篤志, 上松正朗, 金銅伸彦, 松田伸一, 足立孝好, et al., カテコラミン離脱時のミルリノン併用療法の検討. Therapeutic Research, 1999. 20(11): 3054-3056.
124. 柏瀬一路, 平山篤志, 児玉和久, 北出和史, 守安謙志, 大段朋子, et al., 組織ドプラを用いた心筋局所の収縮・拡張速度計測による心機能評価 一前壁中隔心筋梗塞症例と正常例の比較-. Journal of Medical Ultrasonics, 2000. 27(4): 73-111.
125. 樋口義治, 平山篤志, 山口修, and 児玉和久, 【冠血管リモデリング】 冠血管リモデリングの臨床 PTCA(経皮的冠動脈形成術)後の血管反応性に関する検討. 医学のあゆみ, 2000. 別冊(冠血管リモデリング): 125-131.
126. 奥山裕司, 平山篤志, 上松正朗, 水野裕八, and 児玉和久, 短時間虚血の反復による虚血耐性獲得の機序 -高頻度心房ペーシング負荷およびバルーンによる反復冠閉塞での検討-. 心電図, 2000. 20(2): 120-126.

127. 柏瀬一路, 上田恭敬, 山口修, 金銅伸彦, 松田伸一, 奥山裕司, et al., 心原性ショックを伴う左主幹部心筋梗塞に対し、血栓溶解療法とステント挿入法の併用により良好な結果を得た 1 症例. Osaka Heart Club, 2000. 23(9): 5-9.
128. 金銅伸彦, 平山篤志, 上田恭敬, 清水政彦, 大谷朋仁, and 児玉和久, 冠血行動態(血流/圧/温度)の評価におけるプレッシャーワイヤーの有用性 FFR によりはじめて PTCA の Target Lesion が確定した労作性狭心症の 1 例. Therapeutic Research, 2001. 22(5): 959-963.
129. 平山篤志, 急性心筋梗塞症の早期再灌流におけるIVCT の役割. Therapeutic Research, 2001. 22(1): 19-30.
130. 平山篤志, 血小板血栓への対策が重要 血管内視鏡による急性冠症候群の観察から. Medical Tribune 2001. 34(23): 12.
131. 上田恭敬, 大谷朋仁, 清水政彦, 平山篤志, and 児玉和久, 急性心筋梗塞の治療戦略 内科的治療と外科的治療 梗塞サイズ縮小のための再灌流療法についての検討(原著論文) シンポジウム発表原稿. 日本冠疾患学会雑誌 2001. 7(2): 49-51.
132. 岡崇史, 平山篤志, 内藤丈詞, 奥山裕司, 上田敬恭, 鷹野譲, et al., 高度下肢動脈硬化性閉塞症を合併した左主幹部病変を伴う急性心筋梗塞の治療. 循環器科, 2003. 53(5): 451-452.
133. 上田恭敬, 平山篤志, and 児玉和久, Direct PTCA にて冠閉塞を解除できなかった急性心筋梗塞の 1 症例. THE CIRCULATION FRONTIER, 2003. 4(1): 70-72.
134. 小西ひろみ, 小松誠, 朝永康徳, 平山篤志, and 坂口喜清, 咽頭痛のみを主訴に受信した急性心筋梗塞例. 耳鼻臨床, 2004. 97(9): 329-832.
135. 奥山裕司, 岡崇史, 上田恭敬, 鷹野譲, 小松誠, 溝手勇, et al., 頻脈性不整脈に対するCibenzoline の有用性－他の抗不整脈薬が効果不十分あるいは継続使用できない症例での検討－. Therapeutic Research, 2005. 1(26): 153-165.
136. 小松誠, 平山篤志, 藤沢康雄, 大森洋介, 清本政義, 越宗豊, et al., 特集：造影 CT における至適造影剤投与方法を探る—冠動脈 CT の新しい評価法 Plaque Map System による Pixel Analysis *in silico*. 映像情報 Medical (A Monthly Journal of Medical Imaging and Information) 2005. 37(8): 716-719.
137. 小松誠, 平山篤志, and 児玉和久, 診療における画像診断法の戦略的応用◇PCI の場合. Cardiac Practice, 2006. 17(4): 79-83.
138. 小松誠, 平山篤志, 藤沢康雄, 清本昌義, 越宗豊, 東出敏明, et al., 冠動脈狭窄病変に対する画像診断 Coronary CT 最前線. Cardiovascular Imaging, 2006. 1.
139. 小松誠, Ropers D, Kuettner A, 平山篤志, 児玉和久, Daniel W G, et al., 冠動脈疾患診断における Dual-Source CT の臨床. Innervation, 2007. 22(4): 56-59.
140. 柏瀬一路, 平山篤志, and 上田恭敬, 虚血性僧帽弁逆流の集学的治療 急性心筋梗塞症例における虚血性僧帽弁逆流が長期予後に与える影響について. 循環器専門医, 2009. 17(1): 19-23.
141. 北岡慎司, 小林博, 北畠律子, 尾前幸大, 岩見陸, 堀菜摘, et al., 電池交換指示信号(Elective Replacement Indicator:ERI)に入り急激な電池消耗を引き起こした一例. 大阪警察病院医学雑誌,

2021. 37: 30-35.